Inspect Minnesota & Midwest Soil Testing

P.O. Box 383 Hugo, MN 55038

Brian Humpal

651-492-7550/Brian@midwestsoiltesting.com

MPCA Licensed Advanced Inspector

SUBSURFACE SEWAGE TREATMENT SYSTEM (SSTS) COMPLIANCE REPORT

Inspection Address: 935 Midwest Trail North, West Lakeland Twp Site Conditions: 6" Snow 3" Frost

REPORT SUMMARY

I have performed an "MPCA Compliance Inspection" on this system, have reviewed the history of the system with the owner, Wade Zitzloff, and have reviewed the original design/permit records on file at Washington County. This older system (installed in 1989) consists of a pre-cast septic tank and a rock trench drainfield.

Predicated on my inspection of the system, my review of the history of the system with the owner, and my review of the original design/permit records, it is my opinion that this system presently meets MPCA minimum compliance inspection requirements.

Inspect Minnesota and Midwest Soil Testing have been hired to perform a compliance inspection of this SSTS for compliance with local ordinances pursuant to Minn. Stat. § 115.55 (2013). This compliance inspection covers only the criteria required by Minn. Stat. § 115.55 Subd. 5a (2013) and Minn. R. 7080.1500 (2011). A compliance inspection is an indication of the current compliance status of the system and does not guarantee the performance or longevity of this system beyond the date of inspection, as it is impossible to determine the future performance of any system. Inspect Minnesota and Midwest Soil Testing disclaim any use of this compliance inspection beyond determining SSTS compliance pursuant to Minn. Stat. § 115.55 Subd. 5a (2013) and Minn. R. 7080.1500 (2011).

Please contact me should you have any questions.

Brian Humpal



St. Paul, MN 55155-4194

Compliance Inspection Form

Existing Subsurface Sewage Treatment Systems (SSTS)

Doc Type: Compliance and Enforcement

Instructions: Inspection results based on Minnesota Pollution Control Agency (MPCA) requirements and attached forms – additional local requirements may also apply.	For local tracking purposes:
Submit completed form to Local Unit of Government (LUG) and system owner within 15 days	
System Status	
System status on date (mm/dd/yyyy):1/20/2016	
<u> </u>	mpliant – Notice of Noncompliance grade Requirements on page 3)
Reason(s) for noncompliance (check all applicable)	
☐ Impact on Public Health (Compliance Component #1) – Imminent threat to ☐ Other Compliance Conditions (Compliance Component #3) – Imminent th ☐ Tank Integrity (Compliance Component #2) – Failing to protect groundwas ☐ Other Compliance Conditions (Compliance Component #3) – Failing to protect groundwas ☐ Soil Separation (Compliance Component #4) – Failing to protect groundwas ☐ Operating permit/monitoring plan requirements (Compliance Component	reat to public health and safety ter otect groundwater vater
Property Information Parcel ID# or Sec/Twp/Ran	ao.
·	ge for inspection: _Property Sale
	phone: 612-749-1672
or	
Owner's representative: Represe	ntative phone:
	ory authority phone: 651-430-4052
Brief system description: Pre-cast septic tank and a rock trench drainfield.	
Comments or recommendations:	
Certification	
I hereby certify that all the necessary information has been gathered to determine the determination of future system performance has been nor can be made due to unknown possible abuse of the system, inadequate maintenance, or future water usage.	
Inspector name: Brian Humpal Certifica	tion number: L5342
Business name: Inspect Minnesota, Midwest Soil Testing Lice	nse number: L2896
Inspector signature: Brian Humpal Pho	one number: 651-492-7550
Necessary or Locally Required Attachments	
	local ordinance
☐ Other information (list): Report Summary, Property Information, Disclaimer, Li	

1.	lm	npact on Public Health – Co	mpliance compone	nt #1 of 5		
	Co	ompliance criteria:		Verification method(s):		
		stem discharge sewage to the bund surface.	☐ Yes ⊠ No	☑ Searched for surface outlet☑ Searched for seeping in yard/backup in home		
		stem discharge sewage to drain tile surface waters.	☐ Yes ⊠ No	 ☑ Excessive ponding in soil system/D-boxes ☑ Homeowner testimony (See Comments/Explanation) 		
		stem cause sewage backup into velling or establishment.	☐ Yes ⊠ No	☐ "Black soil" above soil dispersal system☐ System requires "emergency" pumping☐ Performed dye test		
		ny "yes" answer above indicate I Imminent Threat to Public Hea		☐ Unable to verify (See Comments/Explanation) ☐ Other methods not listed (See Comments/Explanation)		
	No	omments/Explanation: one of the above found. soil boring over the drainfield indicated	d no signs of pondinç	or black/gray soils.		
2.	Tá	ank Integrity — Compliance cor	nponent #2 of 5			
	Co	ompliance criteria:		Verification method(s):		
		stem consists of a seepage pit, sspool, drywell, or leaching pit.	☐ Yes ⊠ No	☑ Probed tank(s) bottom☑ Examined construction records		
		epage pits meeting 7080.2550 may be mpliant if allowed in local ordinance.		Examined Tank Integrity Form (Attach)Observed liquid level below operating depth		
	de	wage tank(s) leak below their signed operating depth.	☐ Yes ⊠ No	☐ Examined empty (pumped) tanks(s)☐ Probed outside tank(s) for "black soil"		
		ves, which sewage tank(s) leaks:		☐ Unable to verify (See Comments/Explanation)		
	Any "yes" answer above indicates the system is Failing to Protect Groundwater.			☐ Other methods not listed (See Comments/Explanation)		
3.	Lo	omments/Explanation: wered underwater camera into tank - ther Compliance Conditions				
	a.	Maintenance hole covers are damage	d, cracked, unsecure	d, or appear to structurally unsound. ☐ Yes* ☒ No ☐ Unknown		
	b.	Other issues (electrical hazards, etc.) to *System is an imminent threat to pu		ersely impact public health or safety. \square Yes* \boxtimes No \square Unknown ety		
		Explain:				
	c. System is non-protective of ground water for other conditions as determined by inspector ☐ Yes* ☒ No *System is failing to protect groundwater			as as determined by inspector ☐ Yes* ☒ No		
		Explain:				

Property address: 935 Midwest Trail North, West Lakeland Twp, MN

Inspector initials/Date: 1/20/2016

www.pca.state.mn.us • 651-296-6300 • 800-657-3864 • 3 of TBY 651-282-5332 or 800-657-3864 • Available in alternative formats wq-wwists4-31 • 1/24/12 Page 2 of 3

Date of installation: 1989	☐ Unkr	nown	Verification method(s):	
Shoreland/Wellhead protection/Food Beverage Lodging?	☐ Yes No		Soil observation does not expire. Previous soil observations by two independent parties are sufficien	
Compliance criteria:			unless site conditions have been a	
For systems built prior to April 1, 1996, and not located in Shoreland or Wellhead Protection Area or not serving a food, beverage or lodging establishment:	⊠ Yes	□ No	requirements differ. Conducted soil observation(s) (Two previous verifications (Atta	ch boring logs)
Drainfield has at least a two-foot vertical separation distance from periodically saturated soil or bedrock.			☐ Unable to verify (See Comments.☐ Other (See Comments/Explanation	(Explanation)
Non-performance systems built April 1,	☐ Yes	□No	Comments/Explanation:	
1996, or later or for non-performance systems located in Shoreland or Wellhead Protection Areas or serving a food, beverage, or lodging establishment:			Reviewed design and permit record	ds.
Drainfield has a three-foot vertical separation distance from periodically saturated soil or bedrock.*				
"Experimental", "Other", or "Performance"	☐ Yes	□No	Indicate depths of elevations	
systems built under pre-2008 Rules; Type IV or V systems built under 2008 Rules (7080. 2350 or 7080.2400 (Advanced Inspector License required)			A. Bottom of distribution media	See Attached Boring Log(s)
Drainfield meets the designed vertical			B. Periodically saturated soil/bedrock	
separation distance from periodically saturated soil or bedrock.			C. System separation	
Any "no" answer above indicates the	he syst	em is	D. Required compliance separation*	f - II
Any "no" answer above indicates the system is Failing to Protect Groundwater.			*May be reduced up to 15 percent if allowed by Local Ordinance.	
Operating Permit and Nitrogen B	MP* – C	ompliance	component #5 of 5 Not app	licable
Is the system operated under an Operating Perr	mit?	☐ Yes [oxtimes No $$ If "yes", A below is required	
Is the system required to employ a Nitrogen BMP?				
BMP=Best Management Practice(s) specified in the system design				
If the answer to both questions is "no",	this sec	tion does	not need to be completed.	
Compliance criteria				
O I I PII I I I I I I I I I I I I I I I				
a Operating Permit number:			- - - -	
Operating Permit number: Have the Operating Permit requirements by	een met?	?	☐ Yes ☐ No	

Upgrade Requirements (Minn. Stat. § 115.55) An imminent threat to public health and safety (ITPHS) must be upgraded, replaced, or its use discontinued within ten months of receipt of this notice or within a shorter period if required by local ordinance. If the system is failing to protect ground water, the system must be upgraded, replaced, or its use discontinued within the time required by local ordinance. If an existing system is not failing as defined in law, and has at least two feet of design soil separation, then the system need not be upgraded, repaired, replaced, or its use discontinued, notwithstanding any local ordinance that is more strict. This provision does not apply to systems in shoreland areas, Wellhead Protection Areas, or those used in connection with food, beverage, and lodging establishments as defined in law.

wq-wwists4-31 • 1/24/12 Page 3 of 3

800-657-3864

www.pca.state.mn.us •

Property address: 935 Midwest Trail North, West Lakeland Twp, MN

Inspector initials/Date: 1/20/2016

Inspect Minnesota & Midwest Soil Testing


Subsurface Sewage Treatment System Owner/Occupant Information

The information will be used for the purpose of conducting an MPCA Compliance Inspection.

Date of Inspection: January 20, 2016	Time: 9:45 AM			
Property Address: 935 Midwest Trail North, West Lakeland Twp, MN	Zip: 55042			
Property Owner: Wade Zitzloff	Phone: 612-749-1672			
□ Aerobic □ Plastic □ Gravelless trench □ Expe □ Lift □ Metal □ Chamber trench □ Cess	k of form). Other rnative system erimental system pool system er system			
Have any other compliance inspections been done on this system? Y WI	nen/who? 2008/Unknown			
	e (gals.): 1500			
How long has seller owned the property? 2008 Number of residents i	•			
Number of bedrooms? 4 Are all floors drained by gravity?	Y			
Garbage disposal? Y Whirlpool bath? N				
More than one system (laundry, etc.)? N				
Does this property have any footing drain tiles connected to the septic syst	tem? N			
Are any buildings on this property such as garages or out-buildings connection	cted to this system? N			
Are there any additional systems on this property serving other buildings?	N			
Location of septic system on lot? South Side				
Location of water well on lot? East Side Is the well a	deep well? Y			
Have you ever experienced any problems with the system such as: tree roo	ots, sewage back-ups,			
surfacing of sewage onto the ground, septic tank overflowing, etc.; or have any repairs been made to the system? N If yes, explain:				
When was the system last pumped? 9/2015 Name of pumper: Pin	ky's Sewer Service			
How often pumped in previous years? Every 2-3 Is system on a monitoring plan? N				
Have you received notices from any government agency concerning this system? N				
Is your property located in a shoreland management area? N				
Do you have any additional information that should be given to the new owner? N				
I hereby certify that the above information is correct to the best of my knowledge. I also understand that if the system is considered "non-compliant/failing" per MPCA rules, that the inspector must by law submit a copy of this report to the local unit of government within 15 days of the date of inspection completion. I also agree that unless otherwise noted in				

this report, that I/we are ultimately responsible for payment of all fees for all work performed relative to this inspection by Inspect Minnesota and Midwest Soil Testing.

Owner/Occupant: Wade Zitzloff's Signature On File Date: 1/20/2016



Log Of Soil Borings

Borings Made By: Inspect Minnesota Auger Used: Hand/Bucket Boring Number: Surface Elevation of Boring Depth In Inches 0-18 18-35 35-42 42-60 10YR 3/4 Sandy Clay Loam 10YR 4/4 Medium Coarse Sand With Grave ≈ 15% Rock Fragments 60-80 80" Depth To End Of Boring Or Redox Same Elevation of Boring Relative To System -50" Depth To Bottom Of Distribution Media ≥30" Iof Separation End Of Boring At: Boring Number: Surface Elevation of Boring Number: Soils Encountered Inches Soils Encountered Inches Soils Encountered Depth In Inches Soils Encountered Depth In Inches Depth To End Of Boring Or Redox Elevation Of Boring Relative To System Depth To Bottom Of Distribution Media ≥30" Iof Separation End Of Boring At: Boring Number: Surface Elevation of Boring Number: Surface Elevation of Boring Or Redox Depth To End Of Boring Or Redox Depth To End Of Boring Or Redox Depth To Bottom Of Distribution Media Depth To Bottom Of Distribution Media Depth To Bottom Of Distribution Media End Of Boring At: End Of Boring At:	Location of Project: 935 Midwest Trail North, West Lakeland Twp, MN 55042					
Surface Elevation of Boring Some ground surface as last drainfield trench Soils Encountered Depth In Inches 10YR 2/2 Silt Loam 10YR 3/4 Sandy Clay Loam 10YR 4/4 Medium Coarse Sand With Grave ≈ 15% Rock Fragments 10YR 4/4 Medium Coarse Sand 80" Depth To End Of Boring Or Redox Same Elevation Of Boring Relative To System -50" Depth To Bottom Of Distribution Media ≥30" Of Separation Surface Elevation of Boring Surface as last drainfield trench Surface Elevation of Boring Number: Surface Elevation of Boring Opeth In Inches Surface Elevation of Boring Opeth In Inches Soils Encountered Soils Encountered Depth To End Of Boring Or Redox Elevation Of Boring Or Redox Elevation Of Boring Relative To System -50" Depth To Bottom Of Distribution Media ≥30" Of Separation	Borings Made By: Inspect Minnesota			Date:	1/20/16	
Surface Elevation of Boring Depth In Inches O-18 10YR 2/2 Silt Loam 10YR 3/4 Sandy Clay Loam 10YR 4/4 Medium Coarse Sand With Grave ≈ 15% Rock Fragments 10YR 4/4 Medium Coarse Sand 80" Depth To End Of Boring Or Redox Same Elevation Of Boring Relative To System -50" Depth To Bottom Of Distribution Media ≥30" Of Separation Soils Encountered Soils Encountered Inches Soils Encountered Inches Soils Encountered Inches Soils Encountered Inches Depth In Inches Soils Encountered Depth To Inches Soils Encountered Depth To End Of Boring Or Redox Elevation of Boring Or Redox Elevation Of Boring Relative To System Depth To Bottom Of Distribution Media Of Separation Of Separation			Classi	ification System:	USDA	
Elevation of Boring Depth In Inches O-18 18-35 35-42 42-60 60-80 Bo" Depth To End Of Boring Or Redox Same Elevation of Boring Belevation of Boring Depth In Inches Soils Encountered Inches Soils Encountered Depth In Inches Soils Encountered Inches Soils Encountered Depth In Inches Soils Encountered Depth In Inches Soils Encountered Depth In Inches Depth To End Of Boring Clay Loam 10YR 4/4 Medium Coarse Sand With Grave ≈ 15% Rock Fragments 10YR 4/4 Medium Coarse Sand Depth To End Of Boring Or Redox Same Elevation Of Boring Relative To System -50" Depth To Bottom Of Distribution Media ≥30" Of Separation Depth To Bottom Of Distribution Media Depth To Bottom Of Distribution Media Depth To Bottom Of Distribution Media		Boring Number:	1		Boring Number:	
Depth In Inches Soils Encountered Depth In Inches 10YR 2/2 Silt Loam 10YR 3/4 Sandy Clay Loam 10YR 4/4 Medium Coarse Sand With Grave ≈15% Rock Fragments 10YR 4/4 Medium Coarse Sand 10YR 4/4 Med	Surface	Samo grou	ind curface ac last	Surface		
Depth In Inches O-18 18-35 10YR 3/3 Silt Loam 10YR 3/4 Sandy Clay Loam 10YR 4/4 Medium Coarse Sand With Grave ≈15% Rock Fragments 10YR 4/4 Medium Coarse Sand 10YR 4/4 Medium Coarse Sand 10YR 4/4 Medium Coarse Sand Depth To End Of Boring Or Redox Same Elevation Of Boring Relative To System -50" Depth To Bottom Of Distribution Media ≥30" Of Separation Soils Encountered Soils Encountered Depth In Inches Soils Encountered Depth To End Of Boring Or Redox Depth To End Of Boring Or Redox Elevation Of Boring Relative To System Depth To Bottom Of Distribution Media ≥30" Of Separation	Elevation	α		Elevation	of	
Inches O-18 1		uran	meia trentii			
0-18 10YR 2/2 Silt Loam 18-35 10YR 3/3 Silt Loam 19-18 10YR 3/4 Sandy Clay Loam 42-60 10YR 4/4 Medium Coarse Sand With Grave ≈15% Rock Fragments 60-80 10YR 4/4 Medium Coarse Sand 80" Depth To End Of Boring Or Redox Same Elevation Of Boring Relative To System -50" Depth To Bottom Of Distribution Media ≥30" Of Separation	•	Soils E	ncountered		Soils En	countered
18-35 35-42 42-60 10YR 3/4 Sandy Clay Loam 10YR 4/4 Medium Coarse Sand With Gravel ≈15% Rock Fragments 10YR 4/4 Medium Coarse Sand 80" Depth To End Of Boring Or Redox Same Elevation Of Boring Relative To System -50" Depth To Bottom Of Distribution Media ≥30" Of Separation 10YR 3/3 Silt Loam 10YR 3/4 Sandy Clay Loam 10YR 3/4 Sandy Clay Loam 10YR 4/4 Medium Coarse Sand With Gravel ≈15% Rock Fragments 10YR 4/4 Medium Coarse Sand Depth To End Of Boring Or Redox Elevation Of Boring Or Redox Elevation Of Boring Relative To System Of Separation Of Separation				Inches		
10YR 3/4 Sandy Clay Loam 10YR 4/4 Medium Coarse Sand With Gravel ≈15% Rock Fragments 10YR 4/4 Medium Coarse Sand 10YR 4/4 Medium Coarse Sand 80" Depth To End Of Boring Or Redox Same Elevation Of Boring Relative To System -50" Depth To Bottom Of Distribution Media ≥30" Of Separation 10YR 3/4 Sandy Clay Loam 210YR 4/4 Medium Coarse Sand Depth To End Of Boring Or Redox Elevation Of Boring Or Redox Elevation Of Boring Relative To System Of Separation Of Separation						
42-60 10YR 4/4 Medium Coarse Sand With Grave ≈ 15% Rock Fragments 10YR 4/4 Medium Coarse Sand 80" Depth To End Of Boring Or Redox Same Elevation Of Boring Relative To System -50" Depth To Bottom Of Distribution Media ≥30" Of Separation Depth To Bottom Of Distribution Media Of Separation Depth To Bottom Of Distribution Media Of Separation						
80" Depth To End Of Boring Or Redox Same Elevation Of Boring Relative To System -50" Depth To Bottom Of Distribution Media ≥30" Of Separation Depth To End Of Boring Or Redox Elevation Of Boring Relative To System Depth To Bottom Of Distribution Media Of Separation Depth To Bottom Of Distribution Media Of Separation	42-60	10YR 4/4 Medium (Coarse Sand With Gravel			
80" Depth To End Of Boring Or Redox Depth To End Of Boring Or Redox Same Elevation Of Boring Relative To System -50" Depth To Bottom Of Distribution Media ≥30" Of Separation Depth To Bottom Of Distribution Media Of Separation	60.00					
Same Elevation Of Boring Relative To System Elevation Of Boring Relative To System -50" Depth To Bottom Of Distribution Media Depth To Bottom Of Distribution Media ≥30" Of Separation Generation	60-80	101K 4/4 Me	dium Coarse Sand			
Same Elevation Of Boring Relative To System Elevation Of Boring Relative To System -50" Depth To Bottom Of Distribution Media Depth To Bottom Of Distribution Media ≥30" Of Separation Generation						
Same Elevation Of Boring Relative To System Elevation Of Boring Relative To System -50" Depth To Bottom Of Distribution Media Depth To Bottom Of Distribution Media ≥30" Of Separation Generation						
Same Elevation Of Boring Relative To System Elevation Of Boring Relative To System -50" Depth To Bottom Of Distribution Media Depth To Bottom Of Distribution Media ≥30" Of Separation Generation						
Same Elevation Of Boring Relative To System Elevation Of Boring Relative To System -50" Depth To Bottom Of Distribution Media Depth To Bottom Of Distribution Media ≥30" Of Separation Generation						
Same Elevation Of Boring Relative To System Elevation Of Boring Relative To System -50" Depth To Bottom Of Distribution Media Depth To Bottom Of Distribution Media ≥30" Of Separation Generation						
Same Elevation Of Boring Relative To System Elevation Of Boring Relative To System -50" Depth To Bottom Of Distribution Media Depth To Bottom Of Distribution Media ≥30" Of Separation Generation						
Same Elevation Of Boring Relative To System Elevation Of Boring Relative To System -50" Depth To Bottom Of Distribution Media Depth To Bottom Of Distribution Media ≥30" Of Separation Generation						
Same Elevation Of Boring Relative To System Elevation Of Boring Relative To System -50" Depth To Bottom Of Distribution Media Depth To Bottom Of Distribution Media ≥30" Of Separation Generation						
Same Elevation Of Boring Relative To System Elevation Of Boring Relative To System -50" Depth To Bottom Of Distribution Media Depth To Bottom Of Distribution Media ≥30" Of Separation Generation						
Same Elevation Of Boring Relative To System Elevation Of Boring Relative To System -50" Depth To Bottom Of Distribution Media Depth To Bottom Of Distribution Media ≥30" Of Separation Generation						
Same Elevation Of Boring Relative To System Elevation Of Boring Relative To System -50" Depth To Bottom Of Distribution Media Depth To Bottom Of Distribution Media ≥30" Of Separation Generation						
Same Elevation Of Boring Relative To System Elevation Of Boring Relative To System -50" Depth To Bottom Of Distribution Media Depth To Bottom Of Distribution Media ≥30" Of Separation Generation						
Same Elevation Of Boring Relative To System Elevation Of Boring Relative To System -50" Depth To Bottom Of Distribution Media Depth To Bottom Of Distribution Media ≥30" Of Separation Generation						
Same Elevation Of Boring Relative To System Elevation Of Boring Relative To System -50" Depth To Bottom Of Distribution Media Depth To Bottom Of Distribution Media ≥30" Of Separation Generation						
Same Elevation Of Boring Relative To System Elevation Of Boring Relative To System -50" Depth To Bottom Of Distribution Media Depth To Bottom Of Distribution Media ≥30" Of Separation Generation						
-50" Depth To Bottom Of Distribution Media ≥30" Of Separation Of Separation	80"	Depth To End Of B	oring Or Redox		Depth To End Of Bo	oring Or Redox
≥30" Of Separation Of Separation	Same	Same Elevation Of Boring Relative To System			Elevation Of Boring	Relative To System
					f Distribution Media	
End Of Boring At: 80" End Of Boring At:	≥30" Of Separation			Of Separation		
End of boiling Act	End Of Boring Att			End Of Boring At		
Redox Present At: None Redox Present At:				-		
	Standing Water Present At: None			Water Present At:		
STANDING WATER PRESENT ALL MODE STANDING WATER PRESENT ALL	Standing water Present At: None		Stariumy	water riesent At.		

В	Bottom Of Distribution Medium At:	50 Inches

Brian L. Humpal, Inc. dba. Inspect Minnesota, Midwest Soil Testing **DISCLAIMER SHEET**

Relative to Subsurface Sewage Treatment System Compliance Inspections

- 1. This inspection/report is being performed for only the seller/owner of the property on which the septic system is located; there is no contract between Brian L. Humpal, Inc. and any other party except the seller/owner unless otherwise noted. In such case that the buyer of the property is paying for the inspection, the contract is between only the buyer of the property and Brian L. Humpal, Inc.; there is no contract with any other party unless otherwise noted.
- 2. Brian L. Humpal, Inc. has not been retained to warranty, guarantee, or certify the proper functioning of the system for any period of time beyond the date of inspection or into the future. Because of the numerous factors (usage, maintenance, soil characteristics, previous failures, etc.) which may affect the proper operation of a septic system, as well as the inability of Brian L. Humpal, Inc. to supervise or monitor the use or maintenance of the system, the report shall not be construed as a warranty by Brian L. Humpal, Inc. that the system will function properly for any particular party for any period of time.
- 3. Minimum Compliance Inspection requirements relative to this inspection and this report include <u>only</u> verification that the septic system has tank(s) (septic tanks, lift tanks, dosing tanks, stilling tanks, etc.) which are watertight below the designed operating depth, the required separation between the bottom of the subsurface soil distribution medium and seasonally saturated soils, no back-ups of sewage into the dwelling, no discharge of sewage/effluent to the ground surface or surface waters, and no imminent safety hazards. Brian L. Humpal, Inc. does not inspect basement ejector pumps or exterior lift tank pumps and associated components as these are considered to be maintenance items. Sewage back-up verification is limited to observing the floor drain area and/or the information supplied by the last occupants of the building prior to inspection. Brian L. Humpal, Inc. cannot guarantee that the information given to them by the last occupants of the building prior to inspection relative to back-ups is accurate. Some persons may attempt to hide or conceal signs of previous back-ups.
- 4. Certification of this system does not warranty future use beyond the date of the inspection. Any system, old or new, can become hydraulically overloaded or discharge sewage/effluent to the ground surface as a result of more people moving into the house than were previously occupying the house, improper maintenance, heavy usage, leaking plumbing fixtures, groundwater infiltration, tree roots, freezing conditions, surface drainage problems, poor initial design, poor construction practices, or unsuitable materials used in constructing the system; the system can also simply stop working because of its age. The average life expectancy of a system that has been properly designed, installed, properly maintained, and used in the manner for which the system was designed can be expected to provide service for twenty to twenty-five years. Some parts of the system such as alarms, switches, pumps, and filters will most likely have to be replaced over the lifetime of the system.
- 5. A Compliance Inspection is not meant to be a test or inspection for longevity of the system; a Compliance Inspection is strictly for the purpose of determining if the system is protective of public health and safety and is protective to groundwater at the date and time the inspection was performed. This inspection is not intended to determine if the system was originally designed or installed to past or present MPCA or other Local Government Unit code requirements. This inspection is not intended to determine if the system was designed and/or installed to support the anticipated flow from the building as the use of the building may have changed since the design and construction of the system due to the addition of bedrooms, occupants, etc. In addition, this inspection is not intended to determine the quality of the original system design, the quality of the construction practices used while installing the system, or the quality of the materials used in constructing the system.
- 6. Brian L. Humpal, Inc. cannot guarantee the performance of subsurface sewage treatment system products such as: gravelless pipe, chamber trenches, effluent filters, tanks, sewage pre-treatment components, piping, etc. Products such as gravelless pipe are no longer approved for installation in the State of Minnesota and may have a significantly reduced performance and/or life expectancy.
- 7. WINTER WORK: Client (person paying for inspection) understands that inspections conducted during winter weather (approximately November 1st through April 1st) are more difficult to perform because of possible snow cover and/or ground frost. System components such as tanks, maintenance covers, tank inspection pipes, subsurface distribution medium inspection pipes, and soil treatment areas are more difficult or impossible to locate due to snow cover and/or ground frost. In addition, soil borings are more difficult to perform due to snow cover and/or ground frost. Brian L. Humpal, Inc. will attempt to use the same level of standards when performing work during winter periods as when performing work during non-winter periods. However, client understands that because of the aforementioned considerations, the same level of standards may not be possible.
- 8. By accepting this report, the client understands that Brian L. Humpal, Inc. will not be responsible for any monetary damages exceeding the fee for the services provided.

Subsurface Sewage Treatment Systems

Non-transferable

License

License # L2896

Date of Issuance: May 12, 2015
Maintainer License Expires: Dec 22, 2015
Installer License Expires: Dec 22, 2015
Adv Inspector License Expires: Dec 22, 2015
Adv Designer License Expires: Dec 22, 2015

Inspect Minnesota

Designated Certified Individual (DCI)	Certification Type	Certification Expires
Brian L. Humpal	Service Provider (Certified)	10/15/2017
Brian L. Humpal	Maintainer (Certified)	10/15/2017
Brian L. Humpal	Installer (Certified)	10/15/2017
Brian L. Humpal	Advanced Inspector (Certified)	10/15/2017
Brian L. Humpal	Advanced Designer (Certified)	10/15/2017



St. Paul. Minnesota 55155-4194

Steven Giddings Manager Environmental Business Assistance Section