

520 Lafayette Road North St. Paul, MN 55155-4194

Compliance Inspection Form

Existing Subsurface Sewage Treatment Systems (SSTS)

Doc Type: Compliance and Enforcement

Inspection results based on Minnesota Pollution Control Agency (MPCA) requirements and attached forms – additional local requirements may also approximately Submit completed form to Local Unit of Government (LUG) and system within 15 days				
within 15 days				
System Status				
System status on date (mm/dd/yyyy): 9/19/2017				
	oncompliant – Notice of Noncompliance te Upgrade Requirements on page 3.)			
Reason(s) for noncompliance (check all applicable) Impact on Public Health (Compliance Component #1) – Imminent threat to public health and safety Other Compliance Conditions (Compliance Component #3) – Imminent threat to public health and safety Tank Integrity (Compliance Component #2) – Failing to protect groundwater Other Compliance Conditions (Compliance Component #3) – Failing to protect groundwater Soil Separation (Compliance Component #4) – Failing to protect groundwater Operating permit/monitoring plan requirements (Compliance Component #5) – Noncompliant				
Property Information Parcel ID# or Sec	c/Twp/Range:			
Property address: _10474 216 th St N Scandia, MN 55073	Reason for inspection: Sale			
Property owner: Patty Funni	Owner's phone: 651-270-3092			
Or Owned a second of the secon				
Owner's representative:	Representative phone:			
Local regulatory authority: Washington County Brief system description: Septic tank and gravity rock trench drainfield	Regulatory authority phone: 651-430-6000			
Comments or recommendations:				
Certification				
I hereby certify that all the necessary information has been gathered to dete determination of future system performance has been nor can be made due possible abuse of the system, inadequate maintenance, or future water usage	to unknown conditions during system construction,			
Inspector name: Benjamin Zierke	Certification number: 9594			
Business name: Zierke Soil Testing	License number: 119			
Inspector signature:	Phone number: 651-249-1346			
Necessary or Locally Required Attachments				
Soil boring logs				

1.	lm	pact on Public Health — C	ompliance com	ponent #1 of 5	
	Compliance criteria:			Verification method(s):	
-		tem discharges sewage to the und surface.	☐ Yes ⊠ No	☑ Searched for surface outlet☑ Searched for seeping in yard/backup in home	
		tem discharges sewage to drain or surface waters.	☐ Yes ⊠ No	 ☐ Excessive ponding in soil system/D-boxes ☐ Homeowner testimony (See Comments/Explanation) 	
		tem causes sewage backup into elling or establishment.	☐ Yes ⊠ No	☐ "Black soil" above soil dispersal system ☐ System requires "emergency" pumping	
sys		ny "yes" answer above indicates the ystem is an imminent threat to public ealth and safety.		☐ Performed dye test ☐ Unable to verify (See Comments/Explanation) ☐ Other methods not listed (See Comments/Explanation)	
15	Cor	nments/Explanation:			
	Pat	ty did not report any issues with the	system.		
2	Tai	nk Integrity – Compliance of	component #2	f 5	
Alien ©		mpliance criteria:	somponem #2	Verification method(s):	
15		tem consists of a seepage pit,	☐ Yes ☐ No	☐ Probed tank(s) bottom	
		spool, drywell, or leaching pit.		☐ Examined construction records	
		page pits meeting 7080.2550 may be pliant if allowed in local ordinance.		☐ Examined Tank Integrity Form (Attach)	
	0.28302	vage tank(s) leak below their	☐ Yes ☐ No	☐ Observed liquid level below operating depth	
		igned operating depth.	Lifes Lino	Examined empty (pumped) tanks(s)	
1900	If ye	es, which sewage tank(s) leaks:		Probed outside tank(s) for "black soil"	
-	An	y "yes" answer above indi	cates the	Unable to verify (See Comments/Explanation)	
92	system is failing to protect groundwater.			∠ Other methods not listed (See Comments/Explanation)	
		mments/Explanation:			
	Did not pump tank due to drainfield failing due to lack of separation. Tank needs to be pumped and inspected prior to construction of new system to determine suitability of future use.				
		,	,		
3.	Otl	her Compliance Condition	s – Compliance	component #3 of 5	
	a. Maintenance hole covers are damaged, cracked, unsecured, or appear to be structurally unsound. ☐ Yes* ☒ No ☐ Unknown				
	b. Other issues (electrical hazards, etc.) to immediately and adversely impact public health or safety. ☐ Yes* ☐ No ☐ Unknown *System is an imminent threat to public health and safety.				
	Explain:				
	 c. System is non-protective of ground water for other conditions as determined by inspector . \[\sum_ Yes* \text{No} \] *System is failing to protect groundwater. 				
		Explain:			

Property address:	10474 216th St N Scandia, MN 55073	Inspector initials/Date:	(mm/c	+ + - /	-	

4. Soil Separation - Compliance component #4 of 5

11 July July and a compliance of	omponone in 1 of 0				
Date of installation:	☑ Unknown	Verification method(s):			
(mm/dd/yyyy) Shoreland/Wellhead protection/Food beverage lodging?			Soil observation does not expire. Previous soil observations by two independent parties are sufficient, unless site conditions have been altered or local		
Compliance criteria:	<u> </u>	requirements differ.			
For systems built prior to April 1, 1996, and	☐ Yes ⊠ No	☐ Conducted soil observation(s) (Attach boring logs)			
not located in Shoreland or Wellhead Protection Area or not serving a food,		Two previous verifications (Attach boring logs)			
beverage or lodging establishment:		Not applicable (Holding tank(s), no drainfield)			
Drainfield has at least a two-foot vertical		Unable to verify (See Comments/E	Unable to verify (See Comments/Explanation)		
separation distance from periodically saturated soil or bedrock.		Other (See Comments/Explanation)			
Non-performance systems built April 1, 1996, or later or for non-performance systems located in Shoreland or Wellhead Protection Areas or serving a food, beverage, or lodging establishment:		Comments/Explanation:			
Drainfield has a three-foot vertical separation distance from periodically saturated soil or bedrock.*					
"Experimental", "Other", or "Performance"	Yes No	Indicate depths or elevations			
systems built under pre-2008 Rules; Type IV or V systems built under 2008 Rules (7080.		A. Bottom of distribution media	38"		
2350 or 7080.2400 (Advanced Inspector License required)		B. Periodically saturated soil/bedrock	36"		
Drainfield meets the designed vertical		C. System separation	(-) 2"		
separation distance from periodically saturated soil or bedrock.		D. Required compliance separation*	24"		
*May be reduced up to 15 percent if allowed by Local Ordinance. *May be reduced up to 15 percent if allowed by Local Ordinance. *May be reduced up to 15 percent if allowed by Local Ordinance. *May be reduced up to 15 percent if allowed by Local Ordinance.					
Is the system operated under an Operating Permit?					
Is the system required to employ a Nitrogen BMP?					
BMP = Best Management Practice(s) specified in the system design					
If the answer to both questions is "no", this section does not need to be completed.					
Compliance criteria					
a. Operating Permit number:					
Have the Operating Permit requirements been met?		☐ Yes ☐ No			
b. Is the required nitrogen BMP in place	g? ☐ Yes ☐ No				
Any "no" answer indicates Noncompliance.					

Upgrade Requirements (Minn. Stat. § 115.55) An imminent threat to public health and safety (ITPHS) must be upgraded, replaced, or its use discontinued within ten months of receipt of this notice or within a shorter period if required by local ordinance. If the system is failing to protect ground water, the system must be upgraded, replaced, or its use discontinued within the time required by local ordinance. If an existing system is not failing as defined in law, and has at least two feet of design soil separation, then the system need not be upgraded, repaired, replaced, or its use discontinued, notwithstanding any local ordinance that is more strict. This provision does not apply to systems in shoreland areas, Wellhead Protection Areas, or those used in connection with food, beverage, and lodging establishments as defined in law.

www.pca.state.mn.us • 651-296-6300 • 800-657-3864 • TTY 651-282-5332 or 800-657-3864 • Available in alternative formats wq-wwists4-31b • 6/4/14 Page 3 of 3

Logs of Soil Borings

Location of Project:

10474 216th St N Scandia, MN 55073

Borings Made by Ben Zierke

Date:

9/19/2017

Hand bucket auger used for borings; USDA - SCS Soil Classification used.

Depth, in Inches 0	Boring Number 1	Depth, in Inches	Boring Number 2	
0-8"	10YR 3/3 loamy sand	0-8"	10YR 3/3 loamy fine sand	
8-54"	7.5YR 4/4 sandy loam-loam till, prominent reductions present 18-24"	8-16" 16-36"	10YR 4/4 loamy fine sand 7.5YR 4/4 sandy loam-loam till, redox present at 18"	
End of boring at 4.5 feet Standing water table: Present at feet of depth Hours after boring Standing water not present in hole Mottled Soil: Observed at 1.5 feet of depth Mottled soil not present in bore hole Comments:		End of boring at 3 feet Standing water table: Present at feet of depth Hours after boring Standing water not present in hole Mottled Soil: Observed at 1.5 feet of depth Mottled soil not present in bore hole Comments:		
Depth, in Inches	Boring Number 3	Depth, in Inches	Boring Number 4	
0-18"	Mixed sandy fill			
18-24"	10YR 3/3 loamy fine sand			
24-36"	10YR 4/4 loamy fine sand, saturated			
36-40"	7.5YR 5/4 loam, redox present at 36"			
End of boring at Standing water tabl Present at Standing water not p Mottled Soil: Observed at Mottled soil not pres	feet of depth Hours after boring resent in hole X 3 feet of depth	End of boring at Standing water table Present at Standing water not p Mottled Soil: Observed at Mottled soil not pres	feet of depth Hours after boring bresent in hole feet of depth	

