



WASHINGTON COUNTY, MINNESOTA
 Department of Public Health
 and Environment 651/430-6688

Scanned 8/5/8 om

PERMIT NUMBER 010003021 SEWAGE PERMIT
 APTON CITY

| | |
|--------------------------------|--------|
| DRYFIELD REPLACEMENT PERMIT | 205.00 |
| SEPTIC APPLICATION/SOIL REVIEW | 195.00 |
| Total Fees : | 400.00 |
| Total Paid : | 400.00 |
| Total Due : | .00 |

Owner : DOUG NELSON
 5050 HEAL AVE S
 APTON MN 55001
 Applicant : FEATHERSTORCK EXCAVATING 436-1967

*Mailed
12/1/03*

0100-03021

PERMISSION IS HEREBY GRANTED

To execute the work specified in this permit on the following described property upon express condition that said persons and their agents, employees and workmen shall conform in all respects to the provisions of the Building Code, and/or Ordinances. This permit may be revoked at any time upon the violation of any of the provisions of said code and ordinances.

Project Address : 5050 HEAL AVE S APTON MN 55001
 Legal Description: N1/2-SR1/4 SECTION 31 TOWNSHIP 28 RANGE 20 - Geo : 31-026-20-42-0001
 Flow Capacity 450 Gal/Day Tank Volume 2000
 Soil Conditions: Depth to Restriction 66 inches Perme Rate 11 Min/Inch

Soil Treatment Type:
 Bottom Area 900 Rock Depth 12

- Authorized Work / Special Conditions
- Install individual sewage treatment system as per approved design in area tested and shown on site plan.
 - Maximum trench depth 30 inches into natural soil.

** Permit Expiration Date : Sewage Treatment :

A CERTIFICATE OF OCCUPANCY MUST BE REQUESTED AND ISSUED PRIOR TO USE OR OCCUPANCY OF WORK PERMITTED BY A BUILDING PERMIT.

** This permit shall expire and be null and void if the work authorized by the Building Permit is not commenced within 60 days of the date of issuance or if work is abandoned or suspended for a period of 120 days. Term of the Building Permit is 12 months from date of issue. Term of sewage treatment permit is 12 months from date of issue.

Penalty for violation of any of the provisions of building code: Fine not to exceed five hundred dollars (\$500.00) or imprisonment for not more than ninety (90) days, or both.

Permit Issue Date 2003-12-01 Code Enforcement Officer