Inspect Minnesota & Midwest Soil Testing

P.O. Box 10853 White Bear I	Brian Humpal		
651-492-7550/Brian@Midwes	stsoiltesting.com	MPCA Licensed Advanced Inspector	
SUBSURFACE SEWAGE TH	REATMENT SYSTEM	I (SSTS) COMPLIANCE REPORT	
Date: November 8, 2017	Owner: Dave & Megan Ritter		
Inspection Address: 1884 Quant Ave S, Afton, MN 55001			

REPORT SUMMARY

I have performed an "MPCA Compliance Inspection" on this system and have reviewed a previous compliance inspection from 2013, which was on file at Washington County. This older system (installed in approximately 1995) consists of two pre-cast septic tanks, a pre-cast lift tank, and a rock trench drainfield.

Although not compliance criteria, it should be noted that the first drop box is full of roots and the roots should be removed to reduce the potential for problems.

Predicated on my inspection of the system and my review of the records, it is my opinion that this system <u>presently meets</u> MPCA minimum compliance inspection requirements.

Inspect Minnesota and Midwest Soil Testing have been hired to perform a compliance inspection of this SSTS for compliance with local ordinances pursuant to Minn. Stat. § 115.55 (2013). This compliance inspection covers only the criteria required by Minn. Stat. § 115.55 Subd. 5a (2013) and Minn. R. 7080.1500 (2011). A compliance inspection is an indication of the current compliance status of the system and does not guarantee the performance or longevity of this system beyond the date of inspection, as it is impossible to determine the future performance of any system. Inspect Minnesota and Midwest Soil Testing disclaim any use of this compliance inspection beyond determining SSTS compliance pursuant to Minn. Stat. § 115.55 Subd. 5a (2013) and Minn. R. 7080.1500 (2011).

Please contact me should you have any questions.

Brian Humpal

Brian Humpal

Minnesota Pollution		Compl Existing Sub	
	520 Lafayette Road North St. Paul, MN 55155-4194	Existing Sub	

Compliance Inspection Form

Existing Subsurface Sewage Treatment Systems (SSTS)

Doc Type: Compliance and Enforcement

Instructions: Inspection results based on Minnesota Pollution Control Agency (MPCA)	
requirements and attached forms – additional local requirements may also apply.	

For local tracking purposes:

Submit completed form to Local Unit of Government (LUG) and system owner within 15 days

System Status

System status on date (mm/dd/yyyy): <u>11/8/2017</u>

Compliant – Certificate of Compliance

(Valid for 3 years from report date, unless shorter time frame outlined in Local Ordinance.)

Noncompliant – Notice of Noncompliance

(See Upgrade Requirements on page 3)

Reason(s) for noncompliance (check all applicable)

Impact on Public Health (Compliance Component #1) – Imminent threat to public health and safety

Other Compliance Conditions (Compliance Component #3) – Imminent threat to public health and safety

Tank Integrity (Compliance Component #2) – Failing to protect groundwater

Other Compliance Conditions (Compliance Component #3) – Failing to protect groundwater

Soil Separation (Compliance Component #4) – Failing to protect groundwater

Operating permit/monitoring plan requirements (Compliance Component #5) - Noncompliant

Property Information

Parcel ID# or Sec/Twp/Range:

Property address:1884 Quant Ave S, Afton, MN 55001		Reason for inspection: Property Transfer	
Property owner: Dave & Megan Ritter		Owner's phone: 651-529-6910	
or			
Owner's representative:		Representative phone:	
Local regulatory authori	ty: Washington County	Regulatory authority phone: 651-430-4052	
Brief system description	Two pre-cast septic tanks, a pre-cast lift tank, and a rock trench drainfield.		
Comments or recomme	ndations:		

Comments or recommendations:

Although not compliance criteria, it should be noted that the first drop box is full of roots and the roots should be removed to reduce the potential for problems.

Certification

I hereby certify that all the necessary information has been gathered to determine the compliance status of this system. No determination of future system performance has been nor can be made due to unknown conditions during system construction, possible abuse of the system, inadequate maintenance, or future water usage.

Inspector name:	Brian Humpal	Certification number:	L5342
Business name:	Inspect Minnesota, Midwest Soil Testing	License number:	L2896
Inspector signatur	: Brian Humpol	Phone number:	651-492-7550

Necessary or Locally Required Attachments

🛛 Soil boring logs	🛛 System/As-built drawing	Forms per local ordinance
Other information (list):	Report Summary, Property Informat	ion, Disclaimer, License

2 of 9

1. Impact on Public Health – Compliance component #1 of 5

Compliance criteria:		Verification method(s):
System discharge sewage to the ground surface.	🗌 Yes 🖾 No	 Searched for surface outlet Searched for seeping in yard/backup in home
System discharge sewage to drain tile or surface waters.	🗌 Yes 🖾 No	 Excessive ponding in soil system/D-boxes Homeowner testimony (See Comments/Explanation)
System cause sewage backup into dwelling or establishment.	🗌 Yes 🖾 No	 Black soil" above soil dispersal system System requires "emergency" pumping Performed dye test
Any "yes" answer above indicates the system is an Imminent Threat to Public Health and Safety.		 Unable to verify (See Comments/Explanation) Other methods not listed (See Comments/Explanation)

Comments/Explanation:

Although not compliance criteria, it should be noted that the first drop box is full of roots and the roots should be removed to reduce the potential for problems.

2. Tank Integrity – Compliance component #2 of 5

Compliance criteria:

System consists of a seepage pit, cesspool, drywell, or leaching pit.	🗌 Yes	🛛 No
Seepage pits meeting 7080.2550 may be compliant if allowed in local ordinance.		
Sewage tank(s) leak below their designed operating depth.	🗌 Yes	🛛 No
If yes, which sewage tank(s) leaks:		

Any "yes" answer above indicates the system is Failing to Protect Groundwater.

Comments/Explanation:

Lowered underwater camera into tanks - baffles and tank walls OK. Lift pump and alarm were operational at the time of the inspection.

Verification method(s):

Probed tank(s) bottom
 Examined construction records
 Examined Tank Integrity Form (Attach)
 Observed liquid level below operating depth
 Examined empty (pumped) tanks(s)
 Probed outside tank(s) for "black soil"
 Unable to verify (See Comments/Explanation)
 Other methods not listed (See Comments/Explanation)

3. Other Compliance Conditions - Compliance component #3 of 5

a.	Maintenance hole covers	are damaged.	cracked, unse	cured, or appear	r to structurally u	nsound.]Yes* [🛛 No 👘	

b. Other issues (electrical hazards, etc.) to immediately and adversely impact public health or safety. \Box Yes* \boxtimes No \Box Unknown *System is an imminent threat to public health and safety

Explain:

С.	System is non-protective of ground water for other conditions as determined by inspector	□ Yes*	🖾 No
	*System is failing to protect groundwater		

Explain:

4. Soil Separation – Compliance component #4 of 5

Date of installation: 1995?	🛛 Unknown	Verification method(s):	
Shoreland/Wellhead protection/Food Beverage Lodging?	🗌 Yes 🖾 No	Soil observation does not expire. Pro	
Compliance criteria:		observations by two independent pa unless site conditions have been alto requirements differ	
For systems built prior to April 1, 1996, and not located in Shoreland or Wellhead Protection Area or not serving a food, beverage or lodging establishment: Drainfield has at least a two-foot vertical separation distance from periodically	🛛 Yes 🔲 No	requirements differ. Conducted soil observation(s) (A Two previous verifications (Attac Not applicable (Holding tank(s), not Unable to verify (See Comments/E Other (See Comments/Explanation)	h boring logs) o drainfield) Explanation)
saturated soil or bedrock. Non-performance systems built April 1, 1996, or later or for non-performance systems located in Shoreland or Wellhead Protection Areas or serving a food, beverage, or lodging establishment:	☐ Yes ☐ No	Comments/Explanation: Reviewed previous compliance insp	
Drainfield has a three-foot vertical separation distance from periodically saturated soil or bedrock.*			
"Experimental", "Other", or "Performance"	🗌 Yes 🔲 No	Indicate depths of elevations	
systems built under pre-2008 Rules; Type IV or V systems built under 2008 Rules (7080. 2350 or 7080.2400 (Advanced Inspector License required)		A. Bottom of distribution media	See Attached Boring Log(s)
Drainfield meets the designed vertical		B. Periodically saturated soil/bedrock	
separation distance from periodically saturated soil or bedrock.		C. System separation	
		D. Required compliance separation*	
Any "no" answer above indicates the Failing to Protect Groundwater.	he system is	*May be reduced up to 15 percent if Ordinance.	allowed by Local
Operating Permit and Nitrogen B	MP* – Compliance	component #5 of 5 🛛 🛛 Not appl	icable
Is the system operated under an Operating Per	mit? 🗌 Yes 🛛	No If "yes", A below is required	
Is the system required to employ a Nitrogen BM	IP? 🗌 Yes 🛛	No If "yes", B below is required	
BMP=Best Management Practice(s) specifi	ied in the system desig	gn	
If the answer to both questions is "no",	this section does	not need to be completed.	
Compliance criteria			
Operating Permit number:			

a. Operating Permit number: ________ Yes Do No
b. Is the required nitrogen BMP in place and properly functioning?

Any "no" answer indicates Noncompliance.

Upgrade Requirements (*Minn. Stat.* § 115.55) *An imminent threat to public health and safety (ITPHS) must be upgraded, replaced, or its use discontinued within ten months of receipt of this notice or within a shorter period if required by local ordinance. If the system is failing to protect ground water, the system must be upgraded, replaced, or its use discontinued within the time required by local ordinance. If an existing system is not failing as defined in law, and has at least two feet of design soil separation, then the system need not be upgraded, replaced, or its use discontinued, notwithstanding any local ordinance that is more strict. This provision does not apply to systems in shoreland areas, Wellhead Protection Areas, or those used in connection with food, beverage, and lodging establishments as defined in law.*

Inspect Minnesota & Midwest Soil Testing


Subsurface Sewage Treatment System Owner/Property Information

This information will be used for the purpose of conducting an MPCA Compliance Inspection.

Date of Inspection: November 8, 2017	Time: 2:15 PM			
	7. 55001			
Property Address: 184 Quant Ave S, Afton, MN	Zip: 55001			
Property Owner: Dave & Megan Ritter	Phone: 651-529-6910			
Septic 2 Fiberglass Ro Aerobic Plastic Gra Lift Metal Ch Holding Concrete See Other: Block Model	reatment System Other ck trench Alternative system avelless trench Experimental system amber trench Cesspool system apage bed Other system und grade			
Are the tank maintenance covers accessible? \boxtimes Y performed through the maintenance holes. Maintenance holes and proper the ground surface to facilitate access and proper to	enance hole covers should be made accessible to			
Year house built: 1972 Year septic installe	d: 1995? Tank size (gals.): 2-1000			
How long has seller owned the property?	Number of residents in home?			
	ors drained by gravity? Y			
	Whirlpool bath?			
More than one system (laundry, etc.)?				
	Does this property have any footing drain tiles connected to the septic system?			
Are any buildings on this property such as garages				
Are there any additional systems on this property	serving other buildings?			
Location of septic system on lot? Tanks - East Sid	e, Drainfield - Northeast Side			
Location of water well on lot? West Side	Is the well a deep well? Y			
Have you ever experienced any problems with the system such as: tree roots, sewage back-ups, surfacing of sewage onto the ground, septic tank overflowing, etc.; or have any repairs been made to the system? If yes, explain:				
When was the system last pumped? 2015	Name of pumper: Pinky's Sewer Service			
How often pumped in previous years?	Is system on a monitoring plan?			
Have you received notices from any government a				
Is your property located in a shoreland management area? N				
Do you have any additional information that should be given to the new owner?				

I hereby certify that the above information is correct to the best of my knowledge. I also understand that if the system is considered "non-compliant/failing" per MPCA rules, that the inspector must by law submit a copy of this report to the local government unit within 15 days of the date of inspection completion. I also agree that unless otherwise noted in this report, that I/we are ultimately responsible for payment of all fees for all work performed relative to this inspection by Inspect Minnesota and Midwest Soil Testing.

Owner/Occupant:



Log Of Soil Borings

Location of Project: 1884 Quant Ave S, Afton, MN 55001						
Borings Made By: Inspect Minnesota		,	Date:	11/8/17		
Auger Used: Hand/Bucket		Classification System: USDA				
Boring Number: 1		Boring Number:				
Surface Elevation of Same grou		und surface as last nfield trench	surface as last Elevation of			
Depth In Inches	Soils Encountered		Depth In Inches	Soils Er	ncountered	
0-13 13-33 33-70	10YR 3/4	Medium Sand Medium Sand Medium Sand				
70" D	epth To End Of B	oring Or Redox	D	epth To End Of Bo	oring Or Redox	
Same E	levation Of Borin	g Relative To System	Elevation Of Boring Relative To System			
-34" Depth To Bottom Of Distribution Media ≥36" Of Separation			epth To Bottom C of Separation	f Distribution Media		
End Of Boring At: 70"			E	End Of Boring At:		
Redox Present At: None				Redox Present At:		
Standing Water Present At: None			Standing V	Water Present At:		

Bottom Of Distribution Medium At: 34 Inches

Brian L. Humpal, Inc. dba. Inspect Minnesota, Midwest Soil Testing

Relative to Subsurface Sewage Treatment System (SSTS) Compliance Inspections

- 1. This inspection/report is being performed for only the seller/owner of the property on which the SSTS is located. In such case that another party is paying for the inspection, the contract is between only said party and Brian L. Humpal, Inc.; there is no contract between Brian L. Humpal, Inc. and any other party unless otherwise noted.
- 3. Brian L. Humpal, Inc. has not been retained to warranty, guarantee, or certify the proper functioning of the SSTS for any period of time beyond the date of inspection or into the future. Because of the numerous factors (usage, maintenance, soil characteristics, previous failures, etc.) which may affect the proper operation of an SSTS, as well as the inability of Brian L. Humpal, Inc. to supervise or monitor the use or maintenance of the SSTS, the report shall not be construed as a warranty by Brian L. Humpal, Inc. that the SSTS will function properly for any particular party for any period of time.
- 4. Brian L. Humpal, Inc. is unable to verify the frequency and/or, quality of prior or future maintenance of the SSTS. Maintenance of the tank(s) must be performed through the tanks maintenance hole. The removal of solids from any location other than the maintenance hole is not a compliant method of maintenance. It is strongly recommended that maintenance covers be made accessible to the ground surface to facilitate proper maintenance.
- 5. Minimum Compliance Inspection requirements relative to this inspection and this report include <u>only</u> verification that the SSTS has tank(s) (septic tanks, lift tanks, dosing tanks, stilling tanks, etc.) which are watertight below the designed operating depth, the required separation between the bottom of the subsurface soil distribution medium and seasonally saturated soils, no back-ups of sewage into the dwelling, no discharge of sewage/effluent to the ground surface or surface waters, and no imminent safety hazards. Brian L. Humpal, Inc. does not inspect plumbing or pumps prior to the first SSTS component as these are plumbing components. The performance of exterior pumps and associated components are not inspected as they are considered to be maintenance items. Additionally, no indications relative to compliance with electrical code requirements have been made. It is recommended that any other applicable plumbing, electrical, housing, etc. inspections be performed by a qualified inspection business. Sewage back-up verification is limited to observing the floor drain area and/or the information supplied by the last occupants of the building prior to inspection. Brian L. Humpal, Inc. cannot guarantee that the information given to them by the last occupants of the building prior to inspection relative to back-ups is accurate.
- 4. Certification of this SSTS does not warranty future use beyond the date of the inspection. Any SSTS, old or new, can become hydraulically overloaded or discharge sewage/effluent to the ground surface as a result of more people moving into the house than were previously occupying the house, improper maintenance, heavy usage, leaking plumbing fixtures, groundwater infiltration, tree roots, freezing conditions, surface drainage problems, poor initial design, poor construction practices, or unsuitable materials used in constructing the system; the system can also simply stop working because of its age. An SSTS that has been properly designed and installed, properly maintained, and used in the manner for which the system was designed can be expected to provide service for twenty to twenty-five years on average. Some parts of the SSTS such as alarms, switches, pumps, filters, etc. will most likely have to be repaired or replaced over the lifetime of the system.
- 5. A Compliance Inspection is not meant to be a test or inspection for longevity of the system; a Compliance Inspection is strictly for the purpose of determining if the SSTS is protective of public health and safety, as well as the groundwater at the date and time the inspection was performed. This inspection is not intended to determine if the SSTS was originally designed or installed to past or present MPCA or other Local Government Unit code requirements. This inspection is not intended to determine if the SSTS was designed and/or installed to support the anticipated flow from the building as the use of the building may have changed since the design and construction of the SSTS due to the addition of bedrooms, occupants, etc. In addition, this inspection is not intended to determine the quality of the original SSTS design, the quality of the construction practices used while installing the SSTS, or the quality of the materials used in constructing the SSTS.
- 6. Brian L. Humpal, Inc. cannot guarantee the performance of SSTS products/components such as: gravelless pipe, chamber trenches, effluent filters, tanks, sewage pre-treatment components, piping, etc. Products such as gravelless pipe are no longer approved for installation in the State of Minnesota and may have a significantly reduced performance and/or life expectancy.
- 7. WINTER WORK: By accepting this report, it is understood that inspections conducted during winter months (approximately November 1st through April 1st) are more difficult to perform because of possible snow cover and/or ground frost. SSTS components such as tanks, maintenance covers, tank inspection pipes, subsurface distribution medium inspection pipes, and soil treatment areas are more difficult or impossible to locate due to snow cover and/or ground frost. In addition, soil borings are more difficult to perform due to snow cover and/or ground frost. Brian L. Humpal, Inc. will attempt to use the same level of standards when performing work during winter periods as when performing work during non-winter periods. However, the recipient of this report understands that because of the aforementioned considerations, the same level of standards may not be possible.
- 8. By accepting this report, the client understands that Brian L. Humpal, Inc. will not be responsible for any monetary damages exceeding the fee for the services provided.

Subsurface Sewage Treatment Systems Non-transferable Business License

Inspect Minnesota, Midwest Soil Testing

License # L2896

License Expires: 12/22/2017

Issued: 11/29/2016

Specialty Area(s): Installer Maintainer Service Provider Advanced Designer Advanced Inspector

Designated Certified Individual(s):

Cert #	Name	Certification Expires:	
C5342	Brian L Humpal 10/15/2017 Installer, Maintainer, Serv Prov, Adv Designer, Adv Inspector		
C9852	Christopher R Uebe	3/4/2018	
C9052	Designer, Inspector	5/4/2016	



Minnesota Pollution Control Agency

520 Lafayette Road North St. Paul, Minnesota 55155-4194

Steven Giddings, Manager Prevention and Solid Waste Management Section