



Department of Public  
Health and Environment

Lowell Johnson  
Director

David Brummel  
Deputy Director

April 16, 2018

0402921230006

Mark Wallace  
5791 Highlands TRL N  
Lake Elmo MN 55042

**REGARDING A RECENT SEPTIC SYSTEM COMPLIANCE INSPECTION**

The Washington County Department of Public Health & Environment (Department) administers Subsurface Sewage Treatment System (SSTS) regulations in Washington County. On 4/12/2018 the Department received a Notice of Non-Compliance from Inspect Minnesota & Midwest Soil Testing for an SSTS located at 5791 Highlands TRL N which was inspected on 4/5/2018.

Since Inspect Minnesota & Midwest Soil Testing has issued a Notice of Non-Compliance for the SSTS, local ordinance requires that the system must be repaired or replaced within six months. Financial assistance is available through Washington County in the form of low-interest loans and grants from low-income residents. Please visit [www.washington.mn.us/septic](http://www.washington.mn.us/septic) for more information on financial assistance and the processes of repairing or replacing an SSTS.

The Department recognizes that repairing or replacing an SSTS can seem like a daunting task. Staff is available to answer questions and explain next steps. Please contact Joe Sanders at 651-430-6679 or [Joe.Sanders@co.washington.mn.us](mailto:Joe.Sanders@co.washington.mn.us) for more information.

Sincerely,

A handwritten signature in black ink that reads "Gary Bruns".

Gary Bruns  
Environmental Program Supervisor  
651.430.6691

Government Center • 14949 62nd Street North — P.O. Box 6, Stillwater, Minnesota 55082-0006  
Phone: 651-430-6655 • Fax: 651-430-6730 • TTY: 651-430-6246

[www.co.washington.mn.us](http://www.co.washington.mn.us)

Equal Employment Opportunity / Affirmative Action

