

DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT GOVERNMENT CENTER 14949 62nd STREET NORTH P.O. BOX 6 STILLWATER, MN 55082-0006 Office: 651-430-6655 TTY: 651-430-6246 FAX: 651-430-6730

## Subsurface Sewage Treatment System Maintenance Permit

This section must be completed in its entirety to constitute a valid maintenance permit. This permit must be completed prior to performing maintenance activities and remain on-site for the duration of the maintenance activity.

☐ Tank(s) Pumped ☐ Sludge and scum measured ☐ Do tanks need to be pumped ☐ Yes ☐ No (if no provide)  1. Access used to remove septons 2. Were all covers securely reposite there evidence of tank leader evidence of damaged, crace	e measurements)  age: Maintena  placed? A Yes	Sludge Level in Sludge + Scum = % Sludge & Sc	/ Liquid l um Ta enter authorization c		) if 25% or greater
Were all covers securely rep     Is there evidence of tank lead evidence of damaged, crace	olaced? 🗓 Yes	□No			
3. Is there evidence of tank lead evidence of damaged, crace			reatment or pump	tank helow the one	
		any ansound man	itenance hole cove	ers?	erating depth or
TOTAL CONTRACTOR OF THE PARTY O	Tank	Leaking Out	Leaking In	Cover Damage	
Septic/Ho	lding Tank #1	☐ Yes ☐No	☐ Yes ☐ No	☐ Yes ☐No	
Septic/Ho	lding Tank #2	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	
Pretreatm	nent Tank	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	
Pump Tar	ık	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	
4. How many gallons of septage Tank #1 1500 gal Ta 5. Other information: List any	nk #2	_gal Pretreatmen			

Meyer Sewer Service, Inc. 5325 Manning Ave S Afton, MN 55001

License# 915 P: 651-459-0162