Inspect Minnesota & Midwest Soil Testing

P.O. Box 383 Hugo, MN 55038

Brian Humpal

651-492-7550/Brian@midwestsoiltesting.com

MPCA Licensed Advanced Inspector

SUBSURFACE SEWAGE TREATMENT SYSTEM (SSTS) COMPLIANCE REPORT

Inspection Address: 2150 Osprey Ave N, West Lakeland Twp, MN 55082

REPORT SUMMARY

I have performed an "MPCA Compliance Inspection" on this system and have reviewed the original design/permit records on file at Washington County. This system consists of two pre-cast septic tanks and a rock trench drainfield.

Predicated on my inspection of the system and my review of the original design/permit records, it is my opinion that this system <u>presently meets</u> MPCA minimum compliance inspection requirements.

Inspect Minnesota and Midwest Soil Testing have been hired to perform a compliance inspection of this SSTS for compliance with local ordinances pursuant to Minn. Stat. § 115.55 (2013). This compliance inspection covers only the criteria required by Minn. Stat. § 115.55 Subd. 5a (2013) and Minn. R. 7080.1500 (2011). A compliance inspection is an indication of the current compliance status of the system and does not guarantee the performance or longevity of this system beyond the date of inspection, as it is impossible to determine the future performance of any system. Inspect Minnesota and Midwest Soil Testing disclaim any use of this compliance inspection beyond determining SSTS compliance pursuant to Minn. Stat. § 115.55 Subd. 5a (2013) and Minn. R. 7080.1500 (2011).

Please contact me should you have any questions.

Brian Humpal Brian Humpal



St. Paul, MN 55155-4194

Compliance Inspection Form

Existing Subsurface Sewage Treatment Systems (SSTS)

Doc Type: Compliance and Enforcement

	3, 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1		
Instructions: Inspection results based on Minnesota Pollution Control Agency (MPCA) requirements and attached forms – additional local requirements may also apply.	For local tracking purposes:		
Submit completed form to Local Unit of Government (LUG) and system owner within 15 days			
System Status			
System status on date (mm/dd/yyyy):4/13/2016			
	npliant – Notice of Noncompliance trade Requirements on page 3)		
Reason(s) for noncompliance (check all applicable)			
☐ Impact on Public Health (Compliance Component #1) – Imminent threat to ☐ Other Compliance Conditions (Compliance Component #3) – Imminent thi ☐ Tank Integrity (Compliance Component #2) – Failing to protect groundwa ☐ Other Compliance Conditions (Compliance Component #3) – Failing to pro ☐ Soil Separation (Compliance Component #4) – Failing to protect groundwa ☐ Operating permit/monitoring plan requirements (Compliance Component	reat to public health and safety ter otect groundwater rater		
Property Information Parcel ID# or Sec/Twp/Range	ge:		
Property address: 2150 Osprey Ave N, West Lakeland Twp, MN 55082 Reason f			
· · · · · · · · · · · · · · · · · · ·	Owner's phone:651-307-6931		
or			
· · · · · · · · · · · · · · · · · · ·	ntative phone:		
Local regulatory authority: Washington County Regulato Brief system description: Two pre-cast septic tank and a rock trench drainfield.	Regulatory authority phone: 651-430-4052		
Comments or recommendations:			
Certification			
I hereby certify that all the necessary information has been gathered to determine the determination of future system performance has been nor can be made due to unknown possible abuse of the system, inadequate maintenance, or future water usage.			
Inspector name: Brian Humpal Certificat	ion number: L5342		
	nse number: _L2896		
Inspector signature: Brian Humpal Pho	one number: 651-492-7550		
Necessary or Locally Required Attachments			
	local ordinance		
☐ Other information (list): Report Summary, Property Information, Disclaimer, Lice			

1.	Impact on Public Health — Compliance component #1 of 5			
	Sy gro	estem discharge sewage to the bund surface. Instem discharge sewage to drain tile surface waters. Instem cause sewage backup into velling or establishment. In y "yes" answer above indicates of Imminent Threat to Public Heal of the above found.		Verification method(s): ☐ Searched for surface outlet ☐ Searched for seeping in yard/backup in home ☐ Excessive ponding in soil system/D-boxes ☐ Homeowner testimony (See Comments/Explanation) ☐ "Black soil" above soil dispersal system ☐ System requires "emergency" pumping ☐ Performed dye test ☐ Unable to verify (See Comments/Explanation) ☐ Other methods not listed (See Comments/Explanation)
2.	Ta	ank Integrity – Compliance com	nponent #2 of 5	
3.	Sy ce: Se con Se de If y	estem consists of a seepage pit, sspool, drywell, or leaching pit. sepage pits meeting 7080.2550 may be impliant if allowed in local ordinance. swage tank(s) leak below their signed operating depth. yes, which sewage tank(s) leaks: ny "yes" answer above indicates the impliant is Failing to Protect Green is Failing to Protect Green is wered underwater camera into tanks -	baffles and tank wa	
	 a. Maintenance hole covers are damaged, cracked, unsecured, or appear to structurally unsound. ☐ Yes* ☑ No ☐ Unknown b. Other issues (electrical hazards, etc.) to immediately and adversely impact public health or safety. ☐ Yes* ☑ No ☐ Unknown *System is an imminent threat to public health and safety Explain: c. System is non-protective of ground water for other conditions as determined by inspector ☐ Yes* ☒ No 			
		*System is failing to protect ground Explain:		, , <u>_</u>

Property address: 2150 Osprey Ave N, West Lakeland Twp, MN 55082 Inspector initials/Date: 4/13/2016

www.pca.state.mn.us • 651-296-6300 • 800-657-3864 • 3 off9TY 651-282-5332 or 800-657-3864 • Available in alternative formats wq-wwists4-31 • 1/24/12 Page 2 of 3

4.	Soil Separation – Compliance compo	nent #4 c	of 5				
	Date of installation: 1996	Unkr	nown	Verification method(s)	:		
	Shoreland/Wellhead protection/Food Beverage Lodging?	☐ Yes	⊠ No	Soil observation does not e observations by two indepe	expire. Previous soil endent parties are sufficient,		
	Compliance criteria:			unless site conditions have been altered or local			
	For systems built prior to April 1, 1996, and not located in Shoreland or Wellhead Protection Area or not serving a food, beverage or lodging establishment:	☐ Yes	□ No	requirements differ. Conducted soil observa Two previous verification Not applicable (Holding	ons (Attach boring logs)		
	Drainfield has at least a two-foot vertical separation distance from periodically saturated soil or bedrock.			☐ Unable to verify (See Comments/Explanation) ☐ Other (See Comments/Explanation)			
	Non-performance systems built April 1,	⊠ Yes	☐ No	- Comments/Explanation:			
	1996, or later or for non-performance systems located in Shoreland or Wellhead Protection Areas or serving a food, beverage, or lodging establishment:			Reviewed design and pern	nit records.		
	Drainfield has a three-foot vertical separation distance from periodically saturated soil or bedrock.*						
	"Experimental", "Other", or "Performance"	☐ Yes ☐ No	□No	Indicate depths of elev	rations		
	systems built under pre-2008 Rules; Type IV or V systems built under 2008 Rules (7080. 2350 or 7080.2400 (Advanced Inspector License required)		-	A. Bottom of distribution med	See Attached Boring Log(s)		
	Drainfield meets the designed vertical			B. Periodically saturated soil/	bedrock		
	separation distance from periodically saturated soil or bedrock.			C. System separation			
	A ((h4		D. Required compliance sepa	ration*		
Any "no" answer above indicates the system is Failing to Protect Groundwater. *May be reduced up to 15 percent if allowed by Local Ordinance.							
5.	Operating Permit and Nitrogen B		•	•	Not applicable		
Is the system operated under an Operating Permit? Yes No If "yes", A below is required				-			
	Is the system required to employ a Nitrogen BMP?				equirea		
					,		
	If the answer to both questions is "no",	tnis sec	tion does n	от пееа то ре сотрієтеа	•		
	Compliance criteria						
	 a. Operating Permit number: Have the Operating Permit requirements been met? b. Is the required nitrogen BMP in place and properly functioning? 			☐ Yes ☐ No			
				☐ Yes ☐ No			
	Any "no" answer indicates Noncompliance.						

Inspector initials/Date: 4/13/2016

Property address: 2150 Osprey Ave N, West Lakeland Twp, MN 55082

www.pca.state.mn.us • 651-296-6300 • 800-657-3864 • 4 off9TY 651-282-5332 or 800-657-3864 • Available in alternative formats wq-wwists4-31 • 1/24/12 Page 3 of 3


Wellhead Protection Areas, or those used in connection with food, beverage, and lodging establishments as defined in law.

Upgrade Requirements (Minn. Stat. § 115.55) An imminent threat to public health and safety (ITPHS) must be upgraded, replaced, or its use discontinued within ten months of receipt of this notice or within a shorter period if required by local ordinance. If the system is failing to protect ground water, the system must be upgraded, replaced, or its use discontinued within the time required by local ordinance. If an existing system is not failing as defined in law, and has at least two feet of design soil separation, then the system need not be upgraded, replaced, or its use discontinued, notwithstanding any local ordinance that is more strict. This provision does not apply to systems in shoreland areas,

Inspect Minnesota & Midwest Soil Testing

Subsurface Sewage Treatment System Owner/Property Information This information will be used for the purpose of conducting an MPCA Compliance Inspection.

Date of Inspection: April 13, 2016	Time: 1:30 PM				
Property Address: 2150 Osprey Ave N, West Lakeland Twp, MN	Zip: 55082				
Property Owner: Graham Pooley	Phone: 651-307-6931				
Tank(s) Tank(s)Material Soil Treatment System Septic 2 Fiberglass Rock trench Aerobic Plastic Gravelless trench Lift Metal Chamber trench Holding Concrete Seepage bed Other: Block Mound Other At-grade	Other Alternative system Experimental system Cesspool system Other system				
Are the tank maintenance covers accessible? Yes No *If no, proper maintenance must be performed through the maintenance holes. Maintenance hole covers should be made accessible to the ground surface to facilitate access and proper maintenance of the system.					
Year house built: 1996 Year septic installed: 1996 Ta	ank size (gals.): 2-1000				
How long has seller owned the property? Number of resi					
Number of bedrooms? 3 Are all floors drained by gra	vity?				
Garbage disposal? Whirlpool bath?					
More than one system (laundry, etc.)?					
Does this property have any footing drain tiles connected to the sept	tic system'?				
Are any buildings on this property such as garages or out-buildings	connected to this system?				
Are there any additional systems on this property serving other buildings?					
Location of septic system on lot? South Side					
	vell a deep well? Y				
Have you ever experienced any problems with the system such as: tree roots, sewage back-ups, surfacing of sewage onto the ground, septic tank overflowing, etc.; or have any repairs been made to the system? If yes, explain:					
When was the system last pumped? Name of pumper.					
	on a monitoring plan?				
Have you received notices from any government agency concerning this system?					
Is your property located in a shoreland management area? N					
Do you have any additional information that should be given to the new owner?					
I hereby certify that the above information is correct to the best of my knowledge. I also understand that if the system is considered "non-compliant/failing" per MPCA rules, that the inspector must by law submit a copy of this report to the local government unit within 15 days of the date of inspection completion. I also agree that unless otherwise noted in this report, that I/we are ultimately responsible for payment of all fees for all work performed relative to this inspection by Inspect Minnesota and Midwest Soil Testing.					
Owner/Occupant:	Date:				



Log Of Soil Borings

Location of Project: 2150 Osprey Ave N, West Lakeland Twp, MN 55082						
			Date:	4/13/16		
Borings Made By: Inspect Minnesota Auger Used: Hand/Bucket			Class	Classification System:		USDA
В	oring Number:	1		Borir	ng Number:	2
Surface Same ground surface as last		Surface Elevation of Boring Same ground surface a drainfield trench				
Depth In Inches	Soils E	ncountered	Depth In Inches		Soils Encountered	
Depth In Inches O-13 10YR 2/2 Loamy Sand With Trace Of Gravel 13 -38 38-52 52-80 10YR 4/4 Medium Sand 10YR 5/4 Medium Sand With Trace Of Gravel		0-9 9-13 13-30 30-47	Inches Solls Encountered 0-9 10YR 2/2 Loamy Sand 9-13 10YR 3/3 Loamy Sand With Grave ≈20% Rock & Cobbles 13-30 10YR 4/3 Medium Sand		y Sand With Gravel ck & Cobbles Medium Sand m Sand With Gravel ck Fragments	
80" Depth To End Of Boring Or Redox		47"	Depth To End Of Boring Or Redox		oring Or Redox	
Same Elevation Of Boring Relative To System		Same Elevation Of Boring Relative To System			Relative To System	
-32" Depth To Bottom Of Distribution Media ≥48" Of Separation		N/A Depth To Bottom Of Distribution Media N/A Of Separation			f Distribution Media	
Eı	nd Of Boring At:	80"		End (Of Boring At:	47"
Redox Present At: None					x Present At:	N/A
Standing Water Present At: None			Standing	Wate	r Present At:	N/A

Bottom Of Distribution Medium At: 32 Inches


DISCLAIMER

Brian L. Humpal, Inc. dba. Inspect Minnesota, Midwest Soil Testing Relative to Subsurface Sewage Treatment System (SSTS) Compliance Inspections

- 1. This inspection/report is being performed for only the seller/owner of the property on which the SSTS is located. In such case that another party is paying for the inspection, the contract is between only said party and Brian L. Humpal, Inc.; there is no contract between Brian L. Humpal, Inc. and any other party unless otherwise noted.
- 3. Brian L. Humpal, Inc. has not been retained to warranty, guarantee, or certify the proper functioning of the SSTS for any period of time beyond the date of inspection or into the future. Because of the numerous factors (usage, maintenance, soil characteristics, previous failures, etc.) which may affect the proper operation of an SSTS, as well as the inability of Brian L. Humpal, Inc. to supervise or monitor the use or maintenance of the SSTS, the report shall not be construed as a warranty by Brian L. Humpal, Inc. that the SSTS will function properly for any particular party for any period of time.
- 4. Brian L. Humpal, Inc. is unable to verify the frequency and/or, quality of prior or future maintenance of the SSTS. Maintenance of the tank(s) must be performed through the tanks maintenance hole. The removal of solids from any location other than the maintenance hole is not a compliant method of maintenance. It is strongly recommended that maintenance covers be made accessible to the ground surface to facilitate proper maintenance.
- 5. Minimum Compliance Inspection requirements relative to this inspection and this report include <u>only</u> verification that the SSTS has tank(s) (septic tanks, lift tanks, dosing tanks, stilling tanks, etc.) which are watertight below the designed operating depth, the required separation between the bottom of the subsurface soil distribution medium and seasonally saturated soils, no back-ups of sewage into the dwelling, no discharge of sewage/effluent to the ground surface or surface waters, and no imminent safety hazards. Brian L. Humpal, Inc. does not inspect plumbing or pumps prior to the first SSTS component as these are plumbing components. The performance of exterior pumps and associated components are not inspected as they are considered to be maintenance items. Additionally, no indications relative to compliance with electrical code requirements have been made. It is recommended that any other applicable plumbing, electrical, housing, etc. inspections be performed by a qualified inspection business. Sewage back-up verification is limited to observing the floor drain area and/or the information supplied by the last occupants of the building prior to inspection. Brian L. Humpal, Inc. cannot guarantee that the information given to them by the last occupants of the building prior to inspection relative to back-ups is accurate.
- 4. Certification of this SSTS does not warranty future use beyond the date of the inspection. Any SSTS, old or new, can become hydraulically overloaded or discharge sewage/effluent to the ground surface as a result of more people moving into the house than were previously occupying the house, improper maintenance, heavy usage, leaking plumbing fixtures, groundwater infiltration, tree roots, freezing conditions, surface drainage problems, poor initial design, poor construction practices, or unsuitable materials used in constructing the system; the system can also simply stop working because of its age. An SSTS that has been properly designed and installed, properly maintained, and used in the manner for which the system was designed can be expected to provide service for twenty to twenty-five years on average. Some parts of the SSTS such as alarms, switches, pumps, filters, etc. will most likely have to be repaired or replaced over the lifetime of the system.
- 5. A Compliance Inspection is not meant to be a test or inspection for longevity of the system; a Compliance Inspection is strictly for the purpose of determining if the SSTS is protective of public health and safety, as well as the groundwater at the date and time the inspection was performed. This inspection is not intended to determine if the SSTS was originally designed or installed to past or present MPCA or other Local Government Unit code requirements. This inspection is not intended to determine if the SSTS was designed and/or installed to support the anticipated flow from the building as the use of the building may have changed since the design and construction of the SSTS due to the addition of bedrooms, occupants, etc. In addition, this inspection is not intended to determine the quality of the original SSTS design, the quality of the construction practices used while installing the SSTS, or the quality of the materials used in constructing the SSTS.
- 6. Brian L. Humpal, Inc. cannot guarantee the performance of SSTS products/components such as: gravelless pipe, chamber trenches, effluent filters, tanks, sewage pre-treatment components, piping, etc. Products such as gravelless pipe are no longer approved for installation in the State of Minnesota and may have a significantly reduced performance and/or life expectancy.
- 7. WINTER WORK: By accepting this report, it is understood that inspections conducted during winter months (approximately November 1st through April 1st) are more difficult to perform because of possible snow cover and/or ground frost. SSTS components such as tanks, maintenance covers, tank inspection pipes, subsurface distribution medium inspection pipes, and soil treatment areas are more difficult or impossible to locate due to snow cover and/or ground frost. In addition, soil borings are more difficult to perform due to snow cover and/or ground frost. Brian L. Humpal, Inc. will attempt to use the same level of standards when performing work during winter periods as when performing work during non-winter periods. However, the recipient of this report understands that because of the aforementioned considerations, the same level of standards may not be possible.
- 8. By accepting this report, the client understands that Brian L. Humpal, Inc. will not be responsible for any monetary damages exceeding the fee for the services provided.

Subsurface Sewage Treatment Systems

Non-transferable



License # L2896

Date of Issuance:

Maintainer License Expires:
Installer License Expires:
Adv Inspector License Expires:
Dec 22, 2016

Inspect Minnesota, Midwest Soil Testing

Designated Certified Individual (DCI)	Certification Type	Certification Expires
Brian L. Humpal	Maintainer (Certified)	10/15/2017
Brian L. Humpal	Advanced Designer (Certified)	10/15/2017
Brian L. Humpal	Advanced Inspector (Certified)	10/15/2017
Brian L. Humpal	Installer (Certified)	10/15/2017
Brian L. Humpal	Service Provider (Certified)	10/15/2017
Christopher R. Uebe	Designer (Certified)	03/04/2018
Christopher R. Uebe	Inspector (Certified)	03/04/2018



St. Paul, Minnesota 55155-4194

Steven Giddings Manager Environmental Business Assistance Section