

520 Lafayette Road North St. Paul, MN 55155-4194

Compliance Inspection Form

Existing Subsurface Sewage Treatment Systems (SSTS)

Doc Type: Compliance and Enforcement

Inspection results based on Minnesota Pollution Control Agence	For local tracking purposes:
requirements and attached forms – additional local requirements m	
Submit completed form to Local Unit of Government (LUG) as within 15 days	nd system owner
System Status	
System status on date (mm/dd/yyyy): _5/26/2018	
Compliant − Certificate of Compliance (Valid for 3 years from report date, unless shorter time frame outlined in Local Ordinance.)	Noncompliant – Notice of Noncompliance (See Upgrade Requirements on page 3.)
Reason(s) for noncompliance (check all applicable Impact on Public Health (Compliance Component #1) – Immine Other Compliance Conditions (Compliance Component Tank Integrity (Compliance Component #2) – Failing to Other Compliance Conditions (Compliance Component Soil Separation (Compliance Component #4) – Failing	ent threat to public health and safety nt #3) – Imminent threat to public health and safety to protect groundwater nt #3) – Failing to protect groundwater
Operating permit/monitoring plan requirements (Comp	
Property Information Property address: 9366 152 nd St N Hugo, MN 55038 Property owner: or Owner's representative: Shong Xiong Local regulatory authority: Washington County Brief system description: Septic tank & gravity drainfield Comments or recommendations:	ID# or Sec/Twp/Range:13.031.21.32.0002 Reason for inspection:property sale Owner's phone:612-8-275-0172 Regulatory authority phone:651-430-6655
Certification I hereby certify that all the necessary information has been gather determination of future system performance has been nor can be possible abuse of the system, inadequate maintenance, or future	made due to unknown conditions during system construction,
Inspector name:Tom Trooien	Certification number: 323
Business name: All State Septic Services LLC	License number:1568
Inspector signature: Jom Troocon	Phone number: 612-594-4496
Necessary or Locally Required Attachments ☐ Soil boring logs ☐ System/As-built drawing	☐ Forms per local ordinance
Other information (list):	
www.pca.state.mn.us • 651-296-6300 • 800-657-3864 • wq-wwists4-31b • 6/4/14	TTY 651-282-5332 or 800-657-3864 • Available in alternative formats Page 1 of

1. Impact on Public Health – C	`ompliance compo	(mm/dd/yyyy)
Compliance criteria:	compliance compo	Verification method(s):
System discharges sewage to the	☐ Yes ⊠ No	Searched for surface outlet ■
ground surface. System discharges sewage to drain tile or surface waters.	☐ Yes ⊠ No	 ✓ Searched for seeping in yard/backup in home ✓ Excessive ponding in soil system/D-boxes
System causes sewage backup into dwelling or establishment.	☐ Yes ☒ No	☐ Homeowner testimony (See Comments/Explanation) ☐ "Black soil" above soil dispersal system ☐ System requires "emergency" revening
Any "yes" answer above indi system is an imminent threat health and safety.		 ☐ System requires "emergency" pumping ☐ Performed dye test ☐ Unable to verify (See Comments/Explanation) ☐ Other methods not listed (See Comments/Explanation)
Comments/Explanation: 2. Tank Integrity — Compliance	component #2 of F	
Compliance criteria:	oniponone nz or c	Verification method(s):
System consists of a seepage pit, cesspool, drywell, or leaching pit.	☐ Yes ⊠ No	 ☑ Probed tank(s) bottom ☑ Examined construction records
Seepage pits meeting 7080.2550 may be compliant if allowed in local ordinance.		Examined Tank Integrity Form (Attach)
Sewage tank(s) leak below their designed operating depth. If yes, which sewage tank(s) leaks:	☐ Yes ⊠ No	☐ Observed liquid level below operating depth☐ Examined empty (pumped) tanks(s)☐ Probed outside tank(s) for "black soil"
Any "yes" answer above indi system is failing to protect gr		☐ Unable to verify (See Comments/Explanation) ☐ Other methods not listed (See Comments/Explanation)
Comments/Explanation: 3. Other Compliance Condition	ıs – Compliance con	nponent #3 of 5
a. Maintenance hole covers are dama	aged, cracked, unsecur	ed, or appear to be structurally unsound. ☐ Yes* ☒ No ☐ Unknown
 Other issues (electrical hazards, etc.) *System is an imminent threat to 	to immediately and adv	versely impact public health or safety. $\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$
Explain:		
c. System is non-protective of ground *System is failing to protect ground Explain:		ons as determined by inspector . ☐ Yes* ☒ No

Inspector initials/Date: TT | 5/26/2018

Property address: 9366 152nd St N Hugo, MN 55038

www.pca.state.mn.us • 651-296-6300 • 800-657-3864 • TTY 651-282-5332 or 800-657-3864 • Available in alternative formats wq-wwists4-31b • 6/4/14

Property address: 9366 152nd St N Hugo, MN 55038		Inspector initials/Date: TT 5/26/2018		
			(mm/dd/yyyy)	
4. Soil Separation — Compliance co	omponent #4 c	of 5		
Date of installation: (mm/dd/yyyy)	 ⊠ Unknown	Verification method(s):		
Shoreland/Wellhead protection/Food beverage lodging?	☐ Yes ☐ No	Soil observation does not expire. Probservations by two independent particles site conditions have been all	arties are sufficient,	
Compliance criteria:		requirements differ.	crea or local	
For systems built prior to April 1, 1996, and not located in Shoreland or Wellhead Protection Area or not serving a food, beverage or lodging establishment:	⊠ Yes □ No	☐ Conducted soil observation(s) (A☐ Two previous verifications (Attac☐ Not applicable (Holding tank(s), not	h boring logs)	
Drainfield has at least a two-foot vertical separation distance from periodically saturated soil or bedrock.		☐ Unable to verify (See Comments/E ☐ Other (See Comments/Explanation)		
Non-performance systems built April 1,	☐ Yes ☐ No	Comments/Explanation:		
1996, or later or for non-performance systems located in Shoreland or Wellhead		0-6 topsoil		
Protection Areas or serving a food, beverage, or lodging establishment:			6-28 loamy sand7.5 YR 4/3	
Orainfield has a three-foot vertical			28-40 sandy loam10 YR 3/1	
separation distance from periodically saturated soil or bedrock.*			40-48 course sand	
		48-66 sandy clay loam Redox depletions @ 61"	10 YR 4/4	
4F				
Experimental", "Other", or "Performance" systems built under pre-2008 Rules: Type IV	☐ Yes ☐ No	Indicate depths or elevations		
systems built under pre-2008 Rules; Type IV or V systems built under 2008 Rules (7080. 2350 or 7080.2400 (Advanced Inspector	☐ Yes ☐ No	A. Bottom of distribution media	32"	
ystems built under pre-2008 Rules; Type IV r V systems built under 2008 Rules (7080. 350 or 7080.2400 (Advanced Inspector icense required)	∐ Yes ☐ No	A. Bottom of distribution media B. Periodically saturated soil/bedrock	32" 61"	
systems built under pre-2008 Rules; Type IV or V systems built under 2008 Rules (7080. 2350 or 7080.2400 (Advanced Inspector License required) Drainfield meets the designed vertical separation distance from periodically	∐ Yes ☐ No	A. Bottom of distribution media B. Periodically saturated soil/bedrock C. System separation	61" 29"	
systems built under pre-2008 Rules; Type IV or V systems built under 2008 Rules (7080. 2350 or 7080.2400 (Advanced Inspector License required) Orainfield meets the designed vertical reparation distance from periodically aturated soil or bedrock. Any "no" answer above indicates to		A. Bottom of distribution media B. Periodically saturated soil/bedrock	61" 29" 24"	
systems built under pre-2008 Rules; Type IV or V systems built under 2008 Rules (7080. 2350 or 7080.2400 (Advanced Inspector License required) Drainfield meets the designed vertical separation distance from periodically saturated soil or bedrock. Any "no" answer above indicates to failing to protect groundwater.	he system is	A. Bottom of distribution media B. Periodically saturated soil/bedrock C. System separation D. Required compliance separation* *May be reduced up to 15 percent in Ordinance.	61" 29" 24"	
ystems built under pre-2008 Rules; Type IV or V systems built under 2008 Rules (7080. 2350 or 7080.2400 (Advanced Inspector icense required) Drainfield meets the designed vertical eparation distance from periodically aturated soil or bedrock. Any "no" answer above indicates to failing to protect groundwater.	he system is BMP* – Com	A. Bottom of distribution media B. Periodically saturated soil/bedrock C. System separation D. Required compliance separation* *May be reduced up to 15 percent in Ordinance.	61" 29" 24" f allowed by Local	
ystems built under pre-2008 Rules; Type IV or V systems built under 2008 Rules (7080. 2350 or 7080.2400 (Advanced Inspector icense required) Drainfield meets the designed vertical eparation distance from periodically aturated soil or bedrock. Any "no" answer above indicates to ailing to protect groundwater. Operating Permit and Nitrogen	he system is BMP* – Com Permit?	A. Bottom of distribution media B. Periodically saturated soil/bedrock C. System separation D. Required compliance separation* *May be reduced up to 15 percent if Ordinance. pliance component #5 of 5	61" 29" 24" f allowed by Local Not applicable	
systems built under pre-2008 Rules; Type IV or V systems built under 2008 Rules (7080. 2350 or 7080.2400 (Advanced Inspector icense required) Orainfield meets the designed vertical eparation distance from periodically aturated soil or bedrock. Any "no" answer above indicates to failing to protect groundwater. Operating Permit and Nitrogen Is the system operated under an Operating	he system is BMP* – Com Permit?	A. Bottom of distribution media B. Periodically saturated soil/bedrock C. System separation D. Required compliance separation* *May be reduced up to 15 percent if Ordinance. pliance component #5 of 5 Yes No If "yes", A below is required. Yes No If "yes", B below is required.	61" 29" 24" f allowed by Local Not applicable	
systems built under pre-2008 Rules; Type IV or V systems built under 2008 Rules (7080. 2350 or 7080.2400 (Advanced Inspector License required) Orainfield meets the designed vertical separation distance from periodically saturated soil or bedrock. Any "no" answer above indicates to ailing to protect groundwater. Operating Permit and Nitrogen Is the system operated under an Operating Is the system required to employ a Nitrogen	he system is BMP* – Com Permit? BMP? specified in the sy	A. Bottom of distribution media B. Periodically saturated soil/bedrock C. System separation D. Required compliance separation* *May be reduced up to 15 percent if Ordinance. pliance component #5 of 5 Yes No If "yes", A below is required to the process of	61" 29" 24" f allowed by Local Not applicable	
systems built under pre-2008 Rules; Type IV or V systems built under 2008 Rules (7080, 2350 or 7080,2400 (Advanced Inspector License required) Drainfield meets the designed vertical separation distance from periodically saturated soil or bedrock. Any "no" answer above indicates to failing to protect groundwater. Separating Permit and Nitrogen Is the system operated under an Operating Is the system required to employ a Nitrogen BMP = Best Management Practice(s) separation of the system operated under the system required to employ a Nitrogen BMP = Best Management Practice(s) separation of the system operated under the system required to employ a Nitrogen BMP = Best Management Practice(s) separation of the system operated under the syst	he system is BMP* – Com Permit? BMP? specified in the sy	A. Bottom of distribution media B. Periodically saturated soil/bedrock C. System separation D. Required compliance separation* *May be reduced up to 15 percent if Ordinance. pliance component #5 of 5 Yes No If "yes", A below is required to the process of	61" 29" 24" f allowed by Local Not applicable	
Is the system required to employ a Nitroger BMP = Best Management Practice(s) s If the answer to both questions is "n Compliance criteria a. Operating Permit number: n/a	he system is BMP* - Com Permit?	A. Bottom of distribution media B. Periodically saturated soil/bedrock C. System separation D. Required compliance separation* *May be reduced up to 15 percent if Ordinance. pliance component #5 of 5 Yes No If "yes", A below is required to the process of	61" 29" 24" f allowed by Local Not applicable	
systems built under pre-2008 Rules; Type IV or V systems built under 2008 Rules (7080. 2350 or 7080.2400 (Advanced Inspector License required) Drainfield meets the designed vertical separation distance from periodically saturated soil or bedrock. Any "no" answer above indicates to failing to protect groundwater. Separating Permit and Nitrogen Is the system operated under an Operating Is the system required to employ a Nitrogen BMP = Best Management Practice(s) is If the answer to both questions is "note that the compliance criteria."	he system is BMP* – Com Permit? BMP? Specified in the syno", this section and the synon this section and the synon this section	A. Bottom of distribution media B. Periodically saturated soil/bedrock C. System separation D. Required compliance separation* *May be reduced up to 15 percent if Ordinance. pliance component #5 of 5 Yes No If "yes", A below is required to be completed. Stem design In does not need to be completed.	61" 29" 24" f allowed by Local Not applicable	

Upgrade Requirements (Minn. Stat. § 115.55) An imminent threat to public health and safety (ITPHS) must be upgraded, replaced, or its use discontinued within ten months of receipt of this notice or within a shorter period if required by local ordinance. If the system is failing to protect ground water, the system must be upgraded, replaced, or its use discontinued within the time required by local ordinance. If an existing system is not failing as defined in law, and has at least two feet of design soil separation, then the system need not be upgraded, repaired, replaced, or its use discontinued, notwithstanding any local ordinance that is more strict. This provision does not apply to systems in shoreland areas, Wellhead Protection Areas, or those used in connection with food, beverage, and lodging establishments as defined in law.

