Inspect Minnesota & Midwest Soil Testing

P.O. Box 10853 White Bear Lake, MN 55110		Brian Humpal	
651-492-7550/Brian@Midwestsoiltesting.com		MPCA Licensed Advanced Inspector	
SUBSURFACE SEWAGE TREATMENT SYSTEM (SSTS) COMPLIANCE REPORT			
Date: July 11, 2018	Time: 1:00 PM	Owner: Shane & Chiara Dowell	
Inspection Address: 20200 Quinnell Ave N, Scandia, MN 55073			

REPORT SUMMARY

I have performed an "MPCA Compliance Inspection" on this system and have reviewed the original design/permit records, along with a previous compliance inspection from 2014, which were on file at Washington County. This very old system (installed in 1987) consists of a pre-cast septic tank, a pre-cast lift tank, and a mound. It should be noted that the average life expectancy of a septic system is approximately 30 years.

Although not compliance criteria, it should be noted that the septic tank outlet baffle is missing and should be replaced as soon as possible.

Predicated on my inspection of the system and my review of the records, it is my opinion that this system <u>presently meets</u> MPCA minimum compliance inspection requirements.

Inspect Minnesota and Midwest Soil Testing have been hired to perform a compliance inspection of this SSTS for compliance with local ordinances pursuant to Minn. Stat. § 115.55 (2013). This compliance inspection covers only the criteria required by Minn. Stat. § 115.55 Subd. 5a (2013) and Minn. R. 7080.1500 (2011). A compliance inspection is an indication of the current compliance status of the system and does not guarantee the performance or longevity of this system beyond the date of inspection, as it is impossible to determine the future performance of any system. Inspect Minnesota and Midwest Soil Testing disclaim any use of this compliance inspection beyond determining SSTS compliance pursuant to Minn. Stat. § 115.55 Subd. 5a (2013) and Minn. R. 7080.1500 (2011).

Please contact me should you have any questions.

Christopher Uebe

Brian Humpal

Brian Humpal

Minnesota Pollution Control Agency	Comp
520 Lafayette Road North	Existing Su
St. Paul, MN 55155-4194	

Compliance Inspection Form

Existing Subsurface Sewage Treatment Systems (SSTS)

Doc Type: Compliance and Enforcement

Instructions: Inspection results based on Minnesota Pollution Control Agency (MPCA)
requirements and attached forms – additional local requirements may also apply.

Submit completed form to Local Unit of Government (LUG) and system owner within 15 days

System Status

System status on date (mm/dd/yyyy): 7/11/2018

Compliant – Certificate of Compliance

(Valid for 3 years from report date, unless shorter time frame outlined in Local Ordinance.)

] Noncompliant – Notice of Noncompliance

For local tracking purposes:

(See Upgrade Requirements on page 3)

Reason(s) for noncompliance (check all applicable)

Impact on Public Health (Compliance Component #1) – Imminent threat to public health and safety

Other Compliance Conditions (Compliance Component #3) – Imminent threat to public health and safety

Tank Integrity (Compliance Component #2) – Failing to protect groundwater

Other Compliance Conditions (Compliance Component #3) – Failing to protect groundwater

Soil Separation (Compliance Component #4) – Failing to protect groundwater

Operating permit/monitoring plan requirements (Compliance Component #5) - Noncompliant

Property Information

Parcel ID# or Sec/Twp/Range:

Property address:	20200 Quinnell Ave N, Scandia, MN 55073	Reason for inspection: Property Transfer
Property owner: Shane & Chiara Dowell		Owner's phone: 651-433-3611
or		
Owner's representation	ative:	Representative phone:
Local regulatory authority: Washington County		Regulatory authority phone: 651-430-6655
Brief system description: A pre-cast septic tank, a pre-cast lift tank, and a		d a mound.

Comments or recommendations:

201 System

Although not compliance criteria, it should be noted that the septic tank outlet baffle is missing and should be replaced as soon as possible.

Certification

I hereby certify that all the necessary information has been gathered to determine the compliance status of this system. No determination of future system performance has been nor can be made due to unknown conditions during system construction, possible abuse of the system, inadequate maintenance, or future water usage.

Inspector name: Brian Humpal/Christopher Uebe		Certification number:	C5342/C9852
Business name:	Inspect Minnesota, Midwest Soil Testing	License number:	L2896
Inspector signatur	e: Brian Humpal Africa Ula	Phone number:	651-492-7550
Necessary or	Locally Required Attachments		
Soil boring lo	gs] Forms per local ordinan	се
Other information	ation (list): Report Summary, Property Information, Di	sclaimer, License	
	(54.20/ (200 - 900 (57.29/4 - 77)/(54	202 5222 000 (57 20(4	

2 of 9

Impact on Public Health - Compliance component #1 of 5 1.

Compliance criteria:		Verificatio
System discharge sewage to the ground surface.	🗌 Yes 🛛 No	⊠ Searche ⊠ Searche
System discharge sewage to drain tile or surface waters.	🗌 Yes 🖾 No	Excessi Excessi
System cause sewage backup into dwelling or establishment.	🗌 Yes 🖾 No	☐ "Black s ☐ System ☐ Perform
Any "yes" answer above indicates the system is an Imminent Threat to Public Health and Safety.		

Comments/Explanation:

None of the above found.

on method(s):

- ed for surface outlet
- ed for seeping in yard/backup in home
- ive ponding in soil system/D-boxes
- wner testimony (See Comments/Explanation)
- soil" above soil dispersal system
- requires "emergency" pumping
- ned dye test
- to verify (See Comments/Explanation)
- Other methods not listed (See Comments/Explanation)

2. Tank Integrity – Compliance component #2 of 5

Compliance criteria:		Verification method(s):
System consists of a seepage pit,	🗌 Yes 🛛 No	Probed tank(s) bottom
cesspool, drywell, or leaching pit.		Examined construction records
Seepage pits meeting 7080.2550 may be		Examined Tank Integrity Form (Attach)
compliant if allowed in local ordinance.		Observed liquid level below operating depth
Sewage tank(s) leak below their designed operating depth.	🗌 Yes 🖾 No	Examined empty (pumped) tanks(s)
If yes, which sewage tank(s) leaks:		Probed outside tank(s) for "black soil"
Any "yes" answer above indicates the system is Failing to Protect Groundwater.		Unable to verify (See Comments/Explanation)
		Other methods not listed (See Comments/Explanation)

Comments/Explanation:

Although not compliance criteria, it should be noted that the septic tank outlet baffle is missing and should be replaced as soon as possible.

Lift pump and alarm were operational at the time of the inspection.

3. Other Compliance Conditions - Compliance component #3 of 5

- Maintenance hole covers are damaged, cracked, unsecured, or appear to structurally unsound. 🛛 No 🛛 Unknown a.
- b. Other issues (electrical hazards, etc.) to immediately and adversely impact public health or safety. 🗌 Yes* 🛛 No 📋 Unknown *System is an imminent threat to public health and safety

Explain:

System is non-protective of ground water for other conditions as determined by inspector Yes* 🖾 No C. *System is failing to protect groundwater

Explain:

4. Soil Separation – Compliance component #4 of 5

Date of installation: 1987	Unknown	Verification method(s):	
Shoreland/Wellhead protection/Food Beverage Lodging?	🗌 Yes 🛛 No	Soil observation does not expire. Pr observations by two independent pa	
Compliance criteria:		unless site conditions have been alt	
For systems built prior to April 1, 1996, and not located in Shoreland or Wellhead Protection Area or not serving a food, beverage or lodging establishment: Drainfield has at least a two-foot vertical separation distance from periodically saturated soil or bedrock.	⊠ Yes 🗋 No	 requirements differ. Conducted soil observation(s) (Attach boring Two previous verifications (Attach boring log Not applicable (Holding tank(s), no drainfield) Unable to verify (See Comments/Explanation) Other (See Comments/Explanation) 	
Non-performance systems built April 1,	□ Yes □ No	Comments/Explanation:	
1996, or later or for non-performance systems located in Shoreland or Wellhead		Reviewed compliance inspection from	om 2014.
Protection Areas or serving a food, beverage, or lodging establishment:		Reviewed design and permit record	S.
Drainfield has a three-foot vertical separation distance from periodically saturated soil or bedrock.*			
"Experimental", "Other", or "Performance"	🗌 Yes 🔲 No	Indicate depths of elevations	
systems built under pre-2008 Rules; Type IV or V systems built under 2008 Rules (7080. 2350 or 7080.2400 (Advanced Inspector License required)		A. Bottom of distribution media	See Attached Boring Log(s)
Drainfield meets the designed vertical		B. Periodically saturated soil/bedrock	
separation distance from periodically saturated soil or bedrock.		C. System separation	
		D. Required compliance separation*	
Any "no" answer above indicates t Failing to Protect Groundwater.	he system is	*May be reduced up to 15 percent if Ordinance.	allowed by Local
Operating Permit and Nitrogen B	MP* – Compliance	component #5 of 5 🛛 🗌 Not appl	licable
Is the system operated under an Operating Per	rmit? 🗌 Yes 🗌] No If "yes", A below is required	
Is the system required to employ a Nitrogen BMP? Yes No If "yes", B below is required			
BMP=Best Management Practice(s) specif	fied in the system desig	ŋn	
If the answer to both questions is "no",	this section does i	not need to be completed.	

Compliance criteria

5.

a.	Operating Permit number: Have the Operating Permit requirements been met?	Yes No
b.	Is the required nitrogen BMP in place and properly functioning?	☐ Yes ☐ No

Any "no" answer indicates Noncompliance.

Upgrade Requirements (Minn. Stat. § 115.55) An imminent threat to public health and safety (ITPHS) must be upgraded, replaced, or its use discontinued within ten months of receipt of this notice or within a shorter period if required by local ordinance. If the system is failing to protect ground water, the system must be upgraded, replaced, or its use discontinued within the time required by local ordinance. If an existing system is not failing as defined in law, and has at least two feet of design soil separation, then the system need not be upgraded, replaced, or its use discontinued, notwithstanding any local ordinance that is more strict. This provision does not apply to systems in shoreland areas, Wellhead Protection Areas, or those used in connection with food, beverage, and lodging establishments as defined in law.

Inspect Minnesota & Midwest Soil Testing


Subsurface Sewage Treatment System Owner/Property Information

This information will be used for the purpose of conducting an MPCA Compliance Inspection.

Date of Inspection: July 11, 2018	Time: 1:00 PM		
Property Address: 20200 Quinnell Ave N, Scandia	a, MN Zip: 55073		
Property Owner: Shane & Chiara Dowell	Phone: 651-433-3611		
1 5	eatment System Other		
	trench Alternative system		
	elless trench Experimental system		
	nber trench Cesspool system		
☐ Holding ☐Concrete ☐Seep ☐ Other: ☐Block ☐Mou	age bed Other system		
Other At-g			
Are the tank maintenance covers accessible? \boxtimes Ye	es \Box No *If no proper maintenance must be		
performed through the maintenance holes. Mainten			
the ground surface to facilitate access and proper m			
Verscherzen heilte 1007 Verscherztig im delle 1	1007 Total size (c. 1.)		
Year house built: 1987 Year septic installed	: 1987 Tank size (gals.): Number of residents in home?		
How long has seller owned the property? Number of bedrooms? 4 Are all floor	rs drained by gravity? Y		
	/hirlpool bath?		
More than one system (laundry, etc.)?			
Does this property have any footing drain tiles con	nected to the sentic system?		
bees this property have any rooting drain thes connected to the septie system:			
Are any buildings on this property such as garages or out-buildings connected to this system?			
Are there any additional systems on this property serving other buildings?			
Location of septic system on lot? North Side			
Location of water well on lot? South Side	Is the well a deep well? Y		
Have you ever experienced any problems with the system such as: tree roots, sewage back-ups,			
surfacing of sewage onto the ground, septic tank ov	erflowing, etc.; or have any repairs been made		
to the system? If yes, explain:			
When was the system last pumped? 2015	Name of pumper:		
How often pumped in previous years?	Is system on a monitoring plan?		
Have you received notices from any government agency concerning this system? Is your property located in a shoreland management area? N			
Do you have any additional information that should be given to the new owner?			
	i be given to the new owner!		

I hereby certify that the above information is correct to the best of my knowledge. I also understand that if the system is considered "non-compliant/failing" per MPCA rules, that the inspector must by law submit a copy of this report to the local government unit within 15 days of the date of inspection completion. I also agree that unless otherwise noted in this report, that I/we are ultimately responsible for payment of all fees for all work performed relative to this inspection by Inspect Minnesota and Midwest Soil Testing.

Owner/Occupant:



Log Of Soil Borings

Location of Project: 20200 Quinnell Ave N, Scandia, MN 55073					
Borings Made By: Inspect Minnesota			Date:	7/11/18	
		Hand/Bucket	Classif	fication System:	USDA
Bo	pring Number:			Boring Number:	
Surface Elevation of Boring	54" below	top of mound on inal contour	Surface Elevation c Boring		
Depth In Inches	Soils E	ncountered	Depth In Inches	Soils En	icountered
0-5	Refu	2 Loamy Sand usal At 5" ((Limestone)			
5" De	pth To End Of B	oring Or Bedrock	Depth To End Of Boring Or Redox		oring Or Redox
+54" Ele	evation Of Borin	g Below Top Of Mound	E	Elevation Of Boring	Relative To System
	epth To Bottom (Separation	Of Distribution Media		Depth To Bottom O Df Separation	f Distribution Media
Er	d Of Boring At:	5"		End Of Boring At:	
	ock Present At:	5"	Redox Present At:		
Standing Wa	ater Present At:	None	Standing	Water Present At:	

Bottom Of Distribution Medium At: 27 Inches

Brian L. Humpal, Inc. dba. Inspect Minnesota, Midwest Soil Testing

Relative to Subsurface Sewage Treatment System (SSTS) Compliance Inspections

- 1. This inspection/report is being performed for only the seller/owner of the property on which the SSTS is located. In such case that another party is paying for the inspection, the contract is between only said party and Brian L. Humpal, Inc.; there is no contract between Brian L. Humpal, Inc. and any other party unless otherwise noted.
- 3. Brian L. Humpal, Inc. has not been retained to warranty, guarantee, or certify the proper functioning of the SSTS for any period of time beyond the date of inspection or into the future. Because of the numerous factors (usage, maintenance, soil characteristics, previous failures, etc.) which may affect the proper operation of an SSTS, as well as the inability of Brian L. Humpal, Inc. to supervise or monitor the use or maintenance of the SSTS, the report shall not be construed as a warranty by Brian L. Humpal, Inc. that the SSTS will function properly for any particular party for any period of time.
- 4. Brian L. Humpal, Inc. is unable to verify the frequency and/or, quality of prior or future maintenance of the SSTS. Maintenance of the tank(s) must be performed through the tanks maintenance hole. The removal of solids from any location other than the maintenance hole is not a compliant method of maintenance. It is strongly recommended that maintenance covers be made accessible to the ground surface to facilitate proper maintenance.
- 5. Minimum Compliance Inspection requirements relative to this inspection and this report include <u>only</u> verification that the SSTS has tank(s) (septic tanks, lift tanks, dosing tanks, stilling tanks, etc.) which are watertight below the designed operating depth, the required separation between the bottom of the subsurface soil distribution medium and seasonally saturated soils, no back-ups of sewage into the dwelling, no discharge of sewage/effluent to the ground surface or surface waters, and no imminent safety hazards. Brian L. Humpal, Inc. does not inspect plumbing or pumps prior to the first SSTS component as these are plumbing components. The performance of exterior pumps and associated components are not inspected as they are considered to be maintenance items. Additionally, no indications relative to compliance with electrical code requirements have been made. It is recommended that any other applicable plumbing, electrical, housing, etc. inspections be performed by a qualified inspection business. Sewage back-up verification is limited to observing the floor drain area and/or the information supplied by the last occupants of the building prior to inspection. Brian L. Humpal, Inc. cannot guarantee that the information given to them by the last occupants of the building prior to inspection relative to back-ups is accurate.
- 4. Certification of this SSTS does not warranty future use beyond the date of the inspection. Any SSTS, old or new, can become hydraulically overloaded or discharge sewage/effluent to the ground surface as a result of more people moving into the house than were previously occupying the house, improper maintenance, heavy usage, leaking plumbing fixtures, groundwater infiltration, tree roots, freezing conditions, surface drainage problems, poor initial design, poor construction practices, or unsuitable materials used in constructing the system; the system can also simply stop working because of its age. An SSTS that has been properly designed and installed, properly maintained, and used in the manner for which the system was designed can be expected to provide service for twenty to twenty-five years on average. Some parts of the SSTS such as alarms, switches, pumps, filters, etc. will most likely have to be repaired or replaced over the lifetime of the system.
- 5. A Compliance Inspection is not meant to be a test or inspection for longevity of the system; a Compliance Inspection is strictly for the purpose of determining if the SSTS is protective of public health and safety, as well as the groundwater at the date and time the inspection was performed. This inspection is not intended to determine if the SSTS was originally designed or installed to past or present MPCA or other Local Government Unit code requirements. This inspection is not intended to determine if the SSTS was designed and/or installed to support the anticipated flow from the building as the use of the building may have changed since the design and construction of the SSTS due to the addition of bedrooms, occupants, etc. In addition, this inspection is not intended to determine the quality of the original SSTS design, the quality of the construction practices used while installing the SSTS, or the quality of the materials used in constructing the SSTS.
- 6. Brian L. Humpal, Inc. cannot guarantee the performance of SSTS products/components such as: gravelless pipe, chamber trenches, effluent filters, tanks, sewage pre-treatment components, piping, etc. Products such as gravelless pipe are no longer approved for installation in the State of Minnesota and may have a significantly reduced performance and/or life expectancy.
- 7. WINTER WORK: By accepting this report, it is understood that inspections conducted during winter months (approximately November 1st through April 1st) are more difficult to perform because of possible snow cover and/or ground frost. SSTS components such as tanks, maintenance covers, tank inspection pipes, subsurface distribution medium inspection pipes, and soil treatment areas are more difficult or impossible to locate due to snow cover and/or ground frost. In addition, soil borings are more difficult to perform due to snow cover and/or ground frost. Brian L. Humpal, Inc. will attempt to use the same level of standards when performing work during winter periods as when performing work during non-winter periods. However, the recipient of this report understands that because of the aforementioned considerations, the same level of standards may not be possible.
- 8. By accepting this report, the client understands that Brian L. Humpal, Inc. will not be responsible for any monetary damages exceeding the fee for the services provided.

Subsurface Sewage Treatment Systems Non-transferable Business License

Inspect Minnesota, Midwest Soil Testing

License # L2896

License Expires: 12/22/2018

Issued: 10/10/2017

Specialty Area(s):

Installer Maintainer Service Provider Advanced Designer Advanced Inspector

Designated Certified Individual(s):

Name	Certification Expires:
Anthony P Scully	7/28/2018
Installer, Designer (Conditiona	1)
Brian L Humpal	10/15/2020
Installer, Maintainer, Serv Prov	v, Adv Designer, Adv Inspector
Christopher R Uebe	3/4/2018
Designer, Inspector	
	Anthony P Scully Installer, Designer (Conditiona Brian L Humpal Installer, Maintainer, Serv Prov Christopher R Uebe

MINNESOTA POLLUTION CONTROL AGENCY

520 Lafayette Road North St. Paul, Minnesota 55155-4194

Charles K Thompson, Supervisor Certification & Training Unit