Inspect Minnesota & Midwest Soil Testing

P.O. Box 10853 White Bear Lake, MN 55110 651-492-7550/Brian@Midwestsoiltesting.com

Brian Humpal MPCA Licensed Advanced Inspector

SUBSURFACE SEWAGE TREATMENT SYSTEM (SSTS) COMPLIANCE REPORT

Inspection Address: 1575 Queens Ave S, Lake St Croix Beach, MN 55043

REPORT SUMMARY

I have performed an "MPCA Compliance Inspection" on this system, have reviewed the history of the system with the owner, Michael Huber, and have reviewed the original design/permit records on file at Washington County. This older system (installed in 1992) consists of a pre-cast septic tank, a pre-cast lift tank, and a seepage bed.

Although not compliance criteria, it should be noted that the lift tank cover appears to have a few stress cracks and should be check every maintenance inspection for a further changes to the integrity of the tank. Additionally, the septic tank and lift tank are currently due for maintenance pumping and should be pumped when possible.

Predicated on my inspection of the system, my review of the history of the system with the owner, and my review of the original design/permit records, it is my opinion that this system presently meets MPCA minimum compliance inspection requirements.

Inspect Minnesota and Midwest Soil Testing have been hired to perform a compliance inspection of this SSTS for compliance with local ordinances pursuant to Minn. Stat. § 115.55 (2013). This compliance inspection covers only the criteria required by Minn. Stat. § 115.55 Subd. 5a (2013) and Minn. R. 7080.1500 (2011). A compliance inspection is an indication of the current compliance status of the system and does not guarantee the performance or longevity of this system beyond the date of inspection, as it is impossible to determine the future performance of any system. Inspect Minnesota and Midwest Soil Testing disclaim any use of this compliance inspection beyond determining SSTS compliance pursuant to Minn. Stat. § 115.55 Subd. 5a (2013) and Minn. R. 7080.1500 (2011).

Please contact me should you have any questions.

Christopher Uebe

Brian Humpal

Brian Humpal



Compliance Inspection Form

Existing Subsurface Sewage Treatment Systems (SSTS)

	Doc 1	Type: Compliance and Enforcement	
Instructions: Inspection results based on Minnesota Pollution Control Agency (MPCA requirements and attached forms – additional local requirements may also apply.	For local tra	cking purposes:	
Submit completed form to Local Unit of Government (LUG) and system owner within 15 days			
System Status			
System status on date (mm/dd/yyyy):			
•	-	otice of Noncompliance ments on page 3)	
Reason(s) for noncompliance (check all applicable)			
 ☐ Impact on Public Health (Compliance Component #1) – Imminent threat ☐ Other Compliance Conditions (Compliance Component #3) – Imminent to ☐ Tank Integrity (Compliance Component #2) – Failing to protect groundw ☐ Other Compliance Conditions (Compliance Component #3) – Failing to protect ground ☐ Soil Separation (Compliance Component #4) – Failing to protect ground ☐ Operating permit/monitoring plan requirements (Compliance Component 	hreat to public h ater rotect groundwa water	ealth and safety	
Property Information Parcel ID# or Sec/Twp/Ra	nge:		
Property address: <u>1575 Queens Ave S, Lake St Croix Beach, MN 55043</u> Reason	for inspection:	Property Transfer	
Property owner: Michael Huber Owner	s phone: 651-	-436-6283	
or .			
· · · · · · · · · · · · · · · · · · ·	Representative phone: C51 420 C655		
Local regulatory authority: Washington County Regula Brief system description: A pre-cast septic tank, a pre-cast lift tank, and a seepag	Regulatory authority phone: 651-430-6655		
Comments or recommendations:	bea.		
Although not compliance criteria, it should be noted that the lift tank cover appears to every maintenance inspection for a further changes to the integrity of the tank. Addit currently due for maintenance pumping and should be pumped when possible.			
Certification			
I hereby certify that all the necessary information has been gathered to determine the determination of future system performance has been nor can be made due to unknown possible abuse of the system, inadequate maintenance, or future water usage.			
Inspector name: Brian Humpal/Christopher Uebe Certific	ation number: _	C5342/C9852	
	ense number: _	L2896	
Inspector signature: Brian Humpal for the P	none number: _	651-492-7550	
Necessary or Locally Required Attachments			
<u>-</u>	er local ordinanc	re	
☐ Other information (list): Report Summary Property Information, Disclaimer I			

Property address: 1575 Queens Ave S, Lake St Croix Beach, MN 55043 Inspector initials/Date: 7/24/2018

1.	Impact on Public Health - Cor	mpliance component	t #1 of 5		
	Compliance criteria:		Verification method(s):		
	System discharge sewage to the ground surface.	☐ Yes ⊠ No	☑ Searched for surface outlet☑ Searched for seeping in yard/backup in home		
	System discharge sewage to drain tile or surface waters.	☐ Yes ⊠ No	 ☑ Excessive ponding in soil system/D-boxes ☑ Homeowner testimony (See Comments/Explanation) 		
	System cause sewage backup into dwelling or establishment.	☐ Yes ⊠ No	 □ "Black soil" above soil dispersal system □ System requires "emergency" pumping □ Performed dye test □ Unable to verify (See Comments/Explanation) □ Other methods not listed (See Comments/Explanation) 		
	Any "yes" answer above indicates an Imminent Threat to Public Hea	_			
	Comments/Explanation: None of the above found.				
2.	Tank Integrity – Compliance con	nponent #2 of 5			
	Compliance criteria:		Verification method(s):		
	System consists of a seepage pit, cesspool, drywell, or leaching pit.	☐ Yes ⊠ No	☑ Probed tank(s) bottom☑ Examined construction records		
	Seepage pits meeting 7080.2550 may be compliant if allowed in local ordinance.		Examined Tank Integrity Form (Attach)Observed liquid level below operating depth		
	Sewage tank(s) leak below their designed operating depth.	☐ Yes ⊠ No	Examined empty (pumped) tanks(s)		
	If yes, which sewage tank(s) leaks:		☐ Probed outside tank(s) for "black soil"		
	Any "yes" answer above indica system is Failing to Protect Gr		 ☐ Unable to verify (See Comments/Explanation) ☑ Other methods not listed (See Comments/Explanation) 		
	Comments/Explanation:				
	Although not compliance criteria, it should be noted that the lift tank cover appears to have a few stress cracks and should be check every maintenance inspection for a further changes to the integrity of the tank. Additionally, the septic tank and lift ta are currently due for maintenance pumping and should be pumped when possible.				
3.	Other Compliance Conditions	5 – Compliance com	ponent #3 of 5		
	a. Maintenance hole covers are damage	d, cracked, unsecured,	or appear to structurally unsound. ☐ Yes* ☐ No ☐ Unknown		
	b. Other issues (electrical hazards, etc.) to immediately and adversely impact public health or safety. ☐ Yes* ☒ No ☐ Unknown *System is an imminent threat to public health and safety				
	 c. System is non-protective of ground water for other conditions as determined by inspector ☐ Yes* ☒ No *System is failing to protect groundwater 				
	Explain:				

www.pca.state.mn.us • 651-296-6300 • 800-657-3864 • TTY 651-282-5332 or 800-657-3864 • Available in alternative formats wq-wwists4-31 • 1/24/12 Page 2 of 3

Property address: 1575 Queens Ave S, Lake St Croix Beach, MN 55043

Inspector initials/Date: 7/24/2018

Date of installation: 1992	□Unkr	nown	Varification mathed(s)			
Shoreland/Wellhead protection/Food Beverage	· -		Verification method(s): Soil observation does not expire. Previous soil observations by two independent parties are s			
Lodging?	☐ Yes	⊠ NO				
Compliance criteria:	npliance criteria:			unless site conditions have been altered or local		
For systems built prior to April 1, 1996, and not located in Shoreland or Wellhead Protection Area or not serving a food, beverage or lodging establishment:	⊠ Yes	□ No	requirements differ. Conducted soil observation Two previous verifications (Not applicable (Holding tank)	Attach boring logs)		
Drainfield has at least a two-foot vertical separation distance from periodically saturated soil or bedrock.			☐ Unable to verify (See Commo	ents/Explanation)		
Non-performance systems built April 1, 1996, or later or for non-performance systems located in Shoreland or Wellhead Protection Areas or serving a food, beverage, or lodging establishment:	☐ Yes	□ No	Comments/Explanation: Reviewed design and permit re	cords.		
Drainfield has a three-foot vertical separation distance from periodically saturated soil or bedrock.*						
"Experimental", "Other", or "Performance"	☐ Yes	□No	Indicate depths of elevation	ons		
systems built under pre-2008 Rules; Type IV or V systems built under 2008 Rules (7080. 2350 or 7080.2400 (Advanced Inspector License required)			A. Bottom of distribution media	See Attached Boring Log(s)		
Drainfield meets the designed vertical separation distance from periodically			B. Periodically saturated soil/bedro C. System separation	ock		
saturated soil or bedrock.			D. Required compliance separation	n*		
Any "no" answer above indicates the system is Failing to Protect Groundwater. *May be reduced up to 15 percent if allowed by Local Ordinance.						
Operating Permit and Nitrogen B	MP* – C	Compliance	e component #5 of 5 🔀 Not a	applicable		
Is the system operated under an Operating Permit?						
Is the system required to employ a Nitrogen BMP?						
BMP=Best Management Practice(s) specified in the system design						
If the answer to both questions is "no",	this sec	tion does	not need to be completed.			
Compliance criteria						
a. Operating Permit number:						
Have the Operating Permit requirements in	peen met	?	☐ Yes ☐ No			
b. Is the required nitrogen BMP in place and	nronerly	functioning	Yes □ No			

Upgrade Requirements (Minn. Stat. § 115.55) An imminent threat to public health and safety (ITPHS) must be upgraded, replaced, or its use discontinued within ten months of receipt of this notice or within a shorter period if required by local ordinance. If the system is failing to protect ground water, the system must be upgraded, replaced, or its use discontinued within the time required by local ordinance. If an existing system is not failing as defined in law, and has at least two feet of design soil separation, then the system need not be upgraded, repaired, replaced, or its use discontinued, notwithstanding any local ordinance that is more strict. This provision does not apply to systems in shoreland areas, Wellhead Protection Areas, or those used in connection with food, beverage, and lodging establishments as defined in law.

651-296-6300 • 800-657-3864 www.pca.state.mn.us • wq-wwists4-31 • 1/24/12 Page 3 of 3


Inspect Minnesota & Midwest Soil Testing Subsurface Sewage Treatment System Owner/Property Information

This information will be used for the purpose of conducting an MPCA Compliance Inspection.

Date of Inspection: July 24, 2018	Time: 11:00 AM			
Property Address: 1575 Queens Ave S, Lake St Croix				
Beach,MN	Zip: 55043			
Property Owner: Michael Huber	Phone: 651-436-6283			
$ \begin{array}{c ccc} Tank(s) & Tank(s)Material & Soil Treatment System \\ \hline \boxtimes Septic 1 & \hline \\ \hline \square Fiberglass & \hline \\ \hline \square Aerobic & \hline \\ \hline \square Lift & \hline \\ \hline \end{bmatrix} Metal & \hline \\ \hline Soil Treatment System \\ \hline \hline \square Rock trench \\ \hline \hline \square Gravelless trench \\ \hline \hline \square Chamber trench $	☐ Alternative system ☐ Experimental system ☐ Cesspool system			
☐ Holding ☐ Concrete ☐ Seepage bed ☐ Other: ☐ Block ☐ Mound ☐ Other ☐ At-grade	Other system			
Are the tank maintenance covers accessible? ⊠ Yes □ No *	If no, proper maintenance must be			
performed through the maintenance holes. Maintenance hole co				
the ground surface to facilitate access and proper maintenance of				
Year house built: 1970 Year septic installed: 1992	Tank size (gals.): 1250			
How long has seller owned the property? 2016 Number of	residents in home? 6			
Number of bedrooms? 3 Are all floors drained by	gravity? Y			
Garbage disposal? N Whirlpool bat	h? N			
More than one system (laundry, etc.)? N				
Does this property have any footing drain tiles connected to the	septic system? N			
Are any buildings on this property such as garages or out-buildings connected to this system? N				
Are there any additional systems on this property serving other	buildings? N			
Location of septic system on lot? West Side				
	the well a deep well? N/A			
Have you ever experienced any problems with the system such as: tree roots, sewage back-ups, surfacing of sewage onto the ground, septic tank overflowing, etc.; or have any repairs been made				
to the system? N If yes, explain:				
When was the system last pumped? 2013 Name of pumper: Unknown				
How often pumped in previous years? Unknown Is system on a monitoring plan? N				
Have you received notices from any government agency concerning this system? N				
Is your property located in a shoreland management area? N				
Do you have any additional information that should be given to the new owner? N				

I hereby certify that the above information is correct to the best of my knowledge. I also understand that if the system is considered "non-compliant/failing" per MPCA rules, that the inspector must by law submit a copy of this report to the local government unit within 15 days of the date of inspection completion. I also agree that unless otherwise noted in this report, that I/we are ultimately responsible for payment of all fees for all work performed relative to this inspection by Inspect Minnesota and Midwest Soil Testing.

Owner/Occupant: Michael Huber's Signature On File Date: 7/24/2018



Log Of Soil Borings

Location of Project: 1575 Queens Ave S, Lake St. Croix Beach, MN 55043					
Borings Made By: Inspect Minnesota		Date:		7/24/18	
Auger Used: Hand/Bucket		Classification System: USD		USDA	
Boring Number: 1		Boring Number:			
Surface Elevation of Boring Same ground surface as last drainfield trench		Surface Elevation (Boring	of		
Depth In Inches	In Soils Encountered		Depth In Inches	Soils Er	countered
0-27 27-50	Gravel ≈15-20 10YR 3/4 Mediu	ium Coarse Sand With 0% Rock Fragments m Coarse Sand With 0% Rock Fragments			
50"	Depth To End Of B	oring Or Redox		Depth To End Of Bo	oring Or Redox
Same	•	g Relative To System			Relative To System
-24"		Of Distribution Media			f Distribution Media
≥26" Of Separation		[(Of Separation		
	End Of Boring At:	50"		End Of Boring At:	
	Redox Present At:	None		Redox Present At:	
Standing	Water Present At:	None		Water Present At:	

Bottom Of Distribution Medium At: 2	24 Inches
	_

DISCLAIMER

Brian L. Humpal, Inc. dba. Inspect Minnesota, Midwest Soil Testing Relative to Subsurface Sewage Treatment System (SSTS) Compliance Inspections

- 1. This inspection/report is being performed for only the seller/owner of the property on which the SSTS is located. In such case that another party is paying for the inspection, the contract is between only said party and Brian L. Humpal, Inc.; there is no contract between Brian L. Humpal, Inc. and any other party unless otherwise noted.
- 3. Brian L. Humpal, Inc. has not been retained to warranty, guarantee, or certify the proper functioning of the SSTS for any period of time beyond the date of inspection or into the future. Because of the numerous factors (usage, maintenance, soil characteristics, previous failures, etc.) which may affect the proper operation of an SSTS, as well as the inability of Brian L. Humpal, Inc. to supervise or monitor the use or maintenance of the SSTS, the report shall not be construed as a warranty by Brian L. Humpal, Inc. that the SSTS will function properly for any particular party for any period of time.
- 4. Brian L. Humpal, Inc. is unable to verify the frequency and/or, quality of prior or future maintenance of the SSTS. Maintenance of the tank(s) must be performed through the tanks maintenance hole. The removal of solids from any location other than the maintenance hole is not a compliant method of maintenance. It is strongly recommended that maintenance covers be made accessible to the ground surface to facilitate proper maintenance.
- 5. Minimum Compliance Inspection requirements relative to this inspection and this report include <u>only</u> verification that the SSTS has tank(s) (septic tanks, lift tanks, dosing tanks, stilling tanks, etc.) which are watertight below the designed operating depth, the required separation between the bottom of the subsurface soil distribution medium and seasonally saturated soils, no back-ups of sewage into the dwelling, no discharge of sewage/effluent to the ground surface or surface waters, and no imminent safety hazards. Brian L. Humpal, Inc. does not inspect plumbing or pumps prior to the first SSTS component as these are plumbing components. The performance of exterior pumps and associated components are not inspected as they are considered to be maintenance items. Additionally, no indications relative to compliance with electrical code requirements have been made. It is recommended that any other applicable plumbing, electrical, housing, etc. inspections be performed by a qualified inspection business. Sewage back-up verification is limited to observing the floor drain area and/or the information supplied by the last occupants of the building prior to inspection. Brian L. Humpal, Inc. cannot guarantee that the information given to them by the last occupants of the building prior to inspection relative to back-ups is accurate.
- 4. Certification of this SSTS does not warranty future use beyond the date of the inspection. Any SSTS, old or new, can become hydraulically overloaded or discharge sewage/effluent to the ground surface as a result of more people moving into the house than were previously occupying the house, improper maintenance, heavy usage, leaking plumbing fixtures, groundwater infiltration, tree roots, freezing conditions, surface drainage problems, poor initial design, poor construction practices, or unsuitable materials used in constructing the system; the system can also simply stop working because of its age. An SSTS that has been properly designed and installed, properly maintained, and used in the manner for which the system was designed can be expected to provide service for twenty to twenty-five years on average. Some parts of the SSTS such as alarms, switches, pumps, filters, etc. will most likely have to be repaired or replaced over the lifetime of the system.
- 5. A Compliance Inspection is not meant to be a test or inspection for longevity of the system; a Compliance Inspection is strictly for the purpose of determining if the SSTS is protective of public health and safety, as well as the groundwater at the date and time the inspection was performed. This inspection is not intended to determine if the SSTS was originally designed or installed to past or present MPCA or other Local Government Unit code requirements. This inspection is not intended to determine if the SSTS was designed and/or installed to support the anticipated flow from the building as the use of the building may have changed since the design and construction of the SSTS due to the addition of bedrooms, occupants, etc. In addition, this inspection is not intended to determine the quality of the original SSTS design, the quality of the construction practices used while installing the SSTS, or the quality of the materials used in constructing the SSTS.
- 6. Brian L. Humpal, Inc. cannot guarantee the performance of SSTS products/components such as: gravelless pipe, chamber trenches, effluent filters, tanks, sewage pre-treatment components, piping, etc. Products such as gravelless pipe are no longer approved for installation in the State of Minnesota and may have a significantly reduced performance and/or life expectancy.
- 7. WINTER WORK: By accepting this report, it is understood that inspections conducted during winter months (approximately November 1st through April 1st) are more difficult to perform because of possible snow cover and/or ground frost. SSTS components such as tanks, maintenance covers, tank inspection pipes, subsurface distribution medium inspection pipes, and soil treatment areas are more difficult or impossible to locate due to snow cover and/or ground frost. In addition, soil borings are more difficult to perform due to snow cover and/or ground frost. Brian L. Humpal, Inc. will attempt to use the same level of standards when performing work during winter periods as when performing work during non-winter periods. However, the recipient of this report understands that because of the aforementioned considerations, the same level of standards may not be possible.
- 8. By accepting this report, the client understands that Brian L. Humpal, Inc. will not be responsible for any monetary damages exceeding the fee for the services provided.

Subsurface Sewage Treatment Systems Non-transferable Business License

Inspect Minnesota, Midwest Soil Testing

License # L2896

License Expires: 12/22/2018

Issued: 10/10/2017

es:

Specialty Area(s):

Installer
Maintainer
Service Provider
Advanced Designer
Advanced Inspector

Designated Certified Individual(s):

Cert #	Name	Certification Expire		
C9633	Anthony P Scully	7/28/2018		
	Installer, Designer (Conditional)			
C5342	Brian L Humpal	10/15/2020		
	Installer, Maintainer, Serv Prov, Adv Designer, Adv Inspector			
C9852	Christopher R Uebe	3/4/2018		
	Designer, Inspector			



520 Lafayette Road North St. Paul, Minnesota 55155-4194 Charles & Thompson

Charles K Thompson, Supervisor Certification & Training Unit