

DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT GOVERNMENT CENTER

14949 62nd STREET NORTH P.O. BOX 6 STILLWATER, MN 55082-0006 Office: 651-430-6655 TDD: 651-430-6246 FAX: 651-430-6730

SSTS MAINTENANCE REPORT

, e e e e e e e e e e e e e e e e e e e		System	i vation		dinasi yan satu da sa
Address 23009 mai	nning tr n			Telephone Number	(651) 261-7207
City Scandia	1	State mn	ZIP 55073	Property ID No./GEO Code	
Owner spencer ru	ıth	Pumping Dat	te Aug 21, 2018		
		Conte	actor		
Maintainer row sew	er	MPCA License	No. 13309	Telephone Number	(651) 465-5505
	as done to the system?		R	epon (Elquid Capacity in C	allors
Tank(s) Pumped			Tank 1: 1,000	▼ Pumped Tank 2: 1,	2000 X Pumped
Sludge and scurr Do tanks need to			Tank 3: 1,000	Pumped Tank 4:	Pumped
l	o (If no provide measurements	below)	Total Gallons Pu	mped: 2,000	
Visual Inspection (note any problems with the system): NOTE: This does not serve as a compliance inspection.					
				· · · · · · · · · · · · · · · · · · ·	•
<u> </u>			S		

*Tank Measurements-Use Only If Tank(s) Were NOT Pumped					
Tank Length	in. X Tank Width	in. X Tank E	Depthin.	= Tank Volume (cubic inc	hes)
Tank Radius	in. X Tank Radius	in. X 3.14	= Tank Volume (cubic inches)	v) 4 4 - 4 1
Tank Volume (cu. in.)	/ 231.01 =	Liquid Capacity	Gallons	Tank Depth in. = 0	Sallons/Inch
Sludge Level	in. X Gallons Per Inch	= Sludge V	/olume Ga	illons	
Scum Level	in. X Gallons Per Inch	== Scum Vo	olume Ga	illons	
Sludge Volume	+ Scum Volume	= Total Slu	dge and Scum Volu	ime Gallons	•
Total Sludge and Scum Volume / Liquid Capacity = Percent Sludge and Scum in Tank %					
	8 11	.		*Tanks must be pump following conditions	
Consent means	-1			1. The top of the slude	ge layer is less than
Scum Layer			ık Depth measured	12 inches from the bo baffle; or	ttom of the outlet
Effluent		fro	m invert of outlet	2. Total sludge and sc	
Sludge Layer		pip	e to bottom of tank	than 25 percent of the capacity.	z ednk s ilquid
	#		_ 1/-		
Signature Anni	111.1 In	Date	821/8	Re	set Form