# **Inspect Minnesota & Midwest Soil Testing**

P.O. Box 10853 White Bear	<sup>·</sup> Lake, MN 55110	Brian Humpal		
· · · · · · · · · · · · · · · · · · ·		MPCA Licensed Advanced Inspector		
SUBSURFACE SEWAGE	FREATMENT SYSTEM	1 (SSTS) COMPLIANCE REPORT		
Date: October 15, 2018Time: 2:00 PMOwner: James Horky				
Inspection Address: 180 Lakeland Shores Rd, Lakeland Shores, MN 55043				

## **REPORT SUMMARY**

I have performed an "MPCA Compliance Inspection" on this system, have reviewed the history of the system with the owner, James Horky, and have reviewed the original design/permit records on file at Washington County. This older system (installed in 1994) consists of two precast septic tanks and a gravelless trench drainfield.

Although not a compliance criteria, it should be noted that gravelless pipe is no longer approved for installation in the State of Minnesota and we have had experience with this product having significantly reduced performance and/or life expectancy. We cannot guarantee the performance of this system beyond the compliance date (10/15/2018).

Predicated on my inspection of the system, my review of the history of the system with the owner, and my review of the original design/permit records, it is my opinion that this system <u>presently meets</u> MPCA minimum compliance inspection requirements.

Inspect Minnesota and Midwest Soil Testing have been hired to perform a compliance inspection of this SSTS for compliance with local ordinances pursuant to Minn. Stat. § 115.55 (2013). This compliance inspection covers only the criteria required by Minn. Stat. § 115.55 Subd. 5a (2013) and Minn. R. 7080.1500 (2011). A compliance inspection is an indication of the current compliance status of the system and does not guarantee the performance or longevity of this system beyond the date of inspection, as it is impossible to determine the future performance of any system. Inspect Minnesota and Midwest Soil Testing disclaim any use of this compliance inspection beyond determining SSTS compliance pursuant to Minn. Stat. § 115.55 Subd. 5a (2013) and Minn. R. 7080.1500 (2011).

Please contact me should you have any questions.

Christopher Uebe

Brian Humpal

Brian Humpal





St. Paul, MN 55155-4194

# **Compliance Inspection Form**

## **Existing Subsurface Sewage Treatment Systems**

(SSTS)

Doc Type: Compliance and Enforcement

Instructions: Inspection results based on Minnesota Pollution Control Agency (MPCA)	For local tracking purposes:
requirements and attached forms – additional local requirements may also apply.	
Submit completed form to Local Unit of Government (LUG) and system owner	

## System Status

within 15 days

System status on date (mm/dd/yyyy): 10/15/2018

## Compliant – Certificate of Compliance

(Valid for 3 years from report date, unless shorter time frame outlined in Local Ordinance.)

## Noncompliant – Notice of Noncompliance

(See Upgrade Requirements on page 3)

## Reason(s) for noncompliance (check all applicable)

□ Impact on Public Health (Compliance Component #1) – Imminent threat to public health and safety

Other Compliance Conditions (Compliance Component #3) – Imminent threat to public health and safety

Tank Integrity (Compliance Component #2) – Failing to protect groundwater

□ Other Compliance Conditions (Compliance Component #3) – Failing to protect groundwater

Soil Separation (Compliance Component #4) – Failing to protect groundwater

Operating permit/monitoring plan requirements (Compliance Component #5) – Noncompliant

## **Property Information**

		_	
Parcel	ID# or	Sec/Twp/R	ange:

180 Lakeland Shores Rd, Lakeland Shores, MN 55043	Reason for inspection:	Property Transfer	
Property owner: James Horky		Owner's phone:	
ive: Dianna Peters (Daughter)	Representative phone:	612-816-0448	
nority: Washington County	Regulatory authority pho	one: 651-430-6655	
tion: Two pre-cast septic tanks and a gravelless tr	Two pre-cast septic tanks and a gravelless trench drainfield.		
	ive: _ Dianna Peters (Daughter) nority: _ Washington County	ames Horky       Owner's phone:         ive:       Dianna Peters (Daughter)       Representative phone:         nority:       Washington County       Regulatory authority phone:	

Comments or recommendations:

Although not a compliance criteria, it should be noted that gravelless pipe is no longer approved for installation in the State of Minnesota and we have had experience with this product having significantly reduced performance and/or life expectancy. We cannot guarantee the performance of this system beyond the compliance date (10/15/2018).

## Certification

I hereby certify that all the necessary information has been gathered to determine the compliance status of this system. No determination of future system performance has been nor can be made due to unknown conditions during system construction, possible abuse of the system, inadequate maintenance, or future water usage.

Inspector name:	Brian Humpal/Christopher Uebe	Certification number:	C5342/C9852		
Business name: Inspect Minnesota, Midwest Soil Testing		License number:	L2896		
Inspector signature	: Brian Humpal After Uh	Phone number:	651-492-7550		
Necessary or	Necessary or Locally Required Attachments				
🗌 Soil boring lo	gs	Forms per local ordinan	се		
Other information	ation (list):Report Summary, Property Information, Di	sclaimer, License			

#### Impact on Public Health - Compliance component #1 of 5 1.

Property address: 180 Lakeland Shores Rd, Lakeland Shores, MN 55043

Compliance criteria:		Verification method(s):
System discharge sewage to the ground surface.	🗌 Yes 🖾 No	<ul><li>Searched for surface outlet</li><li>Searched for seeping in yard/backup in home</li></ul>
System discharge sewage to drain tile or surface waters.	🗌 Yes 🖾 No	<ul> <li>Excessive ponding in soil system/D-boxes</li> <li>Homeowner testimony (See Comments/Explanation)</li> </ul>
System cause sewage backup into dwelling or establishment.	🗌 Yes 🖾 No	<ul> <li>Black soil" above soil dispersal system</li> <li>System requires "emergency" pumping</li> <li>Performed dye test</li> </ul>
Any "yes" answer above indicates the system is an Imminent Threat to Public Health and Safety.		□ Unable to verify (See Comments/Explanation)

### Comments/Explanation:

Although not a compliance criteria, it should be noted that gravelless pipe is no longer approved for installation in the State of Minnesota and we have had experience with this product having significantly reduced performance and/or life expectancy. We cannot guarantee the performance of this system beyond the compliance date (10/15/2018).

#### 2. Tank Integrity – Compliance component #2 of 5

Compliance criteria:		Verification method(s):	
System consists of a seepage pit,		Probed tank(s) bottom	
cesspool, drywell, or leaching pit.		Examined construction records	
Seepage pits meeting 7080.2550 may be		Examined Tank Integrity Form (Attach)	
compliant if allowed in local ordinance.		Observed liquid level below operating depth	
Sewage tank(s) leak below their designed operating depth.	🗌 Yes 🖾 No	Examined empty (pumped) tanks(s)	
If yes, which sewage tank(s) leaks:		Probed outside tank(s) for "black soil"	
		Unable to verify (See Comments/Explanation)	
Any "yes" answer above indicates the system is Failing to Protect Groundwater.		Other methods not listed (See Comments/Explanation)	

Comments/Explanation:

#### 3. Other Compliance Conditions – Compliance component #3 of 5

a.	Maintenance hole covers are damaged, cracked, unsecured, or appear to structurally unsound.	□ Yes*	🛛 No	Unknown
----	---	--------	------	---------

b. Other issues (electrical hazards, etc.) to immediately and adversely impact public health or safety. 🗌 Yes\* 🛛 No 📋 Unknown \*System is an imminent threat to public health and safety

Explain:

System is non-protective of ground water for other conditions as determined by inspector Yes\* 🛛 No C. \*System is failing to protect groundwater

Explain:

### **4. Soil Separation** – Compliance component #4 of 5

Date of installation: 1994	Unkr	nown	Verification method(s):		
Shoreland/Wellhead protection/Food Beverage Lodging?	🗌 Yes	🖾 No	Soil observation does not expire. Problem of the servations by two independent problem of the servations of the servatio	arties are sufficie	
Compliance criteria:	unless site conditions have		requirements differ.	tered or local	
For systems built prior to April 1, 1996, and not located in Shoreland or Wellhead Protection Area or not serving a food, beverage or lodging establishment:	Yes 🗋 No		<ul> <li>Conducted soil observation(s) (Attach boring logs)</li> <li>Two previous verifications (Attach boring logs)</li> <li>Not applicable (Holding tank(s), no drainfield)</li> </ul>		
Drainfield has at least a two-foot vertical separation distance from periodically saturated soil or bedrock.			<ul> <li>Unable to verify (See Comments/Explanation)</li> <li>Other (See Comments/Explanation)</li> </ul>		
Non-performance systems built April 1, 1996, or later or for non-performance systems located in Shoreland or Wellhead Protection Areas or serving a food, beverage, or lodging establishment:	nance systems built April 1, Pr or for non-performance ated in Shoreland or Wellhead reas or serving a food,		<i>Comments/Explanation:</i> Reviewed design and permit record	ls.	
Drainfield has a three-foot vertical separation distance from periodically saturated soil or bedrock.*					
"Experimental", "Other", or "Performance"	🗌 Yes	□ No	Indicate depths of elevations	T	
systems built under pre-2008 Rules; Type IV or V systems built under 2008 Rules (7080. 2350 or 7080.2400 (Advanced Inspector License required)			A. Bottom of distribution media	See Attache Boring Log(s	
Drainfield meets the designed vertical separation distance from periodically saturated soil or bedrock.			<ul><li>B. Periodically saturated soil/bedrock</li><li>C. System separation</li></ul>		
Any "no" answer above indicates t Failing to Protect Groundwater.	he syst	em is	D. Required compliance separation* *May be reduced up to 15 percent i Ordinance.	f allowed by Loc	
Operating Permit and Nitrogen B	<b>MP*</b> – C	compliance c	component #5 of 5 🛛 🗌 Not app	licable	
s the system operated under an Operating Per	mit?	🗌 Yes 🔲	No If "yes", A below is required		
s the system required to employ a Nitrogen BM	IP?	🗌 Yes 🔲	No If "yes", B below is required		
BMP=Best Management Practice(s) specif	ied in the	system desigi	n		
f the answer to both questions is "no",	this soc	tion does n	ot need to be completed		
Compliance criteria	1113 300	uon uoes n	or need to be completed.		
a. Operating Permit number:					
	been met	?	🗌 Yes 🗌 No		
Have the Operating Permit requirements					
<ul><li>Have the Operating Permit requirements</li><li>b. Is the required nitrogen BMP in place and</li></ul>		functioning?	🗌 Yes 🔲 No		

**Upgrade Requirements** (*Minn. Stat.* § 115.55) *An imminent threat to public health and safety (ITPHS) must be upgraded, replaced, or its use discontinued within ten months of receipt of this notice or within a shorter period if required by local ordinance. If the system is failing to protect ground water, the system must be upgraded, replaced, or its use discontinued within the time required by local ordinance. If an existing system is not failing as defined in law, and has at least two feet of design soil separation, then the system need not be upgraded, replaced, or its use discontinued, notwithstanding any local ordinance that is more strict. This provision does not apply to systems in shoreland areas, Wellhead Protection Areas, or those used in connection with food, beverage, and lodging establishments as defined in law.* 


## Inspect Minnesota & Midwest Soil Testing Subsurface Sewage Treatment System Owner/Property Information

This information will be used for the purpose of conducting an MPCA Compliance Inspection.

Date of Inspection: October 15, 2018	Time: 2:00 PM			
	7. 55042			
Property Address: 180 Lakeland Shores Rd, Lakeland Shores, MN	Zip: 55043			
Property Owner: James Horky	Phone:			
Lift Metal Chamber trench	Other Alternative system Experimental system Cesspool system Other system			
Are the tank maintenance covers accessible? $\square$ Yes $\square$ No *If no,	proper maintenance must be			
performed through the maintenance holes. Maintenance hole covers	should be made accessible to			
the ground surface to facilitate access and proper maintenance of the s	system.			
Year house built: 1994 Year septic installed: 1994 Tan	k size (gals.): 2-1000			
How long has seller owned the property? 1994 Number of reside				
Number of bedrooms? 2 Are all floors drained by gravi	ty? Lower Pumped			
Garbage disposal? N Whirlpool bath? Y				
More than one system (laundry, etc.)? N				
Does this property have any footing drain tiles connected to the septic	e system? N			
Are any buildings on this property such as garages or out-buildings co	onnected to this system? N			
Are there any additional systems on this property serving other buildings? N				
	C			
Location of septic system on lot? East Side				
	ell a deep well? City Water			
Have you ever experienced any problems with the system such as: tre	1 2			
surfacing of sewage onto the ground, septic tank overflowing, etc.; or				
to the system? N If yes, explain:	5 1			
When was the system last pumped? 2013 Name of pumper	: Meyer Sewer Service			
How often pumped in previous years? Every 3-5 Is system on a monitoring plan? N				
Have you received notices from any government agency concerning t	his system? N			
Is your property located in a shoreland management area? N				
Do you have any additional information that should be given to the ne	ew owner? N			

I hereby certify that the above information is correct to the best of my knowledge. I also understand that if the system is considered "non-compliant/failing" per MPCA rules, that the inspector must by law submit a copy of this report to the local government unit within 15 days of the date of inspection completion. I also agree that unless otherwise noted in this report, that I/we are ultimately responsible for payment of all fees for all work performed relative to this inspection by Inspect Minnesota and Midwest Soil Testing.

Owner/Occupant: James Horky's Signature On File Date: 10/15/2018



## Log Of Soil Borings

Location of Project: 180 Lakeland Shores Rd, Lakeland Shores, MN 55043					
	Borings Made By: Inspect Minnesota			Date:	10/15/18
		Hand/Bucket	Classi	fication System:	USDA
В	oring Number:	1		Boring Number:	
Surface Elevation of Boring	-	und surface as last nfield trench	Surface Elevation Boring	of	
Depth In Inches	<u>Soils E</u>	ncountered	Depth In Inches	<u>Soils Er</u>	icountered
0-34 34-48 48-63	7.5YR 2.5 7.5YR 2.5/3 Loa	/2 Sandy Loam /3 Loamy Sand imy Sand With Gravel igments And Cobbles			
63" De	epth To End Of B	oring Or Redox	Depth To End Of Boring Or Redox		oring Or Redox
Same Ele	evation Of Boring Relative To System		Elevation Of Boring Relative To Syste		Relative To System
	epth To Bottom ( Separation	ottom Of Distribution Media on		Depth To Bottom O Of Separation	f Distribution Media
Er	nd Of Boring At:	63"		End Of Boring At:	
	dox Present At:	None		Redox Present At:	
Standing Wa	ng Water Present At: None Standing Water Present At:				

Bottom Of Distribution Medium At: 36 Inches

## Brian L. Humpal, Inc. dba. Inspect Minnesota, Midwest Soil Testing

### Relative to Subsurface Sewage Treatment System (SSTS) Compliance Inspections

- 1. This inspection/report is being performed for only the seller/owner of the property on which the SSTS is located. In such case that another party is paying for the inspection, the contract is between only said party and Brian L. Humpal, Inc.; there is no contract between Brian L. Humpal, Inc. and any other party unless otherwise noted.
- 3. Brian L. Humpal, Inc. has not been retained to warranty, guarantee, or certify the proper functioning of the SSTS for any period of time beyond the date of inspection or into the future. Because of the numerous factors (usage, maintenance, soil characteristics, previous failures, etc.) which may affect the proper operation of an SSTS, as well as the inability of Brian L. Humpal, Inc. to supervise or monitor the use or maintenance of the SSTS, the report shall not be construed as a warranty by Brian L. Humpal, Inc. that the SSTS will function properly for any particular party for any period of time.
- 4. Brian L. Humpal, Inc. is unable to verify the frequency and/or, quality of prior or future maintenance of the SSTS. Maintenance of the tank(s) must be performed through the tanks maintenance hole. The removal of solids from any location other than the maintenance hole is not a compliant method of maintenance. It is strongly recommended that maintenance covers be made accessible to the ground surface to facilitate proper maintenance.
- 5. Minimum Compliance Inspection requirements relative to this inspection and this report include <u>only</u> verification that the SSTS has tank(s) (septic tanks, lift tanks, dosing tanks, stilling tanks, etc.) which are watertight below the designed operating depth, the required separation between the bottom of the subsurface soil distribution medium and seasonally saturated soils, no back-ups of sewage into the dwelling, no discharge of sewage/effluent to the ground surface or surface waters, and no imminent safety hazards. Brian L. Humpal, Inc. does not inspect plumbing or pumps prior to the first SSTS component as these are plumbing components. The performance of exterior pumps and associated components are not inspected as they are considered to be maintenance items. Additionally, no indications relative to compliance with electrical code requirements have been made. It is recommended that any other applicable plumbing, electrical, housing, etc. inspections be performed by a qualified inspection business. Sewage back-up verification is limited to observing the floor drain area and/or the information supplied by the last occupants of the building prior to inspection. Brian L. Humpal, Inc. cannot guarantee that the information given to them by the last occupants of the building prior to inspection relative to back-ups is accurate.
- 4. Certification of this SSTS does not warranty future use beyond the date of the inspection. Any SSTS, old or new, can become hydraulically overloaded or discharge sewage/effluent to the ground surface as a result of more people moving into the house than were previously occupying the house, improper maintenance, heavy usage, leaking plumbing fixtures, groundwater infiltration, tree roots, freezing conditions, surface drainage problems, poor initial design, poor construction practices, or unsuitable materials used in constructing the system; the system can also simply stop working because of its age. An SSTS that has been properly designed and installed, properly maintained, and used in the manner for which the system was designed can be expected to provide service for twenty to twenty-five years on average. Some parts of the SSTS such as alarms, switches, pumps, filters, etc. will most likely have to be repaired or replaced over the lifetime of the system.
- 5. A Compliance Inspection is not meant to be a test or inspection for longevity of the system; a Compliance Inspection is strictly for the purpose of determining if the SSTS is protective of public health and safety, as well as the groundwater at the date and time the inspection was performed. This inspection is not intended to determine if the SSTS was originally designed or installed to past or present MPCA or other Local Government Unit code requirements. This inspection is not intended to determine if the SSTS was designed and/or installed to support the anticipated flow from the building as the use of the building may have changed since the design and construction of the SSTS due to the addition of bedrooms, occupants, etc. In addition, this inspection is not intended to determine the quality of the original SSTS design, the quality of the construction practices used while installing the SSTS, or the quality of the materials used in constructing the SSTS.
- 6. Brian L. Humpal, Inc. cannot guarantee the performance of SSTS products/components such as: gravelless pipe, chamber trenches, effluent filters, tanks, sewage pre-treatment components, piping, etc. Products such as gravelless pipe are no longer approved for installation in the State of Minnesota and may have a significantly reduced performance and/or life expectancy.
- 7. WINTER WORK: By accepting this report, it is understood that inspections conducted during winter months (approximately November 1<sup>st</sup> through April 1<sup>st</sup>) are more difficult to perform because of possible snow cover and/or ground frost. SSTS components such as tanks, maintenance covers, tank inspection pipes, subsurface distribution medium inspection pipes, and soil treatment areas are more difficult or impossible to locate due to snow cover and/or ground frost. In addition, soil borings are more difficult to perform due to snow cover and/or ground frost. Brian L. Humpal, Inc. will attempt to use the same level of standards when performing work during winter periods as when performing work during non-winter periods. However, the recipient of this report understands that because of the aforementioned considerations, the same level of standards may not be possible.
- 8. By accepting this report, the client understands that Brian L. Humpal, Inc. will not be responsible for any monetary damages exceeding the fee for the services provided.

# Subsurface Sewage Treatment Systems Non-transferable Business License

# Inspect Minnesota, Midwest Soil Testing

License # L2896

License Expires: 12/22/2018

Issued: 10/10/2017

# Specialty Area(s):

Installer Maintainer Service Provider Advanced Designer Advanced Inspector

# **Designated Certified Individual(s):**

Name	Certification Expires:
Anthony P Scully	7/28/2018
Installer, Designer (Conditiona	1)
Brian L Humpal	10/15/2020
Installer, Maintainer, Serv Prov	v, Adv Designer, Adv Inspector
Christopher R Uebe	3/4/2018
Designer, Inspector	
	Anthony P Scully Installer, Designer (Conditiona Brian L Humpal Installer, Maintainer, Serv Prov Christopher R Uebe

## MINNESOTA POLLUTION CONTROL AGENCY

520 Lafayette Road North St. Paul, Minnesota 55155-4194

Charles K Thompson, Supervisor Certification & Training Unit