



Department of Public
Health and Environment

Lowell Johnson
Director

David Brummel
Deputy Director

May 24, 2016

2802820420002

Andrew & Mary Fraser
4749 Trading Post Trail S
Afton MN 55001

REGARDING A RECENT SEPTIC SYSTEM COMPLIANCE INSPECTION

The Washington County Department of Public Health and Environment (Department) administers Subsurface Sewage Treatment System (SSTS) regulations in Washington County. On 5/20/2016 the Department received a Notice of Non-Compliance from Dave Brown for an SSTS located at 4749 Trading Post Trail S which was inspected on 5/20/2016.

Since Dave Brown has issued a Notice of Non-Compliance for the SSTS, local ordinance requires that the system must be repaired or replaced within six months. Financial assistance is available through Washington County in the form of low-interest loans and grants from low-income residents. Please visit www.washington.mn.us/septic for more information on financial assistance and the processes of repairing or replacing an SSTS.

The Department recognizes that repairing or replacing an SSTS can seem like a daunting task. Staff is available to answer questions and explain next steps. Please contact Chris LeClair, Senior Environmental Specialist at 651-430-4052 or Chris.LeClair@co.washington.mn.us for more information.

Sincerely,

A handwritten signature in black ink, appearing to read "Girard Goder".

Girard Goder
Environmental Program Supervisor

Government Center • 14949 62nd Street North — P.O. Box 6, Stillwater, Minnesota 55082-0006
Phone: 651-430-6655 • Fax: 651-430-6730 • TTY: 651-430-6246

www.co.washington.mn.us

Equal Employment Opportunity / Affirmative Action

