

DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT GOVERNMENT CENTER

14949 62nd STREET NORTH P.O. BOX 6 STILLWATER, MN 55082-0006 Office: 651-430-6655 TDD: 651-430-6246 FAX: 651-430-6730

SSTS MAINTENANCE REPORT

System Location		
Address 8770-105th Stu)	Telephone Number
City Mah Jane State ZIP Property ID No./GEO Code		
Owner Wayne Sarappo 1	Pumping Date // 25//	, - , - , - , - , - , - , - , - , - , -
Contractor		
Maintainer A & B Sanitation MPCA License No. 3FP5 Telephone Number (651) 464-2150		
What was done to the system?		t Liquid Capacity in Gallons
Tank(s) Pumped	· Tank 1:/250 🗵	Pumped Tank 2: 257 X Pumped
Sludge and scum measured.	Tank 3:	Pumped Tank 4: Pumped
Do tanks need to be pumped? Yes No (If no provide measurements belo	w) Total Gallons Pumpe	ed: 1500
Visual Inspection (note any problems with the system): NOTE: This does not serve as a compliance inspection.		
,	1	
	A 14	·
*Tank Measurements-Use Only If Tank(s) Were NOT Pumped		
Tank Length in. X Tank Width in. X Tank Depth in. = Tank Volume (cubic inches)		
Tank Radius in. X Tank Radius in. X 3.14 = Tank Volume (cubic inches)		
Tank Volume (cu. in.) / 231.01 = Liquid Capacity Gallons / Tank Depth in. = Gallons/Inch		
Sludge Level in. X Gallons Per Inch	= Sludge Volume Gallon:	S .
Scum Level in. X Gallons Per Inch = Scum Volume Gallons		
Sludge Volume + Scum Volume	= Total Sludge and Scum Volume	Gallons
Total Sludge and Scum Volume / Liqui	d Capacity = Percent SI	udge and Scum in Tank%
		*Tanks must be pumped if either of the
		following conditions exist: 1. The top of the sludge layer is less than
Scum Layer		12 inches from the bottom of the outlet
Effluent	Tank Depth measured from invert of outlet	baffle; or 2. Total sludge and scum volume is greater than 25 percent of the tank's liquid
Sludge Layer	pipe to bottom of tank	capacity.
Signature	Date	Reset Form