

DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT

GOVERNMENT CENTER

14949 62nd STREET NORTH P.O. BOX 6 STILLWATER, MN 55082-0006 Office: 651-430-6655 TDD: 651-430-6246 FAX: 651-430-6730

SSTS MAINTENANCE REPORT

		System Lo	cation		Grand State Control
Address 11247	32 NC St.	N		Telephone Number	
City Lalce	Elmo	State _W Z	IP 55042 Prop	perty ID No./GEO Code	
Owner Rocky	Rrynolds	Pumping Date	7/28/15		
All and the second seco	To the second second	Contrac	tor		
Maintainer MEYE	RSEWER	MPCA License N	0. 915	Telephone Number 65/-	459-016
What was	done to the system?		Repo	rt Liquid Capacity in Gallon	ıs
Tank(s) Pumped	2_	100 mm	Tank 1: /600	Pumped Tank 2: 1000	Pumped
Sludge and scum m			Tank 3:	Pumped Tank 4:	Pumped
Do tanks need to b	•	olow)	Total Gallons Pump	 ed: <i>2000</i>	_
	If no provide measurements b				
Visual Inspection (n	ote any problems with the	system):	NOTE: This doe	s not serve as a complian	ce inspection.
	•				
		•			
	*Tank Measure	ments-Use Only I	f Tank(s) Were NOT	Pumped	
Tank Length	in. X Tank Width	in. X Tank De	pth in. =	Tank Volume (cubic inches)	
Tank Radius	in. 🗶 Tank Radius	in. X 3.14 =	Tank Volume (cub	ic inches)	
Tank Volume (cu. in.)	/ 231.01 = L	- iquid Capacity	Gailons /	Fank Depth in. = Gallor	ns/Inch
- Sludge Level	in. X Gallons Per Inch	= Sludge Vol	ume Gallor	 ns	
	····				
Scum Level	in. X Gallons Per Inch	= Scum Volu	me Gallor		,
Sludge Volume	+ Scum Volume	= Total Slude	ge and Scum Volume	Gallons	
Total Sludge and Scun	n Volume / Lie	quid Capacity	= Percent S	ludge and Scum in Tank	%
		(-m)		*Tanks must be pumped if	either of the
				following conditions exist:	
Scum Layer				1. The top of the sludge lay 12 inches from the bottom	
		Tank	Depth measured	baffle; or	
Effluent		from	invert of outlet	Total sludge and scum v than 25 percent of the tank	
Sludge Layer		pipe	to bottom of tank	capacity.	
		2005200043			·
112		A STATE OF THE STA			
Signature /	The second secon	Date	7/28/15	Reset F	orm