1 of 10

Midwest Sewer Services

P.O. Box 10853 White Bea	ar Lake, MN 55110	Brian Humpal
651-492-7550/Brian@Midy	vestsoiltesting.com M	IPCA Licensed Advanced Inspector
SUBSURFACE SEWAGE	TREATMENT SYSTEM (SSTS) COMPLIANCE REPORT
Date: July 7, 2020	Time: 1:00 PM	Owner: Craig Peterson
Inspection Address: 2231 Ma	anning Trail N, West Lakeland	1, MN 55042

REPORT SUMMARY

I have performed an "MPCA Compliance Inspection" on this system, have reviewed the history of the system with the owner, Craig Peterson, and have reviewed the original design/permit records, along with a previous compliance inspection from 2011, which were on file at Washington County. This older system (installed in 1994) consists of two pre-cast septic tanks and a rock trench drainfield.

Predicated on my inspection of the system, my review of the history of the system with the owner, and my review of the original design/permit records, it is my opinion that this system <u>presently meets</u> MPCA minimum compliance inspection requirements.

Midwest Sewer Services have been hired to perform a compliance inspection of this SSTS for compliance with local ordinances pursuant to Minn. Stat. § 115.55 (2013). This compliance inspection covers only the criteria required by Minn. Stat. § 115.55 Subd. 5a (2013) and Minn. R. 7080.1500 (2011). A compliance inspection is an indication of the current compliance status of the system and does not guarantee the performance or longevity of this system beyond the date of inspection, as it is impossible to determine the future performance of any system. Midwest Sewer Services disclaim any use of this compliance inspection beyond determining SSTS compliance pursuant to Minn. Stat. § 115.55 Subd. 5a (2013) and Minn. R. 7080.1500 (2011).

Please contact me should you have any questions.

Christopher Uebe

Brian Humpal

Brian Humpal

Minnesota Pollution Control Agency 520 Lafayette Road North St. Paul, MN 55155-4194

Compliance Inspection Form

Existing Subsurface Sewage Treatment Systems (SSTS)

Doc Type: Compliance and Enforcement

Instructions: Inspection results based on Minnesota Pollution Control Agency (MPCA)	
requirements and attached forms – additional local requirements may also apply.	

For local tracking purposes:

Submit completed form to Local Unit of Government (LUG) and system owner within 15 days

System Status

System status on date (mm/dd/yyyy): 7/7/2020

Compliant – Certificate of Compliance

(Valid for 3 years from report date, unless shorter time frame outlined in Local Ordinance.)

] Noncompliant – Notice of Noncompliance

(See Upgrade Requirements on page 3)

Reason(s) for noncompliance (check all applicable)

Impact on Public Health (Compliance Component #1) – Imminent threat to public health and safety

Other Compliance Conditions (Compliance Component #3) – Imminent threat to public health and safety

Tank Integrity (Compliance Component #2) – Failing to protect groundwater

Other Compliance Conditions (Compliance Component #3) – Failing to protect groundwater

Soil Separation (Compliance Component #4) – Failing to protect groundwater

Operating permit/monitoring plan requirements (Compliance Component #5) – Noncompliant

Property Information

Parcel ID# or Sec/Twp/Range:

Property address:	2231 Manning Trial N, West Lakeland, MN 55042	Reason for inspection: Property Transfer		
Property owner: Craig Peterson		Owner's phone: 651-214-0927		
or				
Owner's represent	ative:	Representative phone:		
Local regulatory authority: Washington County		_ Regulatory authority phone: _651-430-6655		
Brief system descr	iption:	drainfield		
Commonto or rooo	mmandational			

Comments or recommendations:

Certification

I hereby certify that all the necessary information has been gathered to determine the compliance status of this system. No determination of future system performance has been nor can be made due to unknown conditions during system construction, possible abuse of the system, inadequate maintenance, or future water usage.

Inspector name:	Brian Humpal/Christopher Uebe	Certification number:	C5342/C9852		
Business name:	Midwest Sewer Services	License number:	L2896		
Inspector signature	e: Brian Humpal After Uh	Phone number:	651-492-7550		
Necessary or	ry or Locally Required Attachments pring logs ⊠ System/As-built drawing □ Forms per local ordinance				
Soil boring logs System/As-built drawing Forms per local ordinance					
I Other information	ation (list):	sclaimer, License			

2 of 10

1. Impact on Public Health – Compliance component #1 of 5

Property address: 2231 Manning Trial N, West Lakeland, MN 55042

Compliance criteria:		Verification method(s):
System discharge sewage to the ground surface.	🗌 Yes 🖾 No	 Searched for surface outlet Searched for seeping in yard/backup in home
System discharge sewage to drain tile or surface waters.	🗌 Yes 🖾 No	 Excessive ponding in soil system/D-boxes Homeowner testimony (See Comments/Explanation)
System cause sewage backup into dwelling or establishment.	🗌 Yes 🖾 No	 "Black soil" above soil dispersal system System requires "emergency" pumping Performed dye test
Any "yes" answer above indicate an Imminent Threat to Public Hea		 Generation of the second second

2. Tank Integrity – Compliance component #2 of 5

Compliance criteria:		Verification method(s):	
System consists of a seepage pit, cesspool, drywell, or leaching pit.	🗌 Yes 🛛 No	 Probed tank(s) bottom Examined construction records 	
Seepage pits meeting 7080.2550 may be compliant if allowed in local ordinance.		Examined Tank Integrity Form (Attach)	
Sewage tank(s) leak below their designed operating depth.	🗌 Yes 🖾 No		
If yes, which sewage tank(s) leaks:		Probed outside tank(s) for "black soil"	
Any "yes" answer above indi system is Failing to Protect G		 Unable to verify (See Comments/Explanation) Other methods not listed (See Comments/Explanation) 	

Comments/Explanation:

Comments/Explanation: None of the above found.

Lowered underwater camera into tanks - baffles and tank walls OK.

3. Other Compliance Conditions – Compliance component #3 of 5

a.	Maintenance hole covers are damaged, cracked, unsecured, or appear to structurally unsound	□ Yes*	🛛 No	🗌 Unknown
----	--	--------	------	-----------

b. Other issues (electrical hazards, etc.) to immediately and adversely impact public health or safety. \Box Yes* \boxtimes No \Box Unknown *System is an imminent threat to public health and safety

Explain:

c. System is non-protective of ground water for other conditions as determined by inspector □ Yes* ⊠ No *System is failing to protect groundwater

Explain:

4. Soil Separation – Compliance component #4 of 5

Date of installation: 1994	Unknown	Verification method(s):				
Shoreland/Wellhead protection/Food Beverage Lodging?	🛛 Yes 🗌 No	Soil observation does not expire. Previous soil observations by two independent parties are sufl				
Compliance criteria:		unless site conditions have been alte				
For systems built prior to April 1, 1996, and not located in Shoreland or Wellhead Protection Area or not serving a food, beverage or lodging establishment: Drainfield has at least a two-foot vertical separation distance from periodically saturated soil or bedrock.	☐ Yes ☐ No	 requirements differ. Conducted soil observation(s) (Attach boring logs) Two previous verifications (Attach boring logs) Not applicable (Holding tank(s), no drainfield) Unable to verify (See Comments/Explanation) Other (See Comments/Explanation) 				
Non-performance systems built April 1,	🖾 Yes 🗌 No	Comments/Explanation:				
1996, or later or for non-performance systems located in Shoreland or Wellhead		Reviewed previous compliance insp	ection from 2011.			
Protection Areas or serving a food, beverage, or lodging establishment:		Reviewed design and permit records.				
Drainfield has a three-foot vertical separation distance from periodically saturated soil or bedrock.*						
"Experimental", "Other", or "Performance"	□ Yes □ No	Indicate depths of elevations				
systems built under pre-2008 Rules; Type IV or V systems built under 2008 Rules (7080. 2350 or 7080.2400 (Advanced Inspector License required)		A. Bottom of distribution media	See Attached Boring Log(s)			
Drainfield meets the designed vertical		B. Periodically saturated soil/bedrock				
separation distance from periodically saturated soil or bedrock.		C. System separation				
		D. Required compliance separation*				
Any "no" answer above indicates t Failing to Protect Groundwater.	the system is	*May be reduced up to 15 percent if Ordinance.	allowed by Local			
Operating Permit and Nitrogen B	MP* – Compliance	component #5 of 5 🛛 🛛 Not appl	icable			
Is the system operated under an Operating Per	rmit? 🗌 Yes 🗌] No If "yes", A below is required				
Is the system required to employ a Nitrogen BM	/IP?] No If "yes", B below is required				
BMP=Best Management Practice(s) speci	BMP=Best Management Practice(s) specified in the system design					

If the answer to both questions is "no", this section does not need to be completed.

Compliance criteria

5.

a.	Operating Permit number: Have the Operating Permit requirements been met?	☐ Yes ☐ No
b.	Is the required nitrogen BMP in place and properly functioning?	Yes No

Any "no" answer indicates Noncompliance.

Upgrade Requirements (Minn. Stat. § 115.55) An imminent threat to public health and safety (ITPHS) must be upgraded, replaced, or its use discontinued within ten months of receipt of this notice or within a shorter period if required by local ordinance. If the system is failing to protect ground water, the system must be upgraded, replaced, or its use discontinued within the time required by local ordinance. If an existing system is not failing as defined in law, and has at least two feet of design soil separation, then the system need not be upgraded, replaced, or its use discontinued, notwithstanding any local ordinance that is more strict. This provision does not apply to systems in shoreland areas, Wellhead Protection Areas, or those used in connection with food, beverage, and lodging establishments as defined in law.


<u>Midwest Sewer Testing</u> <u>Subsurface Sewage Treatment System Owner/Property Information</u>

This information will be used for the purpose of conducting an MPCA Compliance Inspection.

Data of Lucro actions Inly 7, 2020	
Date of Inspection: July 7, 2020	Time: 1:00 PM
Property Address: 2231 Manning Trail N, West Lake	, I
Property Owner: Craig Peterson	Phone: 651-214-0927
\square Septic 2 \square Fiberglass \square Rock tre	ss trench Experimental system r trench Cesspool system
Are the tank maintenance covers accessible? \boxtimes Yes	
performed through the maintenance holes. Maintenan-	
the ground surface to facilitate access and proper main	tenance of the system.
Year house built: 1993 Year septic installed: 19	
	umber of residents in home? 1-2
	rained by gravity? Lower Pumped
	rlpool bath? N
More than one system (laundry, etc.)? N	
Does this property have any footing drain tiles connect	ted to the septic system? N
Are any buildings on this property such as garages or o	out-buildings connected to this system? Out
building has plumbing roughed in but not connected to	
	5
Are there any additional systems on this property servi	ng other buildings? N
Location of septic system on lot? East Side	
Location of water well on lot? West Side	Is the well a deep well? Y
Have you ever experienced any problems with the syst	1
surfacing of sewage onto the ground, septic tank overf	
to the system? Y If yes, explain: Line between the hou	se and tank was replaced.
	ame of pumper: Pinky's Sewer Service
How often pumped in previous years? Every 3	Is system on a monitoring plan? N
Have you received notices from any government agend	
Is your property located in a shoreland management ar	
Do you have any additional information that should be	given to the new owner? N

I hereby certify that the above information is correct to the best of my knowledge. I also understand that if the system is considered "non-compliant/failing" per MPCA rules, that the inspector must by law submit a copy of this report to the local government unit within 15 days of the date of inspection completion. I also agree that unless otherwise noted in this report, that I/we are ultimately responsible for payment of all fees for all work performed relative to this inspection by Inspect Minnesota and Midwest Soil Testing

Owner/Occupant:



7 of 10

Soil Observations Log

Location of Project: 2231 Manning Trail N, West Lakeland, MN 55042							
Obse	ervati	ons Made By:	Midwest Sewer Ser	vices		Date:	7/7/2020
Cla	assifica	ation System:	USDA				
	Soil	Observation:	ST-1		Soil C	bservation:	
Surfac Elevation Observa	n of	-	nd surface as last field trench	Elevat	face tion of vation		
Depth In Inches	ock %	<u>Soils E</u>	ncountered	Depth In Inches	Rock %	<u>Soils</u>	Encountered
0-5 5-24 24-27 27-60 60-80	≈10	7.5YR 2.5/3 Sar 7.5YR 4/4 Sar Trace 7.5YR 4/	.5/2 Silt Loam ndy Loam With Gravel ndy Clay Loam With e Of Gravel 4 Sandy Loam andy Clay Loam				
80" De	epth T	o End Of Soil O	bservation Or Redox		Depth T	o End Of Soil	Observation Or Redox
Same El	levatio	n Of Observatio	n Relative To System		Elevatio	n Of Observat	ion Relative To System
-49" De	epth T	o Bottom Of Dis	stribution Media		Depth T	o Bottom Of I	Distribution Media
-	f Sepa				Of Sepa		
End Of		Observation At:	80"	End Of		servation At:	
	Redox Present At: None Redox Present At:						
Standi	Standing Water Present At: None Standing Water Present At:						

Bottom Of Distribution Medium At: 51 Inches

Signature:

Afren Ula

Log Of Soil Borings

Location of Project: 2231 Manning Trail N, West Lakeland, MN 55042					
Bor	ings Made By:	Inspect Minnesota	-	Date:	5/19/11
	Auger Used:	Hand/Bucket	Classi	fication System:	USDA
Bo	oring Number:	1		Boring Number:	
Surface Elevation of Boring	-	l surface as last drop spection pipe	Surface Elevation o Boring	of	
Depth In Inches	<u>Soils E</u>	ncountered	Depth In Inches	<u>Soils En</u>	countered
0-16 16-30 30-68 68-100	10YR 4/ 5YR 4/4 Sandy (/3 Silt Loam /4 Clay Loam Clay Loam, Trace Gravel andy Clay Loam			
100" De	pth To End Of B	oring Or Redox	[Depth To End Of Bo	oring Or Redox
		g Relative To System			Relative To System
	pth To Bottom (Of System		Depth To Bottom O	f System
≥49" Of	Separation			Of Separation	
Fn	d Of Boring At:	100"		End Of Boring At:	
	dox Present At:	None		Redox Present At:	
	ater Present At:	None		Water Present At:	

Bottom Of Distribution Medium At: 51 Inches

DISCLAIMER

Brian L. Humpal, Inc. dba. Midwest Sewer Services, Inspect Minnesota, Midwest Soil Testing Relative to Subsurface Sewage Treatment System (SSTS) Compliance Inspections

- 1. This inspection/report is being performed for only the seller/owner of the property on which the SSTS is located. In such case that another party is paying for the inspection, the contract is between only said party and Brian L. Humpal, Inc.; there is no contract between Brian L. Humpal, Inc. and any other party unless otherwise noted.
- 3. Brian L. Humpal, Inc. has not been retained to warranty, guarantee, or certify the proper functioning of the SSTS for any period of time beyond the date of inspection or into the future. Because of the numerous factors (usage, maintenance, soil characteristics, previous failures, etc.) which may affect the proper operation of an SSTS, as well as the inability of Brian L. Humpal, Inc. to supervise or monitor the use or maintenance of the SSTS, the report shall not be construed as a warranty by Brian L. Humpal, Inc. that the SSTS will function properly for any particular party for any period of time.
- 4. Brian L. Humpal, Inc. is unable to verify the frequency and/or, quality of prior or future maintenance of the SSTS. Maintenance of the tank(s) must be performed through the tanks maintenance hole. The removal of solids from any location other than the maintenance hole is not a compliant method of maintenance. It is strongly recommended that maintenance covers be made accessible to the ground surface to facilitate proper maintenance.
- 5. Minimum Compliance Inspection requirements relative to this inspection and this report include <u>only</u> verification that the SSTS has tank(s) (septic tanks, lift tanks, dosing tanks, stilling tanks, etc.) which are watertight below the designed operating depth, the required separation between the bottom of the subsurface soil distribution medium and seasonally saturated soils, no back-ups of sewage into the dwelling, no discharge of sewage/effluent to the ground surface or surface waters, and no imminent safety hazards. Brian L. Humpal, Inc. does not inspect plumbing or pumps prior to the first SSTS component as these are plumbing components. The performance of exterior pumps and associated components are not inspected as they are considered to be maintenance items. Additionally, no indications relative to compliance with electrical code requirements have been made. It is recommended that any other applicable plumbing, electrical, housing, etc. inspections be performed by a qualified inspection business. Sewage back-up verification is limited to observing the floor drain area and/or the information supplied by the last occupants of the building prior to inspection. Brian L. Humpal, Inc. cannot guarantee that the information given to them by the last occupants of the building prior to inspection relative to back-ups is accurate.
- 4. Certification of this SSTS does not warranty future use beyond the date of the inspection. Any SSTS, old or new, can become hydraulically overloaded or discharge sewage/effluent to the ground surface as a result of more people moving into the house than were previously occupying the house, improper maintenance, heavy usage, leaking plumbing fixtures, groundwater infiltration, tree roots, freezing conditions, surface drainage problems, poor initial design, poor construction practices, or unsuitable materials used in constructing the system; the system can also simply stop working because of its age. An SSTS that has been properly designed and installed, properly maintained, and used in the manner for which the system was designed can be expected to provide service for twenty to twenty-five years on average. Some parts of the SSTS such as alarms, switches, pumps, filters, etc. will most likely have to be repaired or replaced over the lifetime of the system.
- 5. A Compliance Inspection is not meant to be a test or inspection for longevity of the system; a Compliance Inspection is strictly for the purpose of determining if the SSTS is protective of public health and safety, as well as the groundwater at the date and time the inspection was performed. This inspection is not intended to determine if the SSTS was originally designed or installed to past or present MPCA or other Local Government Unit code requirements. This inspection is not intended to determine if the SSTS was designed and/or installed to support the anticipated flow from the building as the use of the building may have changed since the design and construction of the SSTS due to the addition of bedrooms, occupants, etc. In addition, this inspection is not intended to determine the quality of the original SSTS design, the quality of the construction practices used while installing the SSTS, or the quality of the materials used in constructing the SSTS.
- 6. Brian L. Humpal, Inc. cannot guarantee the performance of SSTS products/components such as: gravelless pipe, chamber trenches, effluent filters, tanks, sewage pre-treatment components, piping, etc. Products such as gravelless pipe are no longer approved for installation in the State of Minnesota and may have a significantly reduced performance and/or life expectancy.
- 7. WINTER WORK: By accepting this report, it is understood that inspections conducted during winter months (approximately November 1st through April 1st) are more difficult to perform because of possible snow cover and/or ground frost. SSTS components such as tanks, maintenance covers, tank inspection pipes, subsurface distribution medium inspection pipes, and soil treatment areas are more difficult or impossible to locate due to snow cover and/or ground frost. In addition, soil borings are more difficult to perform due to snow cover and/or ground frost. Brian L. Humpal, Inc. will attempt to use the same level of standards when performing work during winter periods as when performing work during non-winter periods. However, the recipient of this report understands that because of the aforementioned considerations, the same level of standards may not be possible.
- 8. By accepting this report, the client understands that Brian L. Humpal, Inc. will not be responsible for any monetary damages exceeding the fee for the services provided.

Subsurface Sewage Treatment Systems Non-transferable Business License

Midwest Sewer Services

License # L2896

License Expires: 12/22/2020

Issued: 11/26/2019

Specialty Area(s):

Installer Maintainer Service Provider Advanced Designer Advanced Inspector

Designated Certified Individual(s):

Cert #	Name	Certification Expires:
C5342	Brian L Humpal	10/15/2023
	Installer, Maintainer, Serv Prov, Adv Designer, Adv Inspector	
C9852 <	Christopher R Uebe	3/4/2021
	Designer, Inspector	

MINNESOTA POLLUTION CONTROL AGENCY

520 Lafayette Road North St. Paul, Minnesota 55155-4194

Haig

Nick Haig, Supervisor Certification and Training Unit