

## DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT

GOVERNMENT CENTER

14949 62nd STREET NORTH P.O. BOX 6 STILLWATER, MN 55082-0006 Office: 651-430-6655 TDD: 651-430-6246 FAX: 651-430-6730

## SSTS MAINTENANCE REPORT

System Location			
Address 1525 Paric AUE.	N	Telephone Number	
City Still Water State MN ZIP 55082 Property ID No./GEO Code			
Owner GINT HIDER Pumping Date 9/30/15			
Contractor			
Maintainer MEYER SEWER MPCA	License No. 915	Telephone Number	651-459-016
What was done to the system? Report Liquid Capacity in Gallons			
Tank(s) Pumped 1	Tank 1: /5	Pumped Tank 2:	Pumped
Sludge and scum measured.  Do tanks need to be pumped?	Tank 3:	Pumped Tank 4:	Pumped
Yes No (If no provide measurements below)	Total Gallons	Pumped: 1500	<u>.</u>
Visual inspection (note any problems with the system	n): NOTE: Th	is does not serve as a co	mpliance inspection.
	·		
*Tank Measurements-Use Only If Tank(s) Were NOT Pumped			
Tank Length in. <b>X</b> Tank Width in. <b>X</b>	Tank Depth	in. = Tank Volume (cubic	inches)
Tank Radius in. <b>X</b> Tank Radius in. <b>X</b>	3.14 = Tank Volum	ne (cubic inches)	. <del></del>
Tank Volume (cu. in.) / 231.01 = Liquid Capacity Gallons / Tank Depth in. = Gallons / Inch			
Sludge Level in. <b>X</b> Gallons Per Inch =	Sludge Volume	Gallons	
Scum Level in. <b>X</b> Gallons Per Inch =	Scum Volume	Gallons	
Sludge Volume + Scum Volume =	Total Sludge and Scum V	olume Gallor	as
Total Sludge and Scum Volume / Liquid Ca	pacity = Pe	rcent Sludge and Scum in T	ank%
Scum Layer Effluent Sludge Layer	Tank Depth measu from invert of outle pipe to bottom of t	following conditio  1. The top of the sl  12 inches from the baffle; or 2. Total sludge and than 25 percent of	udge layer is less than bottom of the outlet I scum volume is greater
Signature All	Date 9/30/1	5	Reset Form