

| | |
|--------------------|-----------------|
| Review Fee: | \$215.00 |
| Permit Fee: | \$370.00 |
| Total Fee: | \$585.00 |
| Previous Payments | \$350.00 |
| Balance Due | \$235.00 |

Community: Forest Lake City
Permit Number: 0600-05-12
Owner: Homes by J Brown Inc
 25220 Grizzly CT
 Wyoming MN 55092-
Applicant: Homes by J Brown Inc

★ Scanned 8/20/08 BM

0600-05-12

PERMISSION IS HEREBY GRANTED

To execute the work specified in this permit on the following identified property upon express condition that said persons and their agents, and employees shall conform in all respects to the provisions of Ordinance #128, Washington County Development Code, Chapter Four, Individual Sewage Treatment System Regulations. This permit may be revoked at any time upon violation of any of the provisions of said ordinance.

Project Address: ¹⁹⁸⁵⁵ Jeffrey CIR N
Geo Code: 25-032-21-22-0005
Designer: Eklin Soil Testing & Inspections, Inc.

| Type of System | | Standard Mound | | Pressure Distribution | |
|------------------------|--------------|-----------------------|-------------------|-------------------------|----------|
| | | | | Number Of Laterals: | 3 |
| Design Criteria | | Mound Sizing | | Perforation Spacing: | 3 Feet |
| Percolation Rate: | 50 | Rock Bed Width: | 10 Feet | Perforation Diameter: | 1/4 Inch |
| Depth To Restriction: | 24 | Rock Bed Length: | 60 Feet | Head Size: | 1.0 Inch |
| Land Slope: | 6.00% | Absorption Width: | 27 Feet | Total Head: | 22.46 |
| Flow Rate: | 600 | Depth of Clean Sand: | 12 Inches | Connection: | Center |
| Number of Bedrooms: | 4 | Downslope Dike Width: | 20 Feet | Length of Laterals: | 58 Feet |
| | | Upslope Dike: | 15 Feet | Perforations / Lateral: | 20 |
| | | Length of Dike: | 90 Feet | Total Perforations: | 60 |
| Tank Sizes | | | | Gallons Per Minute: | 44.4 |
| Tank 1: 1000 | Tank 2: 1000 | Tank 3: 0 | Lift Station 1000 | Lateral Diameter: | 2 Inches |

Authorized Work/Special Conditions

1. Install individual sewage treatment system as per approved design in area tested and shown on the site plan.

2nd SOIL

P. Ganzel

Permit Issue Date: 9/27/2005
 Permit Expiration Date: 9/27/2006

Pete Ganzel
 Senior Environmental Specialist