# ZIERKE SOIL TESTING

John Meysembourg 20795 July Ave N Forest Lake, MN 55025

4/2/2021

Dear John Meysembourg,

At your request, I have conducted a septic inspection to determine the compliance status of your septic system pursuant to Minnesota Rules Chapter 7080.1500.

The compliance test set out in 7080.1500 has three main inquiries: 1). Is the system functioning hydraulically (disposing of effluent in a manner that prevents it from coming in contact with people)? 2). Are the septic tanks water tight? 3). Does the system have sufficient vertical separation between the bottom of the septic system and restrictive layers (bedrock, standing water, seasonally wet layers, etc) to provide full treatment of effluent?

Based off of these criteria, your system is <u>compliant</u>. A certification of compliance is in effect for three years from the date it is issued. To be clear, this should not be construed as a guarantee of future system function – there are too many factors that influence the lifespan of a septic system for an inspector to predict or even guess how long a septic system will last. A copy of this report will be filed with your local unit of government for their records.

Sincerely,

Benjamin Zierke (

MPCA Lic 119, Cert 9594

ADDRESS: 28587 Jeffrey Ave Chisago City, MN 55013

PHONE 651-249-1346

EMAIL benzierke@gmail.com



520 Lafayette Road North St. Paul, MN 55155-4194

# Compliance inspection report form

## **Existing Subsurface Sewage Treatment System (SSTS)**

Doc Type: Compliance and Enforcement

**Instructions:** Inspection results based on Minnesota Pollution Control Agency (MPCA) requirements and attached supporting documentation – additional local requirements may also apply. Further information can be found here: https://www.pca.state.mn.us/sites/default/files/wq-wwists4-31a.pdf.

Inspector must submit completed form to Local Governmental Unit (LGU) and system owner within 15 days of final determination of compliance or noncompliance.

Property information	Local tracking number:
Parcel ID# or Sec/Twp/Range: 2403221210046 Loca	al regulatory authority: Washington County
Property address: 20795 July Ave N Forest Lake, MN 55025	
Owner/representative: John Meysembourg	Owner's phone: 651-442-8295
Brief system description: Pre-cast septic tank and gravity rock tren	ch drainfield
System status	
System status on date (mm/dd/yyyy): _4/2/2020	
☐ Compliant – Certificate of compliance*	☐ Noncompliant – Notice of noncompliance
(Valid for 3 years from report date unless evidence of an imminent threat to public health or safety requiring removal and abatement under section 145A.04, subdivision 8 is discovered or a shorter time frame exists in Local Ordinance.)	An imminent threat to public health and safety (ITPHS) must be upgraded, replaced, or its use discontinued within ten months of receipt of this notice or within a shorter period if required by local ordinance or under section 145A.04 subdivision 8.
*Note: Compliance indicates conformance with Minn. R. 7080.1500 as of system status date above and does not guarantee future performance.	Systems failing to protect ground water must be upgraded, replaced, or use discontinued within the time required by local ordinance.
Reason(s) for noncompliance (check all applicable	)
☐ Impact on public health (Compliance component #1) –	Imminent threat to public health and safety
☐ Tank integrity (Compliance component #2) – Failing to	protect groundwater
☐ Other Compliance Conditions (Compliance component	#3) – Imminent threat to public health and safety
☐ Other Compliance Conditions (Compliance component	t#3) – Failing to protect groundwater
	00 (Compliance component #3) – Failing to protect groundwater
☐ Soil separation (Compliance component #5) – Failing t	
☐ Operating permit/monitoring plan requirements (Compl	liance component #4) – Noncompliant - local ordinance applies
Comments or recommendations	
Certification	
I hereby certify that all the necessary information has been gathered determination of future system performance has been nor can be mabuse of the system, inadequate maintenance, or future water usage	nade due to unknown conditions during system construction, possible
By typing my name below, I certify the above statements to be true can be used for the purpose of processing this form.	ue and correct, to the best of my knowledge, and that this information
Business name: Zierke Soil Testing	Certification number: 9594
Inspector signature:	License number: 119
(This document has been electronically signed)	Phone: 651-249-1346
Necessary or locally required supporting docu	umentation (must be attached)
Soil observation logs  □ Locally required forms	☐ Tank Integrity Assessment ☐ Operating Permit
<ul><li>☑ Other information (list):</li><li>Site sketch</li></ul>	

1. Impact on public health – Compliance component #1 of 5 Attached supporting documentation: Compliance criteria: System discharges sewage to the ☐ Yes\* ☒ No Other: ground surface System discharges sewage to drain ☐ Yes\* ☒ No tile or surface waters. System causes sewage backup into ☐ Yes\* ☒ No dwelling or establishment. Any "yes" answer above indicates the system is an imminent threat to public health and safety. Describe verification methods and results: John reported no issues with the system since they've owned the house. No signs of seepage or ponding in trenches during site visit 3/30/21. 2. Tank integrity – Compliance component #2 of 5 Attached supporting documentation: Compliance criteria: ☐ Yes\* ☒ No Pumped at time of inspection System consists of a seepage pit, cesspool, drywell, leaching pit, Name of maintenance business: Olson's or other pit? License number of maintenance business: 216 Sewage tank(s) leak below their ☐ Yes\* ☒ No designed operating depth? Date of maintenance: 3/30/2021 ☐ Existing tank integrity assessment (Attach) Date of maintenance (mm/dd/yyyy): (must be within three years) If yes, which sewage tank(s) leaks: (See form instructions to ensure assessment complies with Any "yes" answer above indicates the system Minn. R. 7082.0700 subp. 4 B (1)) is failing to protect groundwater. ☐ Tank is Noncompliant (pumping not necessary – explain below) Other: Describe verification methods and results: Examined empty tank after pumping by Olson's Sewer. Tank is watertight and baffles are in place.

, , ,	red?
*Yes to 3a or 3b - System is an imminent threat to public health and safety.  3c. System is non-protective of ground water for other conditions as determined by inspector?	
	☐ Yes* ☐ No ☐ Unknown
3d. System not abandoned in accordance with Minn. R. 7080.2500?	☐ Yes* ☒ No
	☐ Yes* ☒ No
*Yes to 3c or 3d - System is failing to protect groundwater.	
Describe verification methods and results:	
Attached supporting documentation:   Not applicable	
Operating permit and nitrogen BMP* — Compliance component #4 of !	5 🛭 Not applicable
s the system operated under an Operating Permit?	'yes", A below is required
s the system required to employ a Nitrogen BMP specified in the system design?   Yes  No If " BMP = Best Management Practice(s) specified in the system design	'yes", B below is required
f the answer to both questions is "no", this section does not need to be completed.	
Compliance criteria:	
a. Have the operating permit requirements been met?	
b. Is the required nitrogen BMP in place and properly functioning? ☐ Yes ☐ No	
Any "no" answer indicates noncompliance.	
Describe verification methods and results:	
Attached supporting documentation: ☐ Operating permit (Attach) ☐	

### 5. Soil separation – Compliance component #5 of 5 Date of installation 1978 Unknown (mm/dd/yyyy) Shoreland/Wellhead protection/Food ☐ Yes ⊠ No Attached supporting documentation: beverage lodging? Soil observation logs completed for the report (Attach) Two previous verifications of required vertical Compliance criteria (select one): separation (Attach) 5a. For systems built prior to April 1, 1996, Yes □ No\* Not applicable (No soil treatment area) and not located in Shoreland or Wellhead Protection Area or not serving a food, beverage or lodging establishment: Drainfield has at least a two-foot vertical separation distance from periodically saturated soil or bedrock. ☐ Yes ☐ No\* 5b. Non-performance systems built April 1, Indicate depths or elevations 1996, or later or for non-performance A. Bottom of distribution media 96.6 systems located in Shoreland or Wellhead Protection Areas or serving a food, B. Periodically saturated soil/bedrock 94.5'+ beverage, or lodging establishment: 2.1'+ C. System separation Drainfield has a three-foot vertical D. Required compliance separation\* 2.0' separation distance from periodically saturated soil or bedrock.\* \*May be reduced up to 15 percent if allowed by Local Ordinance. 5c. "Experimental", "Other", or "Performance" ☐ Yes ☐ No\* systems built under pre-2008 Rules; Type IV or V systems built under 2008 Rules 7080. 2350 or 7080.2400 (Advanced Inspector License required) Drainfield meets the designed vertical separation distance from periodically saturated soil or bedrock. \*Any "no" answer above indicates the system is failing to protect groundwater. Describe verification methods and results:

**Upgrade requirements:** (Minn. Stat. § 115.55) An imminent threat to public health and safety (ITPHS) must be upgraded, replaced, or its use discontinued within ten months of receipt of this notice or within a shorter period if required by local ordinance. If the system is failing to protect ground water, the system must be upgraded, replaced, or its use discontinued within the time required by local ordinance. If an existing system is not failing as defined in law, and has at least two feet of design soil separation, then the system need not be upgraded, repaired, replaced, or its use discontinued, notwithstanding any local ordinance that is more strict. This provision does not apply to systems in shoreland areas, Wellhead Protection Areas, or those used in connection with food, beverage, and lodging establishments as defined in law.

# **Logs of Soil Borings**

Location of Project:

20795 July Ave N Forest Lake, MN 55025

Borings Made by Ben Zierke

Date:

3/30/2021

Hand bucket auger used for borings; USDA - SCS Soil Classification used.

Depth, in Inches 0	Boring Number 1	Depth, in Inches	Boring Number 2
0-6"	10YR 3/3 loamy fine sand		
6-32"	10YR 4/4 fine sand, 10% rock		
32-38"	10YR 4/6 loamy fine sand, 6% rock		
38-66"	10YR 4/4 loamy sand 13% rock		
	no restriction found in hole		
	\$ 5 km		Page
End of boring at Standing water tab Present at Standing water not p Mottled Soil: Observed at Mottled soil not pres Comments:	feet of depth Hours after boring  feet of depth  feet of depth	End of boring at Standing water tab Present at Standing water not p Mottled Soil: Observed at Mottled soil not pres Comments:	feet of depth Hours after boring cresent in hole feet of depth
		Comments.	
Depth, in	Boring Number 3	Depth, in	Boring Number 4
Depth, in Inches O	Boring Number 3	-	Boring Number 4
	feet	Depth, in Inches	feet
End of boring at Standing water tab Present at Standing water not	feet  feet of depth Hours after boring	Depth, in Inches  0  End of boring at Standing water tab Present at Standing water not 1	feet  le: feet of depth Hours after boring
End of boring at Standing water tat Present at Standing water not Mottled Soil:	feet  feet of depth Hours after boring	End of boring at Standing water tab Present at Standing water not y Mottled Soil:	feet  le: feet of depth Hours after boring
End of boring at Standing water tab Present at Standing water not	feet  le: feet of depth present in hole feet of depth feet of depth	Depth, in Inches  0  End of boring at Standing water tab Present at Standing water not 1	teet  le: feet of depth Hours after boring  resent in hole   feet of depth

# Washington County, MN



April 2, 2021