



WASHINGTON COUNTY, MINNESOTA
 Department of Health, Environment,
 and Land Management 612/430-6708

DENMARK TOWNSHIP

PERMIT NUMBER 0297009 SEWAGE PERMIT

Owner : JANE MARIE WEBSTER
 1 LILLEHEI
 SAINT PAUL MN 55117

Applicant : RJ HOSER BUILDERS INC 612-483-5132

ADDITIONAL SOIL REVIEW	25.00
NEW DRAINFIELD PERMIT	150.00
BUILDING PERMIT FEE	1832.25
BUILDING PERMIT PLAN CHECKING	865.96
BLDG PERMIT STATE SURCHARGE	94.50
Total Fees :	2467.71
Total Paid :	2442.71
Total Due :	25.00

PERMISSION IS HEREBY GRANTED

To execute the work specified in this permit on the following described property upon express condition that said persons and their agents, employees and workmen shall conform in all respects to the provisions of the Building Code, and/or Ordinances.

This permit may be revoked at any time upon the violation of any of the provisions of said code and ordinances.

Project Address : 15277 69TH ST S HASTINGS MN 55033

Flow Capacity 600 Gal/Day

Soil Conditions: Depth to Restriction 60 Inches Perc Rate 40 Min/Inch

Soil Treatment Area Type:

In Ground Y In Fill N Bed N Drain Field Y

Authorized Work / Special Conditions

- Maximum trench depth 24", follow contours.
- Permit revised 4/23/97.

** Permit Expiration Date : Sewage Treatment : 3/26/98

A CERTIFICATE OF OCCUPANCY MUST BE REQUESTED AND ISSUED PRIOR TO USE OR OCCUPANCY OF WORK PERMITTED BY A BUILDING PERMIT.

** This permit shall expire and be null and void if the work authorized by the Building Permit is not commenced within 60 days of the date of issuance or if work is abandoned or suspended for a period of 120 days. Term of the Building Permit is 12 months from date of issue. Term of sewage treatment permit is 8 months from date of issue.

Penalty for violation of any of the provisions of building code: Fine not to exceed five hundred dollars (\$500.00) or imprisonment for not more than ninety (90) days, or both.

Permit Issue Date 4/23/97 Code Enforcement Officer P. Gammel