1 of 10

Midwest Sewer Services

P.O. Box 10853 White Be	Brian Humpal		
651-492-7550/Brian@Mid	westsoiltesting.com	MPCA Licensed Advanced Inspector	
SUBSURFACE SEWAGE TREATMENT SYSTEM (SSTS) COMPLIANCE REPORT			
Date: May 12, 2021	Time: 9:30 AM	Owner: Diana Petrich	
Inspection Address: 1073 Laverne Ave, Lake Elmo, MN 55042			

<u>REPORT SUMMARY</u>

I have performed an "MPCA Compliance Inspection" on this system and have reviewed the original design/permit records on file at the City of Lake Elmo. This very old system (installed in 1990) consists of a pre-cast septic tank and a rock trench drainfield. It should be noted that the average life expectancy of a septic system is approximately 30 years. Pinky's Sewer Service pumped the septic tank on May 11, 2021.

Predicated on my inspection of the system and my review of the original design/permit records, it is my opinion that this system presently meets MPCA minimum compliance inspection requirements.

Midwest Sewer Services have been hired to perform a compliance inspection of this SSTS for compliance with local ordinances pursuant to Minn. Stat. § 115.55 (2013). This compliance inspection covers only the criteria required by Minn. Stat. § 115.55 Subd. 5a (2013) and Minn. R. 7080.1500 (2011). A compliance inspection is an indication of the current compliance status of the system and does not guarantee the performance or longevity of this system beyond the date of inspection, as it is impossible to determine the future performance of any system. Midwest Sewer Services disclaim any use of this compliance inspection beyond determining SSTS compliance pursuant to Minn. Stat. § 115.55 Subd. 5a (2013) and Minn. R. 7080.1500 (2011).

Please contact me should you have any questions.

After the

Christopher

Uebe

Brian Humpal

Brian Humpal



520 Lafayette Road North St. Paul, MN 55155-4194

Compliance inspection report form

Existing Subsurface Sewage Treatment System (SSTS)

Doc Type: Compliance and Enforcement

Instructions: Inspection results based on Minnesota Pollution Control Agency (MPCA) requirements and attached supporting documentation – additional local requirements may also apply. Further information can be found here: https://www.pca.state.mn.us/sites/default/files/wq-wwists4-31a.pdf.

2 of 10

Inspector must submit completed form to Local Governmental Unit (LGU) and system owner within 15 days of final determination of compliance or noncompliance.

Property information

Local tracking number:

Parcel ID# or Sec/Twp/Range: _____

Owner/representative: Diana Petrich

Local regulatory authority: Washington County

Owner's phone: 651-303-5646

Brief system description: A pre-cast septic tank and a rock trench drainfield.

Property address: 1073 Laverne Ave N, Lake Elmo, MN 55042

System status

System status on date (mm/dd/yyyy): 5/12/2021

Compliant – Certificate of compliance*

(Valid for 3 years from report date unless evidence of an imminent threat to public health or safety requiring removal and abatement under section 145A.04, subdivision 8 is discovered or a shorter time frame exists in Local Ordinance.)

*Note: Compliance indicates conformance with Minn. R. 7080.1500 as of system status date above and does not guarantee future performance.

Noncompliant – Notice of noncompliance

An imminent threat to public health and safety (ITPHS) must be upgraded, replaced, or its use discontinued within ten months of receipt of this notice or within a shorter period if required by local ordinance or under section 145A.04 subdivision 8.

Systems failing to protect ground water must be upgraded, replaced, or use discontinued within the time required by local ordinance.

Reason(s) for noncompliance (check all applicable)

Impact on public health (Compliance component #1) – Imminent threat to public health and safety

Tank integrity (Compliance component #2) – *Failing to protect groundwater*

- Other Compliance Conditions (Compliance component #3) Imminent threat to public health and safety
- □ Other Compliance Conditions (Compliance component #3) Failing to protect groundwater
- System not abandoned according to Minn. R. 7080.2500 (Compliance component #3) Failing to protect groundwater
- Soil separation (Compliance component #5) Failing to protect groundwater
- Operating permit/monitoring plan requirements (Compliance component #4) Noncompliant local ordinance applies

Comments or recommendations

Certification

I hereby certify that all the necessary information has been gathered to determine the compliance status of this system. No determination of future system performance has been nor can be made due to unknown conditions during system construction, possible abuse of the system, inadequate maintenance, or future water usage.

By typing my name below, I certify the above statements to be true and correct, to the best of my knowledge, and that this information can be used for the purpose of processing this form.

Business name: Midwest Sewer Services

Brian Humpal Inspector signature: (This document has been electronically signed)

Certification number: C5342/C9852

License number: L2896

Phone: 651-492-7550

Necessary or locally required supporting documentation (must be attached)

- Soil observation logs Other information (list):
- Locally required forms
- Tank Integrity Assessment

Operating Permit

Report Summary, Property Information, Disclaimer, License

^{3 of 10} **1. Impact on public health** – Compliance component #1 of 5

Compliance criteria:	1	Attached supporting documentation:
System discharges sewage to the ground surface	🗌 Yes* 🛛 No	Other: Not applicable
System discharges sewage to drain ile or surface waters.	🗌 Yes* 🛛 No	
System causes sewage backup into dwelling or establishment.	🗌 Yes* 🛛 No	
System causes sewage backup into dwelling or establishment. Any "yes" answer above indicates imminent threat to public health an		

Describe verification methods and results:

None of the above found.

2. Tank integrity – Compliance component #2 of 5

Compliance criteria:		Attached supporting d	ocumentation:		
System consists of a seepage pit,	🗌 Yes* 🛛 No	Pumped at time of insp			
cesspool, drywell, leaching pit, or other pit?		Name of maintenance t	Pinky's Sewer Service		
Sewage tank(s) leak below their	🗌 Yes* 🛛 No	License number of mair	ntenance business	s: <u>L1673</u>	
designed operating depth?		Date of maintenance:		5/11/2021	
		_ Existing tank integrity assessment (Attach)			
		Date of maintenance			
If yes, which sewage tank(s) leaks:		(mm/dd/yyyy): (must be within		three years)	
Any "yes" answer above indicates the system is failing to protect groundwater.		(See form instructions to Minn. R. 7082.0700 sub		ent complies with	
		Tank is Noncompliant (pumping not necessary – explain below)			
		Other:			

Describe verification methods and results:

3. Other compliance conditions – Compliance component #3 of 5

	3a. Maintenance hole covers appear to be structurally unsound (damaged, cracked, etc.), or uns	agurad2
		ecured?
	□ Yes* ⊠ No □ Unknown	
	3b. Other issues (electrical hazards, etc.) to immediately and adversely impact public health or safe	ty? 🗌 Yes* 🛛 No 🗌 Unknown
	*Yes to 3a or 3b - System is an imminent threat to public health and safety.	
	3c. System is non-protective of ground water for other conditions as determined by inspector?	🗌 Yes* 🛛 No
	3d. System not abandoned in accordance with Minn. R. 7080.2500?	🗌 Yes* 🛛 No
	*Yes to 3c or 3d - System is failing to protect groundwater.	
	Describe verification methods and results:	
<u>4.</u>	Attached supporting documentation: Not applicable Operating permit and nitrogen BMP* – Compliance component #4 of	
4.	Operating permit and nitrogen BMP* – Compliance component #4 of Is the system operated under an Operating Permit? Is the system operated under an Operating Permit?	If "yes", A below is required
4.	Operating permit and nitrogen BMP* – Compliance component #4 of	If "yes", A below is required
4.	Operating permit and nitrogen BMP* – Compliance component #4 of Is the system operated under an Operating Permit? Is the system operated under an Operating Permit?	If "yes", A below is required
4.	Operating permit and nitrogen BMP* – Compliance component #4 of Is the system operated under an Operating Permit? Is the system required to employ a Nitrogen BMP specified in the system design? Yes No	If "yes", A below is required If "yes", B below is required
4.	Operating permit and nitrogen BMP* – Compliance component #4 of Is the system operated under an Operating Permit? Is the system required to employ a Nitrogen BMP specified in the system design? Is the system required to employ a Nitrogen BMP specified in the system design? Is the system required to employ a Nitrogen BMP specified in the system design? Is the system required to employ a Nitrogen BMP specified in the system design?	If "yes", A below is required If "yes", B below is required
4.	Operating permit and nitrogen BMP* – Compliance component #4 of Is the system operated under an Operating Permit? Yes Is the system required to employ a Nitrogen BMP specified in the system design? Yes BMP = Best Management Practice(s) specified in the system design If the answer to both questions is "no", this section does not need to be complete	If "yes", A below is required If "yes", B below is required
<u>4.</u>	Operating permit and nitrogen BMP* – Compliance component #4 of Is the system operated under an Operating Permit? Is the system required to employ a Nitrogen BMP specified in the system design? Is the system required to employ a Nitrogen BMP specified in the system design? Is the answer to both questions is "no", this section does not need to be complete Compliance criteria:	If "yes", A below is required If "yes", B below is required
4.	Operating permit and nitrogen BMP* – Compliance component #4 of Is the system operated under an Operating Permit? Is the system required to employ a Nitrogen BMP specified in the system design? Is the system required to employ a Nitrogen BMP specified in the system design? Is the answer to both questions is "no", this section does not need to be complete Compliance criteria: a. Have the operating permit requirements been met?	If "yes", A below is required If "yes", B below is required

4 of 10

Attached supporting documentation:
Operating permit (Attach)

5 of 10 5. Soil separation – Compliance component #5 of 5

Date of installation 1991 (mm/dd		nown			
Shoreland/Wellhead protect	ion/Food 🛛 🖾 Yes	🗌 No	Attached supporting documentation:		
beverage lodging?			igtiadesigned Soil observation logs completed for th	e report (Attach)	
Compliance criteria (select one):			Two previous verifications of required separation (<i>Attach</i>)	vertical	
5a.For systems built prior to A and not located in Shorelar		🗌 No*	☐ Not applicable (No soil treatment area)		
Protection Area or not serv beverage or lodging establ	-		Reviewed design and permit records.		
Drainfield has at least a two separation distance from p saturated soil or bedrock.			Wellhead protection area.		
5b. Non-performance systems		🗌 No*	Indicate depths or elevations		
1996, or later or for non-pe systems located in Shorela Protection Areas or serving	and or Wellhead	_	A. Bottom of distribution media	See Attached Boring Log(s)	
beverage, or lodging estab			B. Periodically saturated soil/bedrock		
Drainfield has a three-foot separation distance from p		-	C. System separation		
saturated soil or bedrock.*	enoucany	-	D. Required compliance separation*		
			*May be reduced up to 15 percent if allo Ordinance.	wed by Local	
5c. "Experimental", "Other", or systems built under pre-20 Type IV or V systems built Rules 7080. 2350 or 7080. (Advanced Inspector Licen	08 Rules; under 2008 2400	□ No*			
Drainfield meets the desigr separation distance from p saturated soil or bedrock.					

*Any "no" answer above indicates the system is failing to protect groundwater.

Describe verification methods and results:


Upgrade requirements: (*Minn. Stat.* § 115.55) An imminent threat to public health and safety (ITPHS) must be upgraded, replaced, or its use discontinued within ten months of receipt of this notice or within a shorter period if required by local ordinance. If the system is failing to protect ground water, the system must be upgraded, replaced, or its use discontinued within the time required by local ordinance. If an existing system is not failing as defined in law, and has at least two feet of design soil separation, then the system need not be upgraded, replaced, or its use discontinued, notwithstanding any local ordinance that is more strict. This provision does not apply to systems in shoreland areas, Wellhead Protection Areas, or those used in connection with food, beverage, and lodging establishments as defined in law.

Midwest Sewer Testing Subsurface Sewage Treatment System Owner/Property Information

This information will be used for the purpose of conducting an MPCA Compliance Inspection.				
Date of Inspection: May 12, 2021	Time: 9:30 AM			
Property Address: 1073 Laverne Ave N, Lake Elmo, MN	Zip: 55042			
Property Owner: Diana Petrich	Phone: 651-303-5646			
Tank(s) Tank(s)Material Soil Treatment System Septic 1 Fiberglass Rock trench Aerobic Plastic Gravelless trench Lift Metal Chamber trench Holding Concrete Seepage bed Other: Block Mound Other At-grade	Other Alternative system Experimental system Cesspool system Other system			
Are the tank maintenance covers accessible? 🛛 Yes 🗌 No *If	no, proper maintenance must be			
performed through the maintenance holes. Maintenance hole cov				
the ground surface to facilitate access and proper maintenance of	the system.			
Year house built: 1991 Year septic installed: 1991	Tank size (gals.): 1500			
	esidents in home?			
Number of bedrooms? 4 Are all floors drained by a				
Garbage disposal? Whirlpool bath				
More than one system (laundry, etc.)?				
Does this property have any footing drain tiles connected to the se	eptic system?			
Are any buildings on this property such as garages or out-buildings connected to this system?				
Are there any additional systems on this property serving other buildings?				
Location of septic system on lot? East Side				
	e well a deep well? Y			
Have you ever experienced any problems with the system such as: tree roots, sewage back-ups,				
surfacing of sewage onto the ground, septic tank overflowing, etc.; or have any repairs been made				
to the system? If yes, explain:				
When was the system last pumped? 5/11/2021 Name of pumper: Pinky's Sewer Service				
When was the system last pumped? 5/11/2021Name of pumper. Pinky's Sewer ServiceHow often pumped in previous years?Is system on a monitoring plan?				
Have you received notices from any government agency concerning this system?				
Is your property located in a shoreland management area? N				
Do you have any additional information that should be given to the new owner?				
Do you have any additional information that should be given to the new owner?				

I hereby certify that the above information is correct to the best of my knowledge. I also understand that if the system is considered "non-compliant/failing" per MPCA rules, that the inspector must by law submit a copy of this report to the local government unit within 15 days of the date of inspection completion. I also agree that unless otherwise noted in this report, that I/we are ultimately responsible for payment of all fees for all work performed relative to this inspection by Inspect Minnesota and Midwest Soil Testing

Owner/Occupant:



8 of 10

Soil Observations Log

Location of Project: 1073 Laverne Ave N, Lake Elmo, MN 55042								
		Aidwest Sewer Services		Date:	5/12/2021			
Classifi	cation System:	USDA						
Sc	il Observation:	ST-1		Soil C	bservation:			
Surface Elevation of Observation	-	nd surface as last field trench	Surface Elevation of Observation		Elevation of			
Depth In Inches Rock %	Soils E	ncountered	Depth In Rock % Inches		Soils Encountered			
0-13 13-25 25-54 ≈20 54-68 ≈20 68-75	10YR 3, 10YR 4/4 Me Wi 10YR 5/4 Me Wi 10YR 5/4 With 7.5	2/2 Loam /4 Clay Loam edium Coarse Sand th Gravel edium Coarse Sand th Gravel 4 Medium Sand 5YR 5/8 Redox						
68" Depth	To End Of Soil O	nd Of Soil Observation Or Redox		Depth T	o End Of Soil	Observation Or Redox		
Same Elevation Of Observation Relative To System			Elevatio	n Of Observat	ion Relative To System			
-35" Depth To Bottom Of Distribution Media			Depth 7	o Bottom Of I	Distribution Media			
=33" Of Separation			Of Sepa					
	Observation At:	75"	End Of		servation At:			
Redox Present At: 68"				x Present At:				
Standing Water Present At: None		Standi	ng Wate	r Present At:				

Bottom Of Distribution Medium At: 35 Inches

Signature:

Alter Va

DISCLAIMER

Brian L. Humpal, Inc. dba. Midwest Sewer Services, Inspect Minnesota, Midwest Soil Testing Relative to Subsurface Sewage Treatment System (SSTS) Compliance Inspections

- 1. This inspection/report is being performed for only the seller/owner of the property on which the SSTS is located. In such case that another party is paying for the inspection, the contract is between only said party and Brian L. Humpal, Inc.; there is no contract between Brian L. Humpal, Inc. and any other party unless otherwise noted.
- 3. Brian L. Humpal, Inc. has not been retained to warranty, guarantee, or certify the proper functioning of the SSTS for any period of time beyond the date of inspection or into the future. Because of the numerous factors (usage, maintenance, soil characteristics, previous failures, etc.) which may affect the proper operation of an SSTS, as well as the inability of Brian L. Humpal, Inc. to supervise or monitor the use or maintenance of the SSTS, the report shall not be construed as a warranty by Brian L. Humpal, Inc. that the SSTS will function properly for any particular party for any period of time.
- 4. Brian L. Humpal, Inc. is unable to verify the frequency and/or, quality of prior or future maintenance of the SSTS. Maintenance of the tank(s) must be performed through the tanks maintenance hole. The removal of solids from any location other than the maintenance hole is not a compliant method of maintenance. It is strongly recommended that maintenance covers be made accessible to the ground surface to facilitate proper maintenance.
- 5. Minimum Compliance Inspection requirements relative to this inspection and this report include <u>only</u> verification that the SSTS has tank(s) (septic tanks, lift tanks, dosing tanks, stilling tanks, etc.) which are watertight below the designed operating depth, the required separation between the bottom of the subsurface soil distribution medium and seasonally saturated soils, no back-ups of sewage into the dwelling, no discharge of sewage/effluent to the ground surface or surface waters, and no imminent safety hazards. Brian L. Humpal, Inc. does not inspect plumbing or pumps prior to the first SSTS component as these are plumbing components. The performance of exterior pumps and associated components are not inspected as they are considered to be maintenance items. Additionally, no indications relative to compliance with electrical code requirements have been made. It is recommended that any other applicable plumbing, electrical, housing, etc. inspections be performed by a qualified inspection business. Sewage back-up verification is limited to observing the floor drain area and/or the information supplied by the last occupants of the building prior to inspection. Brian L. Humpal, Inc. cannot guarantee that the information given to them by the last occupants of the building prior to inspection relative to back-ups is accurate.
- 4. Certification of this SSTS does not warranty future use beyond the date of the inspection. Any SSTS, old or new, can become hydraulically overloaded or discharge sewage/effluent to the ground surface as a result of more people moving into the house than were previously occupying the house, improper maintenance, heavy usage, leaking plumbing fixtures, groundwater infiltration, tree roots, freezing conditions, surface drainage problems, poor initial design, poor construction practices, or unsuitable materials used in constructing the system; the system can also simply stop working because of its age. An SSTS that has been properly designed and installed, properly maintained, and used in the manner for which the system was designed can be expected to provide service for twenty to twenty-five years on average. Some parts of the SSTS such as alarms, switches, pumps, filters, etc. will most likely have to be repaired or replaced over the lifetime of the system.
- 5. A Compliance Inspection is not meant to be a test or inspection for longevity of the system; a Compliance Inspection is strictly for the purpose of determining if the SSTS is protective of public health and safety, as well as the groundwater at the date and time the inspection was performed. This inspection is not intended to determine if the SSTS was originally designed or installed to past or present MPCA or other Local Government Unit code requirements. This inspection is not intended to determine if the SSTS was designed and/or installed to support the anticipated flow from the building as the use of the building may have changed since the design and construction of the SSTS due to the addition of bedrooms, occupants, etc. In addition, this inspection is not intended to determine the quality of the original SSTS design, the quality of the construction practices used while installing the SSTS, or the quality of the materials used in constructing the SSTS.
- 6. Brian L. Humpal, Inc. cannot guarantee the performance of SSTS products/components such as: gravelless pipe, chamber trenches, effluent filters, tanks, sewage pre-treatment components, piping, etc. Products such as gravelless pipe are no longer approved for installation in the State of Minnesota and may have a significantly reduced performance and/or life expectancy.
- 7. WINTER WORK: By accepting this report, it is understood that inspections conducted during winter months (approximately November 1st through April 1st) are more difficult to perform because of possible snow cover and/or ground frost. SSTS components such as tanks, maintenance covers, tank inspection pipes, subsurface distribution medium inspection pipes, and soil treatment areas are more difficult or impossible to locate due to snow cover and/or ground frost. In addition, soil borings are more difficult to perform due to snow cover and/or ground frost. Brian L. Humpal, Inc. will attempt to use the same level of standards when performing work during winter periods as when performing work during non-winter periods. However, the recipient of this report understands that because of the aforementioned considerations, the same level of standards may not be possible.
- 8. By accepting this report, the client understands that Brian L. Humpal, Inc. will not be responsible for any monetary damages exceeding the fee for the services provided.

Subsurface Sewage Treatment Systems Non-transferable Business License

Midwest Sewer Services

License # L2896

License Expires: 12/22/2021

Issued: 11/06/2020

Specialty Area(s):

Installer Maintainer Service Provider Advanced Designer Advanced Inspector

Designated Certified Individual(s):

Cert #	Name	Certification Expires:
C5342	Brian L Humpal	10/15/2023
	Installer, Maintainer, Serv Prov,	Adv Designer, Adv Inspector
C9852	Christopher R Uebe	3/4/2024
	Designer, Inspector	



520 Lafayette Road North St. Paul, Minnesota 55155-4194

Mich Haig

Nick Haig, Supervisor Certification and Training Unit