#### **Midwest Sewer Services**

P.O. Box 10853 White Bear Lake, MN 55110 651-492-7550/Brian@Midwestsoiltesting.com

Brian Humpal

MPCA Licensed Advanced Inspector

#### SUBSURFACE SEWAGE TREATMENT SYSTEM (SSTS) COMPLIANCE REPORT

**Date:** July 7, 2021 **Time:** 11:00 AM **Owner:** Steve Zigan

**Inspection Address:** 1880 Riviera Ave S, Lake St. Croix Beach, MN 55043

#### **REPORT SUMMARY**

I have performed an "MPCA Compliance Inspection" on this system and have reviewed the original design/permit records on file at Washington County. This system consists of two pre-cast septic tanks, a pre-cast lift tank, and a mound. Ron's Sewer Service pumped the septic tank and lift tank on July 6, 2021.

Predicated on my inspection of the system and my review of the original design/permit records, it is my opinion that this system <u>presently meets</u> MPCA minimum compliance inspection requirements.

Midwest Sewer Services have been hired to perform a compliance inspection of this SSTS for compliance with local ordinances pursuant to Minn. Stat. § 115.55 (2013). This compliance inspection covers only the criteria required by Minn. Stat. § 115.55 Subd. 5a (2013) and Minn. R. 7080.1500 (2011). A compliance inspection is an indication of the current compliance status of the system and does not guarantee the performance or longevity of this system beyond the date of inspection, as it is impossible to determine the future performance of any system. Midwest Sewer Services disclaim any use of this compliance inspection beyond determining SSTS compliance pursuant to Minn. Stat. § 115.55 Subd. 5a (2013) and Minn. R. 7080.1500 (2011).

Please contact me should you have any questions.

Christopher Uebe

Brian Humpal

Brian Humpal



520 Lafayette Road North St. Paul, MN 55155-4194

## Compliance inspection report form Existing Subsurface Sewage Treatment System (SSTS)

Doc Type: Compliance and Enforcement

Instructions: Inspector must submit completed form to Local Governmental Unit (LGU) and system owner within 15 days of final determination of compliance or noncompliance. Instructions for filling out this form are located on the Minnesota Pollution Control Agency (MPCA) website at <a href="https://www.pca.state.mn.us/sites/default/files/wq-wwists4-31a.pdf">https://www.pca.state.mn.us/sites/default/files/wq-wwists4-31a.pdf</a>.

Property information	Local tracking	number:
Parcel ID# or Sec/Twp/Range:	Reason for Inspection	Property Transfer
Local regulatory authority info: Washington County	<u> </u>	
Property address: 1880 Riviera Ave S, Lake St. Croix Beach, N	MN 55043	
Owner/representative: Steve Zigan		Owner's phone: 651-436-5534
Brief system description: Two pre-cast septic tanks, a pre-cast I	ift tank, and a mound.	<u> </u>
System status		
System status on date (mm/dd/yyyy): 7/7/2021		
□ Compliant – Certificate of compliance*	☐ Noncompliant – Notic	ce of noncompliance
(Valid for 3 years from report date unless evidence of an imminent threat to public health or safety requiring removal and	Systems failing to protect ground water must be upgraded, replaced, or use discontinued within the time required by local ordinance.	
abatement under section 145A.04, subdivision 8 is discovered or a shorter time frame exists in Local Ordinance.)		health and safety (ITPHS) must be
*Note: Compliance indicates conformance with Minn. R. 7080.1500 as of system status date above and does not guarantee future performance.	upgraded, replaced, or its use discontinued within ten months of receipt of this notice or within a shorter period if required by local ordinance or under section 145A.04 subdivision 8.	
Reason(s) for noncompliance (check all applicab	ole)	
☐ Impact on public health (Compliance component #1) – Immil	nent threat to public health a	nd safety
☐ Tank integrity (Compliance component #2) – Failing to prote	•	•
☐ Other Compliance Conditions (Compliance component #3) -	- Imminent threat to public he	ealth and safety
☐ Other Compliance Conditions (Compliance component #3) -	•	
☐ System not abandoned according to Minn. R. 7080.2500 (Co	ompliance component #3) -	Failing to protect groundwater
☐ Soil separation (Compliance component #5) – Failing to prote		
☐ Operating permit/monitoring plan requirements (Compliance	component #4) - Noncompl	iant - local ordinance applies
Comments or recommendations	. , ,	.,
Certification		
I hereby certify that all the necessary information has been gathered future system performance has been nor can be made due to unknow inadequate maintenance, or future water usage.		
By typing my name below, I certify the above statements to be true	and correct, to the best of my	knowledge, and that this information can be
used for the purpose of processing this form.	•	
Business name: Midwest Sewer Services	//	Certification number: 5342/9852
Inspector signature: Brian Humpal (After Vi		License number: L2896
(This document has been electronically sign	ned)	Phone: 651-492-7550
Necessary or locally required supporting do	cumentation (must b	e attached)
Soil observation logs	quired forms 🛛 Tank Integr	ity Assessment
☑ Other information (list): Report Summary, Property Informa	tion, Disclaimer, License	

https://www.pca.state.mn.us wq-wwists4-31b • 4/28/2021 651-296-6300

800-657-3864

Use your preferred relay service

Available in alternative formats

Compliance criteria:		Attached supporting documentatio	n:
System discharges sewage to the ground surface	☐ Yes* ⊠ No	☐ Other: ☐ Not applicable	
System discharges sewage to drain tile or surface waters.	☐ Yes* ☒ No		
System causes sewage backup into dwelling or establishment.	☐ Yes* ⊠ No		
Any "yes" answer above indicates imminent threat to public health at			
Describe verification methods and	d results:		
None of the above found.			
None of the above lound.			
<b>nk integrity</b> – Compliance	e component #2	of 5	
<b>ink integrity</b> – Compliance	e component #2	of 5	
<b>ink integrity</b> – Compliance Compliance criteria:	component #2	of 5 Attached supporting documentatio	<b>n</b> :
Compliance criteria:	· ·	Attached supporting documentatio	n:
Compliance criteria:  System consists of a seepage pit,	e component #2		
Compliance criteria:  System consists of a seepage pit, cesspool, drywell, leaching pit,	· ·	Attached supporting documentatio  ☐ Empty tank(s) viewed by inspector	Ron's S
Compliance criteria:  System consists of a seepage pit,	· ·	Attached supporting documentatio	
Compliance criteria:  System consists of a seepage pit, cesspool, drywell, leaching pit,	· ·	Attached supporting documentatio  ☐ Empty tank(s) viewed by inspector	Ron's S Service
Compliance criteria:  System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit?	☐ Yes* ☑ No	Attached supporting documentation  Empty tank(s) viewed by inspector  Name of maintenance business:  License number of maintenance business	Ron's S Service ess: <u>L4007</u>
Compliance criteria:  System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit?  Sewage tank(s) leak below their	☐ Yes* ☑ No	Attached supporting documentatio  ☑ Empty tank(s) viewed by inspector  Name of maintenance business:	Ron's S <u>Service</u> ess: <u>L4007</u> <u>7/6/202</u>
Compliance criteria:  System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit?  Sewage tank(s) leak below their	☐ Yes* ☑ No	Attached supporting documentation  Empty tank(s) viewed by inspector  Name of maintenance business:  License number of maintenance businest of maintenance:  Existing tank integrity assessment (Attached)	Ron's S <u>Service</u> ess: <u>L4007</u> <u>7/6/202</u> ach)
Compliance criteria:  System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit?  Sewage tank(s) leak below their	☐ Yes* ☑ No	Attached supporting documentation  ☑ Empty tank(s) viewed by inspector  Name of maintenance business:  License number of maintenance businest of maintenance:  □ Existing tank integrity assessment (Att	Ron's S <u>Service</u> ess: <u>L4007</u> <u>7/6/202</u> ach)
Compliance criteria:  System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit?  Sewage tank(s) leak below their designed operating depth?  If yes, which sewage tank(s) leaks:  Any "yes" answer above indicates.	☐ Yes* ☒ No ☐ Yes* ☒ No ☐ Yes* ☒ No	Attached supporting documentation  Empty tank(s) viewed by inspector  Name of maintenance business:  License number of maintenance businest of maintenance:  Existing tank integrity assessment (Attached)	Ron's S Service ess: L4007 7/6/202 ach)
Compliance criteria:  System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit?  Sewage tank(s) leak below their designed operating depth?  If yes, which sewage tank(s) leaks:	☐ Yes* ☒ No ☐ Yes* ☒ No ☐ Yes* ☒ No	Attached supporting documentation  Empty tank(s) viewed by inspector  Name of maintenance business:  License number of maintenance busines of maintenance:  Existing tank integrity assessment (Attached Date of maintenance (mm/dd/yyyy):  (See form instructions to ensure assess Minn. R. 7082.0700 subp. 4 B (1))	Ron's S Service ess: L4007 7/6/202 ach) nin three yea sment comp
Compliance criteria:  System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit?  Sewage tank(s) leak below their designed operating depth?  If yes, which sewage tank(s) leaks:  Any "yes" answer above indicates.	☐ Yes* ☒ No ☐ Yes* ☒ No ☐ Yes* ☒ No	Attached supporting documentation  Empty tank(s) viewed by inspector  Name of maintenance business:  License number of maintenance business:  Date of maintenance:  Existing tank integrity assessment (Attached Date of maintenance (mm/dd/yyyy):  (See form instructions to ensure assess Minn. R. 7082.0700 subp. 4 B (1))  Tank is Noncompliant (pumping not necessity)	Ron's S Service ess: L4007 7/6/202 ach) nin three yea sment comp
Compliance criteria:  System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit?  Sewage tank(s) leak below their designed operating depth?  If yes, which sewage tank(s) leaks:  Any "yes" answer above indicates.	☐ Yes* ☒ No ☐ Yes* ☒ No ☐ Yes* ☒ No	Attached supporting documentation  Empty tank(s) viewed by inspector  Name of maintenance business:  License number of maintenance busines of maintenance:  Existing tank integrity assessment (Attached Date of maintenance (mm/dd/yyyy):  (See form instructions to ensure assess Minn. R. 7082.0700 subp. 4 B (1))	Ron's S Service ess: L4007 7/6/202 ach) nin three yea sment comp

Pro	operty Address: 1880 Riviera Ave S, Lake St. Croix Beach, MN 55043	
Bus	siness Name: Midwest Sewer Services	Date: 7/7/2021
3.	Other compliance conditions – Compliance component #3 of 5	
	3a. Maintenance hole covers appear to be structurally unsound (damaged, cracked, etc.), or unso	ecured?
	☐ Yes* ☐ No ☐ Unknown	
	3b. Other issues (electrical hazards, etc.) to immediately and adversely impact public health or safe	ty? ☐ Yes* ☐ No ☐ Unknown
	*Yes to 3a or 3b - System is an imminent threat to public health and safety.	
	3c. System is non-protective of ground water for other conditions as determined by inspector?	☐ Yes* ☐ No
	3d. System not abandoned in accordance with Minn. R. 7080.2500?	☐ Yes* ☐ No
	*Yes to 3c or 3d - System is failing to protect groundwater.	
	Describe verification methods and results:	
	Attached currenting decumentation:	
	Attached supporting documentation:   Not applicable	
4.	Operating permit and nitrogen BMP* – Compliance component #4 c	of 5 🛮 Not applicable
	Is the system operated under an Operating Permit? ☐ Yes ☐ No	If "yes", A below is required
	Is the system required to employ a Nitrogen BMP specified in the system design?   Yes  No	If "yes", B below is required
	BMP = Best Management Practice(s) specified in the system design	
	If the answer to both questions is "no", this section does not need to be complete	d.
	Compliance criteria:	
	a. Have the operating permit requirements been met? ☐ Yes ☐ No	
	b. Is the required nitrogen BMP in place and properly functioning? $\ \square$ Yes $\ \square$ No	
	Any "no" answer indicates noncompliance.	
	Describe verification methods and results:	
	Attached supporting documentation: ☐ Operating permit (Attach) ☐	

operty Address: _1880 Riviera Ave S, Lake St. Cr siness Name: _Midwest Sewer Services			Date: <u>7/</u>	7/2021
Soil separation – Compliance con	npone	nt #5 of	f 5	
Date of installation 2013 (mm/dd/yyyy)	Unkr	nown		
Shoreland/Wellhead protection/Food	⊠ Yes □ No		Attached supporting documentation:	
beverage lodging?			oxtimes Soil observation logs completed for the	ne report
Compliance criteria (select one):			☐ Two previous verifications of required vertical separation	
5a. For systems built prior to April 1, 1996, and	d ☐ Yes	☐ No*	☐ Not applicable (No soil treatment are	a)
not located in Shoreland or Wellhead Protection Area or not serving a food,			□ Reviewed design and permit records	
beverage or lodging establishment:			System bottom above elevation 687.	50'
Drainfield has at least a two-foot vertical separation distance from periodically saturated soil or bedrock.				
5b. Non-performance systems built April 1, 1996, or later or for non- performance systems located in Shoreland or Wellhead Protection Areas or serving a	⊠ Yes □ No	☐ No*	Indicate depths or elevations	
			A. Bottom of distribution media	See Attached Boring Log(s)
food, beverage, or lodging establishment:			B. Periodically saturated soil/bedrock	
Drainfield has a three-foot vertical			C. System separation	
separation distance from periodically saturated soil or bedrock.*			D. Required compliance separation*	
			*May be reduced up to 15 percent if all Ordinance.	owed by Local
5c. "Experimental", "Other", or "Performance" systems built under pre-2008 Rules; Type IV or V systems built under 2008 Rules 7080. 2350 or 7080.2400 (Intermediate Inspector License required ≤ 2,500 gallons per day; Advanced Inspector License required > 2,500 gallons per day)	☐ Yes	□ No*		
Drainfield meets the designed vertical separation distance from periodically saturated soil or bedrock.				


**Upgrade requirements:** (Minn. Stat. § 115.55) An imminent threat to public health and safety (ITPHS) must be upgraded, replaced, or its use discontinued within ten months of receipt of this notice or within a shorter period if required by local ordinance. If the system is failing to protect ground water, the system must be upgraded, replaced, or its use discontinued within the time required by local ordinance. If an existing system is not failing as defined in law, and has at least two feet of design soil separation, then the system need not be upgraded, repaired, replaced, or its use discontinued, notwithstanding any local ordinance that is more strict. This provision does not apply to systems in shoreland areas, Wellhead Protection Areas, or those used in connection with food, beverage, and lodging establishments as defined in law.

## <u>Midwest & ewer Testing</u> <u>Subsurface Sewage Treatment System Owner/Property Information</u>

This information will be used for the purpose of conducting an MPCA Con	npliance Inspection.				
Date of Inspection: 7/7/2021	Time: 11:00 AM				
Property Address: 1880 Riviera Ave S, Lake St. Croix Beach, MN	Zip: 55043				
Property Owner: Steve Zigan	Phone: 651-436-5534				
Tank(s) Tank(s)Material Soil Treatment System  Septic 2 Fiberglass Rock trench  Aerobic Plastic Gravelless trench  Lift Metal Chamber trench  Holding Sconcrete Seepage bed  Other: Block Mound  Other Mat-grade  Are the tank maintenance covers accessible? System No *If no,	Other  Alternative system  Experimental system  Cesspool system  Other system  proper maintenance must be				
performed through the maintenance holes. Maintenance hole covers					
the ground surface to facilitate access and proper maintenance of the	system.				
	nk size (gals.): 2-1000				
How long has seller owned the property?  Number of resid					
Number of bedrooms? 2 Are all floors drained by grav Garbage disposal? Whirlpool bath?	ity? Y				
More than one system (laundry, etc.)?					
Does this property have any footing drain tiles connected to the septi-	c system?				
Boes this property have any rooting drain thes connected to the septi-	e system:				
Are any buildings on this property such as garages or out-buildings connected to this system?					
Are there any additional systems on this property serving other build	ings?				
Location of septic system on lot? South Side					
	ell a deep well? N/A				
Have you ever experienced any problems with the system such as: tre	<u> </u>				
surfacing of sewage onto the ground, septic tank overflowing, etc.; or have any repairs been made					
to the system? If yes, explain:					
When was the system last pumped? 7/6/2021 Name of pumper	r: Ron's Sewer Service				
How often pumped in previous years? Is system on a monitoring plan?  Have you received notices from any government agency concerning this system?					
Is your property located in a shoreland management area? Y					
Do you have any additional information that should be given to the n	ew owner?				
I hereby certify that the above information is correct to the best of my knowledge. I also understand that if the system is considered "non-compliant/failing" per MPCA rules, that the inspector must by law submit a copy of this report to the local government unit within 15 days of the date of inspection completion. I also agree that unless otherwise noted in this report, that I/we are ultimately responsible for payment of all fees for all work performed relative to this inspection by Inspect Minnesota and Midwest Soil Testing					

Date:

Owner/Occupant:



 $\begin{array}{c} N \longrightarrow \\ \underline{NO \ SCALE} \end{array}$ 

1880 Riviera Ave S, Lake St. Croix Beach, MN 55043

### **Soil Observations Log**

Observations Made By: Midwest Sewer Services  Classification System:  Soil Observation:  Surface Elevation of Observation  Observation  Depth In Inches  Rock %  Soils Encountered  Midwest Sewer Services  USDA  Soil Observation:  ST-1  Soil Observation:  Observation:  Soil Observation:  Soil Observation:  Soil Observation:  Observation:  Soil Observation
Soil Observation:  Surface Elevation of Observation  Observation  Soil Observation:  Surface Elevation of Observation  Soil Observation:  Surface Elevation of Observation  Observation  Depth In Rock %  Soils Encountered  Depth In Rock %  Soils Encountered
Surface Benchmark = Sea Level Surface Elevation of Observation Observation  Depth In Rock % Soils Encountered Depth In Rock % Soils Encountered Depth In Rock % Soils Encountered
Elevation of Observation  Soils Encountered  Elevation of Observation  Elevation of Observation  Depth In Rock %  Soils Encountered  Depth In Rock %  Soils Encountered
Observation Observation Observation  Depth In Rock % Soils Encountered Depth In Rock % Soils Encountered
Depth In Rock % Soils Encountered Depth In Rock % Soils Encountered
The part of the source of the
Tilches
10-3 3-10 10-27 ≈25 10YR 2/2 Medium Sand 10YR 3/3 Medium Sand 10YR 4/4 Medium Sand With Gravel  System Bottom Above Elevation 687.50'
27"   Death To Ford Of Cail Observation On Daday
27" Depth To End Of Soil Observation Or Redox Depth To End Of Soil Observation O
+32" Elevation Of Observation Below Top Of Mound Elevation Of Observation Relative To
-28" Depth To Bottom Of Distribution Media Depth To Bottom Of Distribution M
≥31" Of Separation Of Separation
End Of Soil Observation At: 27" End Of Soil Observation At:
Redox Present At: None Redox Present At:
Standing Water Present At: None Standing Water Present At:

Bottom Of Distr	ibution Medium At:	27 Inches or Elevation 68	<u>38.4</u> 7'
Signature:	Africa	-1/4-	

#### **DISCLAIMER**

## Brian L. Humpal, Inc. dba. Midwest Sewer Services, Inspect Minnesota, Midwest Soil Testing Relative to Subsurface Sewage Treatment System (SSTS) Compliance Inspections

- 1. This inspection/report is being performed for only the seller/owner of the property on which the SSTS is located. In such case that another party is paying for the inspection, the contract is between only said party and Brian L. Humpal, Inc.; there is no contract between Brian L. Humpal, Inc. and any other party unless otherwise noted.
- 3. Brian L. Humpal, Inc. has not been retained to warranty, guarantee, or certify the proper functioning of the SSTS for any period of time beyond the date of inspection or into the future. Because of the numerous factors (usage, maintenance, soil characteristics, previous failures, etc.) which may affect the proper operation of an SSTS, as well as the inability of Brian L. Humpal, Inc. to supervise or monitor the use or maintenance of the SSTS, the report shall not be construed as a warranty by Brian L. Humpal, Inc. that the SSTS will function properly for any particular party for any period of time.
- 4. Brian L. Humpal, Inc. is unable to verify the frequency and/or, quality of prior or future maintenance of the SSTS. Maintenance of the tank(s) must be performed through the tanks maintenance hole. The removal of solids from any location other than the maintenance hole is not a compliant method of maintenance. It is strongly recommended that maintenance covers be made accessible to the ground surface to facilitate proper maintenance.
- 5. Minimum Compliance Inspection requirements relative to this inspection and this report include only verification that the SSTS has tank(s) (septic tanks, lift tanks, dosing tanks, stilling tanks, etc.) which are watertight below the designed operating depth, the required separation between the bottom of the subsurface soil distribution medium and seasonally saturated soils, no back-ups of sewage into the dwelling, no discharge of sewage/effluent to the ground surface or surface waters, and no imminent safety hazards. Brian L. Humpal, Inc. does not inspect plumbing or pumps prior to the first SSTS component as these are plumbing components. The performance of exterior pumps and associated components are not inspected as they are considered to be maintenance items. Additionally, no indications relative to compliance with electrical code requirements have been made. It is recommended that any other applicable plumbing, electrical, housing, etc. inspections be performed by a qualified inspection business. Sewage back-up verification is limited to observing the floor drain area and/or the information supplied by the last occupants of the building prior to inspection relative to back-ups is accurate.
- 4. Certification of this SSTS does not warranty future use beyond the date of the inspection. Any SSTS, old or new, can become hydraulically overloaded or discharge sewage/effluent to the ground surface as a result of more people moving into the house than were previously occupying the house, improper maintenance, heavy usage, leaking plumbing fixtures, groundwater infiltration, tree roots, freezing conditions, surface drainage problems, poor initial design, poor construction practices, or unsuitable materials used in constructing the system; the system can also simply stop working because of its age. An SSTS that has been properly designed and installed, properly maintained, and used in the manner for which the system was designed can be expected to provide service for twenty to twenty-five years on average. Some parts of the SSTS such as alarms, switches, pumps, filters, etc. will most likely have to be repaired or replaced over the lifetime of the system
- 5. A Compliance Inspection is not meant to be a test or inspection for longevity of the system; a Compliance Inspection is strictly for the purpose of determining if the SSTS is protective of public health and safety, as well as the groundwater at the date and time the inspection was performed. This inspection is not intended to determine if the SSTS was originally designed or installed to past or present MPCA or other Local Government Unit code requirements. This inspection is not intended to determine if the SSTS was designed and/or installed to support the anticipated flow from the building as the use of the building may have changed since the design and construction of the SSTS due to the addition of bedrooms, occupants, etc. In addition, this inspection is not intended to determine the quality of the original SSTS design, the quality of the construction practices used while installing the SSTS, or the quality of the materials used in constructing the SSTS.
- 6. Brian L. Humpal, Inc. cannot guarantee the performance of SSTS products/components such as: gravelless pipe, chamber trenches, effluent filters, tanks, sewage pre-treatment components, piping, etc. Products such as gravelless pipe are no longer approved for installation in the State of Minnesota and may have a significantly reduced performance and/or life expectancy.
- 7. WINTER WORK: By accepting this report, it is understood that inspections conducted during winter months (approximately November 1<sup>st</sup> through April 1<sup>st</sup>) are more difficult to perform because of possible snow cover and/or ground frost. SSTS components such as tanks, maintenance covers, tank inspection pipes, subsurface distribution medium inspection pipes, and soil treatment areas are more difficult or impossible to locate due to snow cover and/or ground frost. In addition, soil borings are more difficult to perform due to snow cover and/or ground frost. Brian L. Humpal, Inc. will attempt to use the same level of standards when performing work during winter periods as when performing work during non-winter periods. However, the recipient of this report understands that because of the aforementioned considerations, the same level of standards may not be possible.
- 8. By accepting this report, the client understands that Brian L. Humpal, Inc. will not be responsible for any monetary damages exceeding the fee for the services provided.

## Subsurface Sewage Treatment Systems

Non-transferable

# **Business License**

### **Midwest Sewer Services**

License # L2896

License Expires: 12/22/2021

Issued: 11/06/2020

### **Specialty Area(s):**

Installer

Maintainer

Service Provider

Advanced Designer

Advanced Inspector

### **Designated Certified Individual(s):**

Cert #

Name

**Certification Expires:** 

C5342

Brian L'Humpal

10/15/2023

Installer, Maintainer, Serv Prov, Adv Designer, Adv Inspector

C9852

Christopher R Uebe

3/4/2024

Designer, Inspector

MINNESOTA POLLUTION CONTROL AGENCY

520 Lafayette Road North St. Paul, Minnesota 55155-4194 Mich Haig

Nick Haig, Supervisor Certification and Training Unit