Midwest Sewer Services

P.O. Box 10853 White Bear Lake, MN 55110 651-492-7550/Brian@Midwestsoiltesting.com

Brian Humpal

MPCA Licensed Advanced Inspector

SUBSURFACE SEWAGE TREATMENT SYSTEM (SSTS) COMPLIANCE REPORT

Inspection Address: 1528 Racine Ave S, Lake St. Croix Beach, MN 55043

REPORT SUMMARY

I have performed an "MPCA Compliance Inspection" on this system and have reviewed the original design/permit records on file at Washington County. This older system (installed in 1993) consists of two pre-cast septic tanks and a rock trench drainfield. Pinky's Sewer Service pumped the septic tanks on September 1, 2021. This house is presently vacant. There were no obvious signs of damage to the subsurface treatment system due to the garage fire.

Predicated on my inspection of the system and my review of the original design/permit records, it is my opinion that this system <u>presently meets</u> MPCA minimum compliance inspection requirements.

Midwest Sewer Services have been hired to perform a compliance inspection of this SSTS for compliance with local ordinances pursuant to Minn. Stat. § 115.55 (2013). This compliance inspection covers only the criteria required by Minn. Stat. § 115.55 Subd. 5a (2013) and Minn. R. 7080.1500 (2011). A compliance inspection is an indication of the current compliance status of the system and does not guarantee the performance or longevity of this system beyond the date of inspection, as it is impossible to determine the future performance of any system. Midwest Sewer Services disclaim any use of this compliance inspection beyond determining SSTS compliance pursuant to Minn. Stat. § 115.55 Subd. 5a (2013) and Minn. R. 7080.1500 (2011).

Please contact me should you have any questions.

Humal Brian Humpal

Christopher

Uebe

Brian Humpal



520 Lafayette Road North St. Paul, MN 55155-4194

Compliance inspection report form

Existing Subsurface Sewage Treatment System (SSTS)

Doc Type: Compliance and Enforcement

Instructions: Inspector must submit completed form to Local Governmental Unit (LGU) and system owner within 15 days of final determination of compliance or noncompliance. Instructions for filling out this form are located on the Minnesota Pollution Control Agency (MPCA) website at https://www.pca.state.mn.us/sites/default/files/wq-wwists4-31a.pdf.

Property information	Local tracking number:			
Parcel ID# or Sec/Twp/Range:	Reason for Inspection Building Permit			
Local regulatory authority info: Washington County				
Property address: 1528 Racine Ave S, Lake St. Croix Beach,	MN 55043			
Owner/representative: Anna Ekberg	Owner's phone: 651-413-4974			
Brief system description: Two pre-cast septic tanks and a rock $% \left(1\right) =\left(1\right) \left(1$	trench drainfield.			
System status				
System status on date (mm/dd/yyyy): _ 9/9/2021				
☐ Compliant – Certificate of compliance*	☐ Noncompliant – Notice of noncompliance			
(Valid for 3 years from report date unless evidence of an imminent threat to public health or safety requiring removal and	Systems failing to protect ground water must be upgraded, replaced, or use discontinued within the time required by local ordinance.			
abatement under section 145A.04, subdivision 8 is discovered or a shorter time frame exists in Local Ordinance.)	An imminent threat to public health and safety (ITPHS) must be			
*Note: Compliance indicates conformance with Minn. R. 7080.1500 as of system status date above and does not guarantee future performance.	upgraded, replaced, or its use discontinued within ten months of receipt of this notice or within a shorter period if required by local ordinance or under section 145A.04 subdivision 8.			
Reason(s) for noncompliance (check all applications	ble)			
☐ Impact on public health (Compliance component #1) – Imm	·			
☐ Tank integrity (Compliance component #2) – Failing to prote				
☐ Other Compliance Conditions (Compliance component #3)	- Imminent threat to public health and safety			
☐ Other Compliance Conditions (Compliance component #3)	- Failing to protect groundwater			
☐ System not abandoned according to Minn. R. 7080.2500 (C	Compliance component #3) – Failing to protect groundwater			
☐ Soil separation (Compliance component #5) – Failing to pro				
☐ Operating permit/monitoring plan requirements (Compliance				
Comments or recommendations	, , , , , , , , , , , , , , , , , , , ,			
Certification				
	It to determine the compliance status of this system. No determination of own conditions during system construction, possible abuse of the system,			
	e and correct, to the best of my knowledge, and that this information can be			
Business name: Midwest Sewer Services	Certification number: 5342/9852			
Inspector signature: Brian Humpal (Hour)	License number: L2896			
(This document has been electronically sig	gned) Phone: 651-492-7550			
Necessary or locally required supporting do	ocumentation (must be attached)			
Soil observation logs	equired forms			
☑ Other information (list): Report Summary, Property Information	ation, Disclaimer, License			

Compliance criteria:		Attached supporting documentati	on:
System discharges sewage to the ground surface	☐ Yes* ⊠ No	☐ Other: ☐ Not applicable	
System discharges sewage to drain tile or surface waters.	☐ Yes* ⊠ No		
System causes sewage backup into dwelling or establishment.	☐ Yes* ⊠ No		
Any "yes" answer above indicates imminent threat to public health a			
Describe verification methods and	d results:		
None of the above found.			
ank intogrity Compliance	component #2	of E	
<u> </u>	e component #2		
ank integrity – Compliance Compliance criteria:	e component #2	of 5 Attached supporting documentati	on:
Compliance criteria: System consists of a seepage pit,	e component #2		on:
Compliance criteria:	•	Attached supporting documentati	on: Pinky's Sev Service
Compliance criteria: System consists of a seepage pit, cesspool, drywell, leaching pit,	•	Attached supporting documentati ☑ Empty tank(s) viewed by inspector	Pinky's Sev Service
Compliance criteria: System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit?	☐ Yes* ☑ No	Attached supporting documentati Empty tank(s) viewed by inspector Name of maintenance business: License number of maintenance business	Pinky's Sev Service ness: <u>L1673</u>
Compliance criteria: System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit? Sewage tank(s) leak below their	☐ Yes* ☑ No	Attached supporting documentati Empty tank(s) viewed by inspector Name of maintenance business: License number of maintenance business	Pinky's Sev <u>Service</u> ness: <u>L1673</u> <u>9/1/2021</u>
Compliance criteria: System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit? Sewage tank(s) leak below their	☐ Yes* ☑ No	Attached supporting documentati Empty tank(s) viewed by inspector Name of maintenance business: License number of maintenance business: Date of maintenance: Existing tank integrity assessment (A	Pinky's Sev <u>Service</u> ness: <u>L1673</u> <u>9/1/2021</u>
Compliance criteria: System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit? Sewage tank(s) leak below their designed operating depth?	☐ Yes* ☑ No	Attached supporting documentati Empty tank(s) viewed by inspector Name of maintenance business: License number of maintenance business Date of maintenance: Existing tank integrity assessment (A Date of maintenance	Pinky's Sev <u>Service</u> ness: <u>L1673</u> <u>9/1/2021</u>
Compliance criteria: System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit? Sewage tank(s) leak below their designed operating depth? If yes, which sewage tank(s) leaks:	☐ Yes* ☒ No ☐ Yes* ☒ No	Attached supporting documentati Empty tank(s) viewed by inspector Name of maintenance business: License number of maintenance business Date of maintenance: Existing tank integrity assessment (A Date of maintenance	Pinky's Sev Service ness: L1673 9/1/2021 ttach)
System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit? Sewage tank(s) leak below their designed operating depth?	☐ Yes* ☒ No ☐ Yes* ☒ No ☐ Yes* ☒ No	Attached supporting documentati	Pinky's Sev Service ness: L1673 9/1/2021 ttach) thin three years)
Compliance criteria: System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit? Sewage tank(s) leak below their designed operating depth? If yes, which sewage tank(s) leaks: Any "yes" answer above indice	☐ Yes* ☒ No ☐ Yes* ☒ No ☐ Yes* ☒ No	Attached supporting documentati Empty tank(s) viewed by inspector Name of maintenance business: License number of maintenance business: Date of maintenance: Existing tank integrity assessment (A Date of maintenance (mm/dd/yyyy): (must be with the form instructions to ensure assessment)	Pinky's Sev Service ness: L1673 9/1/2021 ttach) thin three years)
Compliance criteria: System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit? Sewage tank(s) leak below their designed operating depth? If yes, which sewage tank(s) leaks: Any "yes" answer above indice	☐ Yes* ☒ No ☐ Yes* ☒ No ☐ Yes* ☒ No	Attached supporting documentati	Pinky's Sev Service ness: L1673 9/1/2021 ttach) thin three years)

usiness Name: Midwest Sewer Services	Date: <u>9/9/2021</u>
Other compliance conditions – Compliance component #3 of 5	
3a. Maintenance hole covers appear to be structurally unsound (damaged, cracked, etc.), or unsound (damaged, cracked, etc.), or unsound (damaged, cracked, etc.)	secured?
3b. Other issues (electrical hazards, etc.) to immediately and adversely impact public health or safe	ety2 🗆 Ves* 🕅 No 🗀 Unknov
*Yes to 3a or 3b - System is an imminent threat to public health and safety.	ety: Tes Zivo Cinnov
3c. System is non-protective of ground water for other conditions as determined by inspector?	☐ Yes* ⊠ No
3d. System not abandoned in accordance with Minn. R. 7080.2500?	☐ Yes* ☒ No
*Yes to 3c or 3d - System is failing to protect groundwater.	
Describe verification methods and results:	
Attached supporting documentation: ⊠ Not applicable □	
. Operating permit and nitrogen BMP* – Compliance component #4	of 5 🛭 Not applicable
Is the system operated under an Operating Permit? ☐ Yes ☐ No	If "yes", A below is require
Is the system required to employ a Nitrogen BMP specified in the system design? Yes No	
BMP = Best Management Practice(s) specified in the system design	•
If the answer to both questions is "no", this section does not need to be complete	ed.
Compliance criteria:	
a. Have the operating permit requirements been met?	
b. Is the required nitrogen BMP in place and properly functioning? Yes No	
Any "no" answer indicates noncompliance.	
Describe verification methods and results:	
Describe verification methods and results:	

siness Name: Midwest Sewer Services		Date: 9/9/2021		
Soil separation – Compliance cor	nponent #5	of 5		
Date of installation 1993 (mm/dd/yyyy)	_			
Shoreland/Wellhead protection/Food	☐ Yes ☒ No	Attached supporting documentation:		
beverage lodging?		oxtimes Soil observation logs completed for the report		
Compliance criteria (select one):	1	☐ Two previous verifications of required vertical separat		
5a. For systems built prior to April 1, 1996, and	⊠ Yes □ No*	☐ Not applicable (No soil treatment area)		
not located in Shoreland or Wellhead Protection Area or not serving a food, beverage or lodging establishment:		Reviewed design and permit records.		
Drainfield has at least a two-foot vertical separation distance from periodically saturated soil or bedrock.		_		
5b. Non-performance systems built	☐ Yes ☐ No	Indicate depths or elevations		
April 1, 1996, or later or for non- performance systems located in Shoreland or Wellhead Protection Areas or serving a		A. Bottom of distribution media See Attached Boring Log(s)		
food, beverage, or lodging establishment:		B. Periodically saturated soil/bedrock		
Drainfield has a three-foot vertical		C. System separation		
separation distance from periodically saturated soil or bedrock.*		D. Required compliance separation*		
		*May be reduced up to 15 percent if allowed by Local Ordinance.		
5c. "Experimental", "Other", or "Performance" systems built under pre-2008 Rules; Type IV or V systems built under 2008 Rules 7080. 2350 or 7080.2400 (Intermediate Inspector License required ≤ 2,500 gallons per day; Advanced Inspector License required > 2,500 gallons per day)	☐ Yes ☐ No			
Drainfield meets the designed vertical separation distance from periodically saturated soil or bedrock.				

Upgrade requirements: (Minn. Stat. § 115.55) An imminent threat to public health and safety (ITPHS) must be upgraded, replaced, or its use discontinued within ten months of receipt of this notice or within a shorter period if required by local ordinance. If the system is failing to protect ground water, the system must be upgraded, replaced, or its use discontinued within the time required by local ordinance. If an existing system is not failing as defined in law, and has at least two feet of design soil separation, then the system need not be upgraded, repaired, replaced, or its use discontinued, notwithstanding any local ordinance that is more strict. This provision does not apply to systems in shoreland areas, Wellhead Protection Areas, or those used in connection with food, beverage, and lodging establishments as defined in law.

800-657-3864

https://www.pca.state.mn.us wq-wwists4-31b • 4/28/2021


Describe verification methods and results:

Midwest Sewer Testing Subsurface Sewage Treatment System Owner/Property Information This information will be used for the purpose of conducting an MPCA Compliance Inspection.

This information will be used for the purpose of conducting an MPCA Con	npliance inspection.
Date of Inspection: September 9, 2021	Time: 10:15 AM
Property Address: 1528 Racine Ave S, Lake St. Croix Beach, MN	Zip: 55043
Property Owner: Anna Ekberg	Phone: 651-413-4974
Tank(s) Tank(s)Material Soil Treatment System	Other Alternative system Experimental system Cesspool system Other system
Are the tank maintenance covers accessible? ⊠ Yes □ No *If no,	proper maintenance must be
performed through the maintenance holes. Maintenance hole covers	
the ground surface to facilitate access and proper maintenance of the	system.
	ak size (gals.): 2-1000
How long has seller owned the property? Number of resident to the property of	
Number of bedrooms? 3 Are all floors drained by grav	ity?
Garbage disposal? Whirlpool bath?	
More than one system (laundry, etc.)?	4 9
Does this property have any footing drain tiles connected to the seption	•
Are any buildings on this property such as garages or out-buildings of	
Are there any additional systems on this property serving other buildi	ings'?
Location of septic system on lot? Northwest Side	
	ell a deep well? Y
Have you ever experienced any problems with the system such as: tre surfacing of sewage onto the ground, septic tank overflowing, etc.; or to the system? If yes, explain:	
When was the system last pumped? 9/1/2021 Name of pumper	:: Pinky's Sewer Service
	a monitoring plan?
Have you received notices from any government agency concerning to	this system?
Is your property located in a shoreland management area? N	
Do you have any additional information that should be given to the ne	ew owner?
I hereby certify that the above information is correct to the best of my knowledge. I considered "non-compliant/failing" per MPCA rules, that the inspector must by law local government unit within 15 days of the date of inspection completion. I also a this report, that I/we are ultimately responsible for payment of all fees for all work p by Inspect Minnesota and Midwest Soil Testing	submit a copy of this report to the gree that unless otherwise noted in

Date:

Owner/Occupant:



Soil Observations Log

	Locati	on of Project:	1528 Racine Ave S,	Lake S	St. Croix	Beach, MN	55043
Observations Made By: Midwe		Midwest Sewer Ser	vices		Date:	9/9/2021	
C	Classific	ation System:	USDA				
	Soil Observation: ST-1		Soil Observation:				
Surf Elevat Obser	ion of	dualational		Elevat	face tion of vation		
Depth In Inches	Rock %	Soils Encountered		Depth In Inches	Rock %	Soils Encountered	
0-24 24-32 32-66	≈10	7.5YR 2.5/2 M 7.5YR 3/4 Medi	/2 Medium Sand ledium Coarse Sand um Coarse Sand With Gravel				
66"	Depth T	o End Of Soil O	bservation Or Redox		Depth T	o End Of Soil	Observation Or Redox
Same	Elevation Of Observation Relative To System			Elevation Of Observation Relative To System			
-40" Depth To Bottom Of Distribution Media					Distribution Media		
≥26"	Of Sepa				Of Sepa		
Ezd	Of Cail (Observation At-	66"	End 04	Cail Ob	comuntion At-	
⊏na		Observation At:		Ena Of		servation At:	
Stan		dox Present At:	None None	Standi		x Present At: r Present At:	
Standing Water Present At: None			Janul	ing wate	i i resent Ati		

Bottom Of Distribution Medium At: 40 Inches		
Signature:	Charles Va	

DISCLAIMER

Brian L. Humpal, Inc. dba. Midwest Sewer Services, Inspect Minnesota, Midwest Soil Testing Relative to Subsurface Sewage Treatment System (SSTS) Compliance Inspections

- 1. This inspection/report is being performed for only the seller/owner of the property on which the SSTS is located. In such case that another party is paying for the inspection, the contract is between only said party and Brian L. Humpal, Inc.; there is no contract between Brian L. Humpal, Inc. and any other party unless otherwise noted.
- 3. Brian L. Humpal, Inc. has not been retained to warranty, guarantee, or certify the proper functioning of the SSTS for any period of time beyond the date of inspection or into the future. Because of the numerous factors (usage, maintenance, soil characteristics, previous failures, etc.) which may affect the proper operation of an SSTS, as well as the inability of Brian L. Humpal, Inc. to supervise or monitor the use or maintenance of the SSTS, the report shall not be construed as a warranty by Brian L. Humpal, Inc. that the SSTS will function properly for any particular party for any period of time.
- 4. Brian L. Humpal, Inc. is unable to verify the frequency and/or, quality of prior or future maintenance of the SSTS. Maintenance of the tank(s) must be performed through the tanks maintenance hole. The removal of solids from any location other than the maintenance hole is not a compliant method of maintenance. It is strongly recommended that maintenance covers be made accessible to the ground surface to facilitate proper maintenance.
- 5. Minimum Compliance Inspection requirements relative to this inspection and this report include <u>only</u> verification that the SSTS has tank(s) (septic tanks, lift tanks, dosing tanks, stilling tanks, etc.) which are watertight below the designed operating depth, the required separation between the bottom of the subsurface soil distribution medium and seasonally saturated soils, no back-ups of sewage into the dwelling, no discharge of sewage/effluent to the ground surface or surface waters, and no imminent safety hazards. Brian L. Humpal, Inc. does not inspect plumbing or pumps prior to the first SSTS component as these are plumbing components. The performance of exterior pumps and associated components are not inspected as they are considered to be maintenance items. Additionally, no indications relative to compliance with electrical code requirements have been made. It is recommended that any other applicable plumbing, electrical, housing, etc. inspections be performed by a qualified inspection business. Sewage back-up verification is limited to observing the floor drain area and/or the information supplied by the last occupants of the building prior to inspection. Brian L. Humpal, Inc. cannot guarantee that the information given to them by the last occupants of the building prior to inspection relative to back-ups is accurate.
- 4. Certification of this SSTS does not warranty future use beyond the date of the inspection. Any SSTS, old or new, can become hydraulically overloaded or discharge sewage/effluent to the ground surface as a result of more people moving into the house than were previously occupying the house, improper maintenance, heavy usage, leaking plumbing fixtures, groundwater infiltration, tree roots, freezing conditions, surface drainage problems, poor initial design, poor construction practices, or unsuitable materials used in constructing the system; the system can also simply stop working because of its age. An SSTS that has been properly designed and installed, properly maintained, and used in the manner for which the system was designed can be expected to provide service for twenty to twenty-five years on average. Some parts of the SSTS such as alarms, switches, pumps, filters, etc. will most likely have to be repaired or replaced over the lifetime of the system.
- 5. A Compliance Inspection is not meant to be a test or inspection for longevity of the system; a Compliance Inspection is strictly for the purpose of determining if the SSTS is protective of public health and safety, as well as the groundwater at the date and time the inspection was performed. This inspection is not intended to determine if the SSTS was originally designed or installed to past or present MPCA or other Local Government Unit code requirements. This inspection is not intended to determine if the SSTS was designed and/or installed to support the anticipated flow from the building as the use of the building may have changed since the design and construction of the SSTS due to the addition of bedrooms, occupants, etc. In addition, this inspection is not intended to determine the quality of the original SSTS design, the quality of the construction practices used while installing the SSTS, or the quality of the materials used in constructing the SSTS.
- 6. Brian L. Humpal, Inc. cannot guarantee the performance of SSTS products/components such as: gravelless pipe, chamber trenches, effluent filters, tanks, sewage pre-treatment components, piping, etc. Products such as gravelless pipe are no longer approved for installation in the State of Minnesota and may have a significantly reduced performance and/or life expectancy.
- 7. WINTER WORK: By accepting this report, it is understood that inspections conducted during winter months (approximately November 1st through April 1st) are more difficult to perform because of possible snow cover and/or ground frost. SSTS components such as tanks, maintenance covers, tank inspection pipes, subsurface distribution medium inspection pipes, and soil treatment areas are more difficult or impossible to locate due to snow cover and/or ground frost. In addition, soil borings are more difficult to perform due to snow cover and/or ground frost. Brian L. Humpal, Inc. will attempt to use the same level of standards when performing work during winter periods as when performing work during non-winter periods. However, the recipient of this report understands that because of the aforementioned considerations, the same level of standards may not be possible.
- 8. By accepting this report, the client understands that Brian L. Humpal, Inc. will not be responsible for any monetary damages exceeding the fee for the services provided.

Subsurface Sewage Treatment Systems

Non-transferable

Business License

Midwest Sewer Services

License # L2896

License Expires: 12/22/2021

Issued: 11/06/2020

Specialty Area(s):

Installer

Maintainer

Service Provider

Advanced Designer

Advanced Inspector

Designated Certified Individual(s):

Cert #

Name

Certification Expires:

C5342

Brian L'Humpal

10/15/2023

Installer, Maintainer, Serv Prov, Adv Designer, Adv Inspector

C9852

Christopher R Uebe

3/4/2024

Designer, Inspector



520 Lafayette Road North St. Paul, Minnesota 55155-4194 Nich Haig

Nick Haig, Supervisor Certification and Training Unit