



WASHINGTON COUNTY, MINNESOTA
 Department of Public Health
 and Environment 651/430-6688

Scanned 8/11/08 sm

PERMIT NUMBER DENMARK TOWNSHIP
 000403017 SEWAGE PERMIT

Owner : ANTHONY PIENKA
 8628 JOLIET AVE S
 COTTAGE GROVE MN 55016
 Applicant : ANTHONY PIENKA 458-2260

| | |
|--------------------------------|--------|
| NEW DRAINFIELD PERMIT | 205.00 |
| SEPTIC APPLICATION/SOIL REVIEW | 195.00 |
| Total Fees : | 400.00 |
| Total Paid : | 400.00 |
| Total Due : | .00 |

PERMISSION IS HEREBY GRANTED

To execute the work specified in this permit on the following described property upon express condition that said persons and their agents, employees and workmen shall conform in all respects to the provisions of the Building Code, and/or Ordinances. This permit may be revoked at any time upon the violation of any of the provisions of said code and ordinances.

Project Address : 6962 O'DELL AVE S HASTINGS MN 55016
 Legal Description: LOT 001 BLOCK 001 FIELDCREST Gen : 4-027-20-33-0003
 Flow Capacity 750 Gal/Day Tank Volume 2500
 Soil Conditions: Depth to Restriction 72 Inches Perc Rate 78 Min/Inch

Soil Treatment Type:
 Bottom Area 1300 Rock Depth 12

Authorized Work / Special Conditions

- Install individual sewage treatment system as per approved design in area tested and shown on site plan.
- Maximum trench depth 36 inches into natural soil.

** Permit Expiration Date : Sewage Treatment :

A CERTIFICATE OF OCCUPANCY MUST BE REQUESTED AND ISSUED PRIOR TO USE OR OCCUPANCY OF WORK PERMITTED BY A BUILDING PERMIT.

** This permit shall expire and be null and void if the work authorized by the Building Permit is not commenced within 60 days of the date of issuance or if work is abandoned or suspended for a period of 120 days. Term of the Building Permit is 12 months from date of issue. Term of sewage treatment permit is 12 months from date of issue.

Penalty for violation of any of the provisions of building code: Fine not to exceed five hundred dollars (\$500.00) or imprisonment for not more than ninety (90) days, or both.

Permit Issue Date 2003-07-02 Code Enforcement Officer