

520 Lafayette Road North St. Paul, MN 55155-4194

Compliance Inspection Form

Existing Subsurface Sewage Treatment Systems (SSTS)

Doc Type: Compliance and Enforcement

Inspection results based on Minnesota Pollution Control Agency (MPCA) requirements and attached forms – additional local requirements may also apply.	For local tracking purposes:					
Submit completed form to Local Unit of Government (LUG) and system owner within 15 days						
System Status						
System status on date (mm/dd/yyyy): 22 Jus 16						
	ient Notice of November					
Compliant – Certificate of Compliance (Valid for 3 years from report date, unless shorter time frame outlined in Local Ordinance.) Noncompliant – Notice of Noncompliance (See Upgrade Requirements on page 3.)						
Reason(s) for noncompliance (check all applicable)						
☐ Impact on Public Health (Compliance Component #1) – Imminent threat to	public health and safety					
Other Compliance Conditions (Compliance Component #3) – Imminent three	12 Annual Control of the Control of					
☐ Tank Integrity (Compliance Component #2) — Failing to protect groundwate						
☐ Other Compliance Conditions (Compliance Component #3) – Failing to pro ☐ Soil Separation (Compliance Component #4) – Failing to protect groundwa						
☐ Operating permit/monitoring plan requirements (Compliance Component #3						
Property Information Parcel ID# or Sec/Twp/Rang	e:					
Property address: <u>11449 Kingsborough Trail</u> , Cottage Reason for	rinspection: Routine					
	hone: 612-369-5954 cell					
	tativa abana.					
	ative phone: y authority phonę:					
Brief system description: 2 Septie tanks 3 drawn	I'll leave					
Comments or recommendations:						
Certification						
I hereby certify that all the necessary information has been gathered to determine the co determination of future system performance has been nor can be made due to unknowr possible abuse of the system, inadequate maintenance, or future water usage.						
Inspector name: Bob Freiermuth Certification	on number: C818					
Business name: Bob Freiermuth Santitation, LLC Licens	se number: L492					
Inspector signature: Phor	ne number:651-437-5566					
Necessary or Locally Required Attachments						
Soil boring logs System/As-built drawing Forms per le	ocal ordinance					
Other information (list):						

Property address: 11449 Kingsborough Trail, Cottage Grove, Inspector initials/Date: 122 16 (mm/dd/yy/y)							
1.	. Impact on Public Health — Compliance component #1 of 5 Compliance criteria: Verification method(s):						
	System discharges sewage to the ground surface.	☐ Yes ☐ No	Searched for surface outlet Searched for seeping in yard/backup in home				
	System discharges sewage to drain tile or surface waters.	☐ Yes ☑ No	☐ Excessive ponding in soil system/D-boxes ☐ Homeowner testimony (See Comments/Explanation)				
	System causes sewage backup into dwelling or establishment.	☐ Yes ☐ No	☐ "Black soil" above soil dispersal system ☐ System requires "emergency" pumping				
,	Any "yes" answer above indisystem is an imminent threat health and safety. Comments/Explanation:		☐ Oystem requires emergency pumping ☐ Performed dye test ☐ Unable to verify (See Comments/Explanation) ☐ Other methods not listed (See Comments/Explanation)				
2.	Tank Integrity — Compliance of	component #2 of 5					
	Compliance criteria:		Verification method(s):				
	System consists of a seepage pit, cesspool, drywell, or leaching pit.	☐ Yes ☑ No	✓ Probed tank(s) bottom✓ Examined construction records				
S.E	Seepage pits meeting 7080.2550 may be compliant if allowed in local ordinance.		☐ Examined Tank Integrity Form (Attach)				
	Sewage tank(s) leak below their designed operating depth. If yes, which sewage tank(s) leaks:	☐ Yes ☑ No	 ☐ Observed liquid level below operating depth ☐ Examined empty (pumped) tanks(s) ☐ Probed outside tank(s) for "black soil" 				
,-	Any "yes" answer above indic system is failing to protect gro Comments/Explanation:		☐ Unable to verify (See Comments/Explanation) ☐ Other methods not listed (See Comments/Explanation)				
3.	Other Compliance Condition	s – Compliance compo	nent #3 of 5				
	a. Maintenance hole covers are damage	ged, cracked, unsecured, o	or appear to be structurally unsound. Yes* No Unknown				
	b. Other issues (electrical hazards, etc.) to immediately and adversely impact public health or safety. *System is an imminent threat to public health and safety. Explain:						
	c. System is non-protective of ground water for other conditions as determined by inspector . Yes* No *System is failing to protect groundwater. Explain:						

www.pca.state.mn.us • 651-296-6300 • 800-657-3864 • TTY 651-282-5332 or 800-657-3864 • Available in alternative formats wq-wwists4-31b • 6/4/14 Page 2 of 3

		MIN	22010		1	(mm/dd/yy/yy)
4. Soil Separation - Compliance co	ompone	nt #4 of	f 5			
Date of installation:	☑ Unkı	nown	Verif	ication method(s):		
(mm/dd/yyyy) Shoreland/Wellhead protection/Food beverage lodging?	☐ Yes	No	obser	bservation does not exp vations by two independ s site conditions have be	ent partie	s are sufficient,
Compliance criteria:				ements differ.	en altered	or local
For systems built prior to April 1, 1996, and not located in Shoreland or Wellhead Protection Area or not serving a food, beverage or lodging establishment:	☐ Yes	□No	☐ Tw	onducted soil observation on previous verifications of applicable (Holding tank	(Attach bo (s), no drai	ring logs) infield)
Drainfield has at least a two-foot vertical separation distance from periodically saturated soil or bedrock.				able to verify (See Comm her (See Comments/Explai	- 5	nation)
Non-performance systems built April 1, 1996, or later or for non-performance systems located in Shoreland or Wellhead Protection Areas or serving a food, beverage, or lodging establishment:	☑ Yes	□No	1-	nents/Explanation: 8 Black Tog 0° 7,5 yR 5/6 /		
Drainfield has a three-foot vertical separation distance from periodically saturated soil or bedrock.*			40° 50 50-76"	0° 75 YR 5/6 1 "loyr 6/4 , 10 YR 5/8 co	med - use t	SAND Course
"Experimental", "Other", or "Performance" systems built under pre-2008 Rules; Type IV or V systems built under 2008 Rules (7080. 2350 or 7080.2400 (Advanced Inspector License required)	Yes	□No	A. Bot	ate depths or elevati	ons 9	9 mc
Drainfield meets the designed vertical separation distance from periodically saturated soil or bedrock.			C. Sys	stem separation	3	6"
Any "no" answer above indicates to failing to protect groundwater.			*May I Ordin	quired compliance separation to 15 percenters.	cent if allo	,
5. Operating Permit and Nitrogen	BMP*	- Comp	liance com	ponent #5 of 5	Not	applicable
Is the system operated under an Operating	Permit?		Yes No	If "yes", A below is a	equired	
Is the system required to employ a Nitroger	BMP?		Yes No	If "yes", B below is a	equired	
BMP = Best Management Practice(s) s	specified i	n the sys	tem design			
If the answer to both questions is "n	o", this	section	does not n	need to be completed	1.	
Compliance criteria						
a. Operating Permit number:						
Have the Operating Permit requirements been met?		☐ Yes ☐ No				
b. Is the required nitrogen BMP in place	and prope	erly funct	ioning?	☐ Yes ☐ No		
Any "no" answer indicates Nonc	ompliar	ice.		000 0000 000 000 000 000 000 000 000 0		
Upgrade Requirements (Minn. Stat. § 115.55) discontinued within ten months of receipt of this i						

Property address: 11449 Kingsborough Trail, Cottage Grove,

800-657-3864 TTY 651-282-5332 or 800-657-3864 Available in alternative formats www.pca.state.mn.us 651-296-6300 Page 3 of 3

Wellhead Protection Areas, or those used in connection with food, beverage, and lodging establishments as defined in law.

ground water, the system must be upgraded, replaced, or its use discontinued within the time required by local ordinance. If an existing system is not failing as defined in law, and has at least two feet of design soil separation, then the system need not be upgraded, repaired, replaced, or its use discontinued, notwithstanding any local ordinance that is more strict. This provision does not apply to systems in shoreland areas,

Date:

27 June 16

Customer Name:

Tom Wilebski

Street Address:

11449 Kingsborough Trail

City, State, Zip:

Cottage Grove, MN 55016

Phone Number:

612-369-5954

COMPANY DISCLAIMER

Based on what we were able to observe and on our experience with on-site wastewater technology, we submit this Onsite Sewage Treatment System Inspection Report based on the present condition of the onsite sewage disposal system.

Bob Freiermuth has not been retained to warrant, guarantee, or certify the proper functioning of the system for any period of time in the future. Because of the numerous factors (usage, soil characteristics, previous failures, etc.) which may affect the proper operation of a septic system, as well as the inability of our company to supervise or monitor the use or maintenance of the system, this report shall not be construed as a warranty by our company that the system will function properly for any particular buyer. Bob Freiermuth hereby DISCLAIMS ANY WARRANTY, either expressed or implied, arising from the inspection of the septic system or this report. We are also not ascertaining any affect the system is having on the groundwater.

Inspecting Company	Phone	651-43/-5566	(Office)
Bob Freiermuth Sanitation, LLC	License No.	818	
· v	a a		
Owners signature			

I have studied the information contained herein and certify that my assessment is honest, thorough, and to the best of my ability, correct.

Name:

Title:

SSTS Inspector 818

