



Department of Public Health and Environment
 14949 62nd Street North PO Box 6
 Stillwater MN 55082-0006
 Office: 651-430-6655 TTY: 651-430-6246 Fax: 651-430-6730

Review Fee:	\$280.00
Permit Fee:	\$295.00
Total Fee:	\$575.00
Previous Payment	\$575.00
Balance Due	\$0.00

Community: May Township
Permit Number: 0009-11-1
Owner: Sandra Davis
 15455 Square Lake TR N
 Stillwater MN 55082-
Applicant: Sandra Davis Estate of Genevieve Nelson

Scanned 5-13-11

PERMISSION IS HEREBY GRANTED

To execute the work specified in this permit on the following identified property upon express condition that said persons and their agents, and employees shall conform in all respects to the provisions of Ordinance #179, Washington County Development Code, Chapter Four, Subsurface Sewage Treatment System Regulations. This permit may be revoked at any time upon violation of any of the provisions of said ordinance.

Project Address: 15711 Square Lake TR N
Geo Code: 24-031-20-34-0001
Designer: Inspect Minnesota, Midwest Soil Testing

Type of System: Drainfield		Pressure Distribution	
		N / A	
Design Criteria		Drainfield Sizing	
Percolation Rate:	3	Square Feet:	750
Depth To Restriction:	96	Lineal:	250 Feet
Land Slope:	7.00%	Depth Of Rock Below:	6 Inches
Flow Rate:	450	Maximum Trench Depth:	42 Inches
Number of Bedrooms:	3	Number Of Trenches:	5
<input type="checkbox"/> Gravelless		Length Of Trenches:	50 Feet
<input type="checkbox"/> Chambered		Spacing Of Trenches:	7.5 Feet
Tank Sizes			
Tank 1:	1000	Tank 2:	1000
Tank 3:	0	Lift Station:	1000

*0509
111*

Authorized Work/Special Conditions

1. Effluent Filter with Alarm Required
2. Install individual sewage treatment system as per approved design in area tested and shown on the site plan.
3. See attached non-level pressure distribution design.

P. Ganzel

Permit Issue Date: 5/13/2011
 Permit Expiration Date: 5/12/2012

Pete Ganzel
 Senior Environmental Specialist