### **Midwest Sewer Services**

P.O. Box 10853 White Bear Lake, MN 55110 651-492-7550/Brian@Midwestsoiltesting.com

Brian Humpal

MPCA Licensed Advanced Inspector

### SUBSURFACE SEWAGE TREATMENT SYSTEM (SSTS) COMPLIANCE REPORT

**Date:** November 7, 2022 **Time:** 12:00 PM **Owner:** Scott Leick **Inspection Address:** 10675 Grey Cloud Island Dr S, Grey Cloud Island Twp, MN 55071

#### **REPORT SUMMARY**

I have performed an "MPCA Compliance Inspection" on this system and have reviewed the original design/permit records on file at Washington County. This older system (installed in 1996) consists of two pre-cast septic tanks and a rock trench drainfield. Pinky's Sewer Service pumped the septic tank on July 27, 2022.

My inspection indicates that this system is presently "non-compliant" in accordance with MPCA rules 7080.1500 Subp.4(B)(D) because of the lack of the required three foot separation between the bottom of the drainfield and seasonally saturated soils.

In accordance with MPCA rules, I am sending a copy of this complete report to Washington County. I cannot officially speak on behalf of the County relative to the upgrade requirements of these non-compliant systems. Please contact the Washington County Department of Public Health & Environment (651-430-6655) to verify the County's position.

Please advise buyer, agents, lender, etc. to contact me should they have any questions regarding this system.

Christopher Uebe

Brian Humpal

Brian Humpal



520 Lafayette Road North St. Paul, MN 55155-4194

# Compliance inspection report form

**Existing Subsurface Sewage Treatment System (SSTS)** 

Doc Type: Compliance and Enforcement

Instructions: Inspector must submit completed form to Local Governmental Unit (LGU) and system owner within 15 days of final determination of compliance or noncompliance. Instructions for filling out this form are located on the Minnesota Pollution Control Agency (MPCA) website at <a href="https://www.pca.state.mn.us/sites/default/files/wq-wwists4-31a.pdf">https://www.pca.state.mn.us/sites/default/files/wq-wwists4-31a.pdf</a>.

Property information	Local tracking number:		
Parcel ID# or Sec/Twp/Range:	Reason for Inspection Property Transfer		
Local regulatory authority info: Washington County			
Property address: 10675 Grey Cloud Island Dr S, Grey Cloud	island Twp, MN 55071		
Owner/representative: Scott Leick	Owner's phone: 651-592-2235		
Brief system description: Two pre-cast septic tanks and a rock t	rench drainfield.		
System status			
System status on date (mm/dd/yyyy): 11/9/2022			
☐ Compliant – Certificate of compliance*			
(Valid for 3 years from report date unless evidence of an imminent threat to public health or safety requiring removal and	Systems failing to protect ground water must be upgraded, replaced, or use discontinued within the time required by local ordinance.		
abatement under section 145A.04, subdivision 8 is discovered or a shorter time frame exists in Local Ordinance.) *Note: Compliance indicates conformance with Minn.	An imminent threat to public health and safety (ITPHS) must be upgraded, replaced, or its use discontinued within ten months of receipt of this notice or within a shorter period if required by local ordinance or		
R. 7080.1500 as of system status date above and does not guarantee future performance.	under section 145A.04 subdivision 8.		
Reason(s) for noncompliance (check all applicab	ole)		
<ul> <li>☐ Impact on public health (Compliance component #1) – Imminent threat to public health and safety</li> <li>☐ Tank integrity (Compliance component #2) – Failing to protect groundwater</li> <li>☐ Other Compliance Conditions (Compliance component #3) – Imminent threat to public health and safety</li> <li>☐ Other Compliance Conditions (Compliance component #3) – Failing to protect groundwater</li> <li>☐ System not abandoned according to Minn. R. 7080.2500 (Compliance component #3) – Failing to protect groundwater</li> <li>☐ Soil separation (Compliance component #5) – Failing to protect groundwater</li> <li>☐ Operating permit/monitoring plan requirements (Compliance component #4) – Noncompliant - local ordinance applies</li> <li>Comments or recommendations</li> </ul>			
Certification			
	to determine the compliance status of this system. No determination of wn conditions during system construction, possible abuse of the system,		
By typing my name below, I certify the above statements to be true used for the purpose of processing this form.	and correct, to the best of my knowledge, and that this information can be		
Business name: Midwest Sewer Services	Certification number: 5342/9852		
Inspector signature: Brian Humpal Home	License number: L2896		
(This document has been electronically sign			
Necessary or locally required supporting do	cumentation (must be attached)		
Soil observation logs	quired forms 🛛 Tank Integrity Assessment 🔲 Operating Permit		
☑ Other information (list): Report Summary, Property Information	tion, Disclaimer		

https://www.pca.state.mn.us wq-wwists4-31b • 4/28/2021 800-657-3864

Compliance criteria:		Attached supporting documentation:
System discharges sewage to the ground surface	☐ Yes* ⊠ No	☐ Other: ☐ Not applicable
System discharges sewage to drain tile or surface waters.	☐ Yes* ⊠ No	
System causes sewage backup into dwelling or establishment.	☐ Yes* ⊠ No	
Any "yes" answer above indicates imminent threat to public health a		
Describe verification methods and	d results:	
None of the above found.		
<b>nk integrity –</b> Compliance	e component #2	of 5
<b>nk integrity</b> – Compliance Compliance criteria:	e component #2	
Compliance criteria: System consists of a seepage pit,	e component #2	of 5  Attached supporting documentation:  □ Empty tank(s) viewed by inspector
Compliance criteria:	· · · · · · · · · · · · · · · · · · ·	Attached supporting documentation:
Compliance criteria:  System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit?  Sewage tank(s) leak below their	· · · · · · · · · · · · · · · · · · ·	Attached supporting documentation:  ☐ Empty tank(s) viewed by inspector
Compliance criteria:  System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit?	☐ Yes* ☒ No	Attached supporting documentation:  Empty tank(s) viewed by inspector  Name of maintenance business:
Compliance criteria:  System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit?  Sewage tank(s) leak below their	☐ Yes* ☒ No	Attached supporting documentation:  Empty tank(s) viewed by inspector  Name of maintenance business:  License number of maintenance business:
Compliance criteria:  System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit?  Sewage tank(s) leak below their	☐ Yes* ☒ No	Attached supporting documentation:  Empty tank(s) viewed by inspector  Name of maintenance business:  License number of maintenance business:  Date of maintenance:
Compliance criteria:  System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit?  Sewage tank(s) leak below their designed operating depth?	☐ Yes* ☒ No ☐ Yes* ☒ No ☐ Yes* ☒ No	Attached supporting documentation:  Empty tank(s) viewed by inspector  Name of maintenance business:  License number of maintenance business:  Date of maintenance:  Existing tank integrity assessment (Attach)  Date of maintenance  7/27/2022
Compliance criteria:  System consists of a seepage pit, cesspool, drywell, leaching pit,	· · · · · · · · · · · · · · · · · · ·	Attached supporting documentation:  ☐ Empty tank(s) viewed by inspector
Compliance criteria:  System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit?  Sewage tank(s) leak below their	☐ Yes* ☒ No	Attached supporting documentation:  Empty tank(s) viewed by inspector  Name of maintenance business:  License number of maintenance business:  Date of maintenance:
Compliance criteria:  System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit?  Sewage tank(s) leak below their	☐ Yes* ☒ No	Attached supporting documentation:  Empty tank(s) viewed by inspector  Name of maintenance business:  License number of maintenance business:  Date of maintenance:  Existing tank integrity assessment (Attach)
Compliance criteria:  System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit?  Sewage tank(s) leak below their designed operating depth?	☐ Yes* ☒ No	Attached supporting documentation:  Empty tank(s) viewed by inspector  Name of maintenance business:  License number of maintenance business:  Date of maintenance:  Existing tank integrity assessment (Attach)  Date of maintenance  7/27/2022
Compliance criteria:  System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit?  Sewage tank(s) leak below their designed operating depth?  If yes, which sewage tank(s) leaks:	☐ Yes* ☒ No ☐ Yes* ☒ No	Attached supporting documentation:  Empty tank(s) viewed by inspector  Name of maintenance business:  License number of maintenance business:  Date of maintenance:  Existing tank integrity assessment (Attach)  Date of maintenance  (mm/dd/yyyy):  (must be within three years)
Compliance criteria:  System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit?  Sewage tank(s) leak below their designed operating depth?  If yes, which sewage tank(s) leaks:  Any "yes" answer above indicates.	☐ Yes* ☒ No ☐ Yes* ☒ No ☐ Yes* ☒ No	Attached supporting documentation:  Empty tank(s) viewed by inspector  Name of maintenance business:  License number of maintenance business:  Date of maintenance:  Existing tank integrity assessment (Attach)  Date of maintenance  (mm/dd/yyyy):  (See form instructions to ensure assessment com

	perty Address: 10675 Grey Cloud Island Dr S, Grey Cloud Island Twp, MN 55071  Siness Name: Midwest Sewer Services	Date: 11/9/2022
3.	Other compliance conditions – Compliance component #3 of 5	
	<ul> <li>3a. Maintenance hole covers appear to be structurally unsound (damaged, cracked, etc.), or under the covers appear to be structurally unsound (damaged, cracked, etc.), or under the covers appear to be structurally unsound (damaged, cracked, etc.), or under the covers appear to be structurally unsound (damaged, cracked, etc.), or under the covers appear to be structurally unsound (damaged, cracked, etc.), or under the covers appear to be structurally unsound (damaged, cracked, etc.), or under the covers appear to be structurally unsound (damaged, cracked, etc.), or under the covers appear to be structurally unsound (damaged, cracked, etc.), or under the covers appear to be structurally unsound (damaged, cracked, etc.), or under the covers appear to be structurally unsound (damaged, cracked, etc.), or under the covers appear to be structurally unsound (damaged, cracked, etc.).</li> </ul>	
	*Yes to 3a or 3b - System is an imminent threat to public health and safety.	
	3c. System is non-protective of ground water for other conditions as determined by inspector?	☐ Yes* ☒ No
	3d. System not abandoned in accordance with Minn. R. 7080.2500?	☐ Yes* ☒ No
	*Yes to 3c or 3d - System is failing to protect groundwater.	
	Describe verification methods and results:	
	Attached supporting documentation:   Not applicable	
4.	Operating permit and nitrogen BMP* – Compliance component #4	of 5 🛭 Not applicable
	Is the system operated under an Operating Permit?	If "yes", A below is required
	Is the system required to employ a Nitrogen BMP specified in the system design? ☐ Yes ☐ No	If "yes", B below is required
	BMP = Best Management Practice(s) specified in the system design	
	If the answer to both questions is "no", this section does not need to be complete	ed.
	Compliance criteria:	
	a. Have the operating permit requirements been met? ☐ Yes ☐ No	
	b. Is the required nitrogen BMP in place and properly functioning? $\ \square$ Yes $\ \square$ No	
	Any "no" answer indicates noncompliance.	
	Describe verification methods and results:	
	Attached supporting documentation: ☐ Operating permit (Attach) ☐	

https://www.pca.state.mn.us • 651wq-wwists4-31b • 4/28/2021 800-657-3864

siness Name: Midwest Sewer Services		Date: _11.	/9/2022	
Soil separation – Compliance con	nponent #5	of 5		
Date of installation 1996 (mm/dd/yyyy)	Unknown			
Shoreland/Wellhead protection/Food	⊠ Yes □ No	Attached supporting documentation:		
beverage lodging?		oxtimes Soil observation logs completed for the report		
Compliance criteria (select one):	I	☐ Two previous verifications of required	vertical separation	
5a. For systems built prior to April 1, 1996, and	☐ Yes ☐ No*	☐ Not applicable (No soil treatment area)		
not located in Shoreland or Wellhead Protection Area or not serving a food, beverage or lodging establishment:				
Drainfield has at least a two-foot vertical separation distance from periodically saturated soil or bedrock.				
5b.Non-performance systems built	☐ Yes ☐ No*	Indicate depths or elevations		
April 1, 1996, or later or for non- performance systems located in Shoreland or Wellhead Protection Areas or serving a		A. Bottom of distribution media	See Attached Boring Log(s)	
food, beverage, or lodging establishment:		B. Periodically saturated soil/bedrock		
Drainfield has a three-foot vertical		C. System separation		
separation distance from periodically saturated soil or bedrock.*		D. Required compliance separation*		
		*May be reduced up to 15 percent if allo Ordinance.	wed by Local	
5c. "Experimental", "Other", or "Performance" systems built under pre-2008 Rules; Type IV or V systems built under 2008 Rules 7080. 2350 or 7080.2400 (Intermediate Inspector License required ≤ 2,500 gallons per day; Advanced Inspector License required > 2,500 gallons per day)	☐ Yes ☐ No*			
Drainfield meets the designed vertical separation distance from periodically saturated soil or bedrock.				


**Upgrade requirements:** (Minn. Stat. § 115.55) An imminent threat to public health and safety (ITPHS) must be upgraded, replaced, or its use discontinued within ten months of receipt of this notice or within a shorter period if required by local ordinance. If the system is failing to protect ground water, the system must be upgraded, replaced, or its use discontinued within the time required by local ordinance. If an existing system is not failing as defined in law, and has at least two feet of design soil separation, then the system need not be upgraded, repaired, replaced, or its use discontinued, notwithstanding any local ordinance that is more strict. This provision does not apply to systems in shoreland areas, Wellhead Protection Areas, or those used in connection with food, beverage, and lodging establishments as defined in law.

Describe verification methods and results:

City: Grey Cloud 181cmel s	1Stand Dr. Parcel ID:
Sign of Court 18 to 18 t	tate: MM Zip code: 5501
Optional section: Sewage Tank Compliance Co	
This form does not represent a complete system inspection re	port and only certifies sewage tank compliance status.
Instructions: This section of the form may be completed and sign Maintenance Business who personally conducts the necessary prothe system.	ad hu = Darian I I Course I I I I I I I I I I I I I I I I I I I
When this section of the form is signed by a qualified certified profe Existing System Compliance Inspection Report: Compliance Inspection on the MPCA website at <a failure="" groundwater."<="" href="https://www.pca.state.mn.us/water/state.nn.us/water/state&lt;/td&gt;&lt;td&gt;cition form - Existing system (wq-wwists4-31b). This form can be ssts-and-msts-technical-and-compliance-criteria&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;The information and certified statement on this form is &lt;b&gt;required&lt;/b&gt; whindividual other than the SSTS Inspector that submits the inspectio component compliance and is allowable under Minn. R. 7082.0700 three years beyond the signature date on this form unless a new expequired according to local regulations. Additional Administrative R. 7082.0700, subp. 4 Items B, C, and D; 7083.0730 Item C.&lt;/td&gt;&lt;td&gt;nen existing septic tank compliance status is determined by an in report. It represents a third party assessment of SSTS, subp. 4 Item (B) subitem (1). This form is valid for a period of&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;☑ Certificate of sewage tank compliance&lt;/td&gt;&lt;td&gt;☐ Notice of sewage tank non-compliance&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;Affirm all three statements:&lt;/td&gt;&lt;td&gt;Select all that apply:&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;ul&gt;     &lt;li&gt;The SSTS does not contain a seepage pit, cesspool, drywell, leaching pit, or other pit.&lt;/li&gt;     &lt;li&gt;It does not contain a sewage tank that was designed to be watertight, but subsequently leaks below the&lt;/li&gt; &lt;/ul&gt;&lt;/td&gt;&lt;td&gt;□ The SSTS has a seepage pit, cesspool, drywell, leaching pit, or other pit – " protect="" td="" to=""></a>	
designed operating depth.  It does not represent an imminent safety threat by	It has a sewage tank that was designed to be watertight, but subsequently leaks below the designed operating depth – "Failure to Protect Groundwater."
reason of unsecured, damaged, or weak maintenance hole cover(s) or other unsafe condition.	☐ It presents a threat to public safety by reason of
	unsecured, damaged, or weak maintenance hole cover(s) or other unsafe condition – "Imminent Threat to Public Health or Safety."
Company information	Designated Certified Individual (DCI) information
Company name: Pinky's Sewer Service	Print name: Nick St. Claire
Business license number: 1673	Certification number: C9755
I personally conducted the work described above as a Designated C Business. I personally conducted the necessary procedures to asse	Certified Individual of a Minnesota-licensed SSTS Maintenance ss the compliance status of each sewage tank in this SSTS:
Designated Certified Individual's signature:	Date (mm/dd/yyyy): 7/27/122

# Midwest Sewer Testing Subsurface Sewage Treatment System Owner/Property Information This information will be used for the purpose of conducting an MPCA Compliance Inspection.

The property of the property o	- I
Date of Inspection: November 9, 2022	Time: 12:00 PM
Property Address: 10675 Grey Cloud Island Dr S, Grey Cloud Island	
Twp, MN	Zip: 55071
Property Owner: Scott Leick	Phone: 651-592-2235
Septic 2       Fiberglass       ⊠Rock trench       □Alterna         □ Aerobic       □Plastic       □Gravelless trench       □Experin         □ Lift       □ Metal       □Chamber trench       □Cesspo         □ Holding       □Concrete       □Seepage bed       □Other s         □ Other:       □Block       □Mound         □ Other       □At-grade	Other Intive system mental system ol system ystem
Are the tank maintenance covers accessible?   Yes  No *If no, proper	
performed through the maintenance holes. Maintenance hole covers should	
the ground surface to facilitate access and proper maintenance of the system	l.
Year house built: 1996 Year septic installed: 1996 Tank size	(gals.): 1-1500, 1-1000
How long has seller owned the property? Number of residents in	
Number of bedrooms? 5 Are all floors drained by gravity?	
Garbage disposal? Whirlpool bath?	
More than one system (laundry, etc.)?	
Does this property have any footing drain tiles connected to the septic system	
Are any buildings on this property such as garages or out-buildings connected	ed to this system?
Are there any additional systems on this property serving other buildings?	
Location of septic system on lot? North Side	
Location of water well on lot? Southeast Side  Is the well a de	1
When was the system last pumped? 7/27/2022 Name of pumper: Pinky	y's Sewer Service
How often pumped in previous years?	<u> </u>
Have you received notices from any government agency concerning this sys	stem?
Is your property located in a shoreland management area? Y	
Do you have any additional information that should be given to the new own	ner?
I hereby certify that the above information is correct to the best of my knowledge. I also und considered "non-compliant/failing" per MPCA rules, that the inspector must by law submit local government unit within 15 days of the date of inspection completion. I also agree that this report, that I/we are ultimately responsible for payment of all fees for all work performed by Inspect Minnesota and Midwest Soil Testing	a copy of this report to the at unless otherwise noted in
Owner/Occupant: Date:	



## **Soil Observations Log**

Observations Made By: Midwest Sewer Services Date: 11/9/2022  Classification System: USDA  Soil Observation: Pit - 1 Soil Observation:  Surface Elevation of Observation  Depth In Inches Inches	Locat	ion of Project:	10675 Grey Cloud	Island [	or S, Gr	ey Cloud Isl	and Twp, MN 55071
Soil Observation:  Surface Elevation of Observation  Depth In Inches  0-15 1-9-33 5-1 2-19 0-2-19 1-9-30 3-50 10YR 3/4 Medium Coarse Sand With Bedrock  Soil Observation  Depth To End Of Soil Observation Or Bedrock  Same Elevation of Observation  Pit - 1 Soil Observation:  Surface Elevation of Observation  Depth In Inches  10YR 3/3 Silt Loam 10YR 4/6 Silt Loam 10YR 4/6 Silt Loam 10YR 4/6 Medium Coarse Sand With Rock And Cobbles 33-51 3-51 3-50 10YR 3/4 Medium Coarse Sand With Bedrock  Same Elevation of Observation Or Bedrock  Depth To End Of Soil Observation Or Redo  Same Elevation of Observation Relative To System  Elevation of Observation Relative To System  Depth To Bottom Of Distribution Media  Depth To Bottom Of Distribution Media  Of Separation					•		
Surface Elevation of Observation  Depth In Inches  O-15  O-10  O-15  O-10  O-15  O-15  O-15  O-10  O-15  O-15  O-15  O-10  O-15  O-10  O-15  O-15  O-10  O-15  O-15  O-10  O-15  O-10  O-15  O-15  O-10  O-15  O-10  O-15  O-15  O-15  O-10  O-15  O-10  O-15  O-10  O-15  O-15  O-10  O-15  O-15  O-10  O-15  O-15  O-15  O-15  O-15  O-15  O-10  O-15  O-1	Classific	cation System:	USDA				
Elevation of Observation    Depth In Inches   Rock %   Soils Encountered   Depth In Inches	So	oil Observation: Pit - 1		Soil Observation:			
Tinches   Rock %   Solls Encountered   Tinches   Tinch	Elevation of	_		Elevat	ion of		
15-19 19-33 >50 10YR 4/6 Medium Coarse Sand With Rock And Cobbles 33-51 >50 10YR 3/4 Medium Coarse Sand With Gravel 51-90 >50 10YR 3/4 Medium Coarse Sand With Bedrock  51" Depth To End Of Soil Observation Or Bedrock Same Elevation Of Observation Relative To System  -53" Depth To Bottom Of Distribution Media =0" Of Separation  10YR 4/6 Medium Coarse Sand With Rock And Cobbles 10YR 3/4 Medium Coarse Sand With Bedrock  Depth To End Of Soil Observation Or Redo Depth To End Of Soil Observation Or Redo Elevation Of Observation Relative To System Depth To Bottom Of Distribution Media Of Separation  Of Separation	. I KUCK %	Soils E	ncountered		Rock %	Soils	Encountered
Same Elevation Of Observation Relative To System  -53" Depth To Bottom Of Distribution Media =0" Of Separation  Elevation Of Observation Relative To System  Depth To Bottom Of Distribution Media Of Separation  Of Separation	15-19 19-33 >50 33-51 >50	10YR 4/6 Mediu Rock / 10YR 3/4 Mediu 10YR 3/4 Mediu	1/6 Silt Loam  Jum Coarse Sand With  And Cobbles  Jum Coarse Sand With  Gravel  Jum Coarse Sand With  Jum Coarse Sand With				
Same Elevation Of Observation Relative To System  -53" Depth To Bottom Of Distribution Media =0" Of Separation  Elevation Of Observation Relative To System  Depth To Bottom Of Distribution Media Of Separation  Of Separation	51" Depth	I To End Of Soil Ob	servation Or Bedrock		Depth T	o End Of Soil	Observation Or Redox
=0" Of Separation Of Separation							
							Distribution Media
	=0"  Of Sep	aration			Of Sepa	iration	
End Of Soil Observation At: 90" End Of Soil Observation At:	End Of Soil	Observation At:	90"	End Of	Soil Ob	servation At:	
Limiting Soil Conditions At: 51" Limiting Soil Conditions At:							
Standing Water Present At: None Standing Water Present At:							

Bottom Of Distribution Medium At: 53 Inches		
Signature:	Offer the	











## **DISCLAIMER**

# Brian L. Humpal, Inc. dba. Midwest Sewer Services, Inspect Minnesota, Midwest Soil Testing Relative to Subsurface Sewage Treatment System (SSTS) Compliance Inspections

- 1. This inspection/report is being performed for only the seller/owner of the property on which the SSTS is located. In such case that another party is paying for the inspection, the contract is between only said party and Brian L. Humpal, Inc.; there is no contract between Brian L. Humpal, Inc. and any other party unless otherwise noted.
- 3. Brian L. Humpal, Inc. has not been retained to warranty, guarantee, or certify the proper functioning of the SSTS for any period of time beyond the date of inspection or into the future. Because of the numerous factors (usage, maintenance, soil characteristics, previous failures, etc.) which may affect the proper operation of an SSTS, as well as the inability of Brian L. Humpal, Inc. to supervise or monitor the use or maintenance of the SSTS, the report shall not be construed as a warranty by Brian L. Humpal, Inc. that the SSTS will function properly for any particular party for any period of time.
- 4. Brian L. Humpal, Inc. is unable to verify the frequency and/or, quality of prior or future maintenance of the SSTS. Maintenance of the tank(s) must be performed through the tanks maintenance hole. The removal of solids from any location other than the maintenance hole is not a compliant method of maintenance. It is strongly recommended that maintenance covers be made accessible to the ground surface to facilitate proper maintenance.
- 5. Minimum Compliance Inspection requirements relative to this inspection and this report include only verification that the SSTS has tank(s) (septic tanks, lift tanks, dosing tanks, stilling tanks, etc.) which are watertight below the designed operating depth, the required separation between the bottom of the subsurface soil distribution medium and seasonally saturated soils, no back-ups of sewage into the dwelling, no discharge of sewage/effluent to the ground surface or surface waters, and no imminent safety hazards. Brian L. Humpal, Inc. does not inspect plumbing or pumps prior to the first SSTS component as these are plumbing components. The performance of exterior pumps and associated components are not inspected as they are considered to be maintenance items. Additionally, no indications relative to compliance with electrical code requirements have been made. It is recommended that any other applicable plumbing, electrical, housing, etc. inspections be performed by a qualified inspection business. Sewage back-up verification is limited to observing the floor drain area and/or the information supplied by the last occupants of the building prior to inspection relative to back-ups is accurate.
- 4. Certification of this SSTS does not warranty future use beyond the date of the inspection. Any SSTS, old or new, can become hydraulically overloaded or discharge sewage/effluent to the ground surface as a result of more people moving into the house than were previously occupying the house, improper maintenance, heavy usage, leaking plumbing fixtures, groundwater infiltration, tree roots, freezing conditions, surface drainage problems, poor initial design, poor construction practices, or unsuitable materials used in constructing the system; the system can also simply stop working because of its age. An SSTS that has been properly designed and installed, properly maintained, and used in the manner for which the system was designed can be expected to provide service for twenty to twenty-five years on average. Some parts of the SSTS such as alarms, switches, pumps, filters, etc. will most likely have to be repaired or replaced over the lifetime of the system.
- 5. A Compliance Inspection is not meant to be a test or inspection for longevity of the system; a Compliance Inspection is strictly for the purpose of determining if the SSTS is protective of public health and safety, as well as the groundwater at the date and time the inspection was performed. This inspection is not intended to determine if the SSTS was originally designed or installed to past or present MPCA or other Local Government Unit code requirements. This inspection is not intended to determine if the SSTS was designed and/or installed to support the anticipated flow from the building as the use of the building may have changed since the design and construction of the SSTS due to the addition of bedrooms, occupants, etc. In addition, this inspection is not intended to determine the quality of the original SSTS design, the quality of the construction practices used while installing the SSTS, or the quality of the materials used in constructing the SSTS.
- 6. Brian L. Humpal, Inc. cannot guarantee the performance of SSTS products/components such as: gravelless pipe, chamber trenches, effluent filters, tanks, sewage pre-treatment components, piping, etc. Products such as gravelless pipe are no longer approved for installation in the State of Minnesota and may have a significantly reduced performance and/or life expectancy.
- 7. WINTER WORK: By accepting this report, it is understood that inspections conducted during winter months (approximately November 1<sup>st</sup> through April 1<sup>st</sup>) are more difficult to perform because of possible snow cover and/or ground frost. SSTS components such as tanks, maintenance covers, tank inspection pipes, subsurface distribution medium inspection pipes, and soil treatment areas are more difficult or impossible to locate due to snow cover and/or ground frost. In addition, soil borings are more difficult to perform due to snow cover and/or ground frost. Brian L. Humpal, Inc. will attempt to use the same level of standards when performing work during winter periods as when performing work during non-winter periods. However, the recipient of this report understands that because of the aforementioned considerations, the same level of standards may not be possible.
- 8. By accepting this report, the client understands that Brian L. Humpal, Inc. will not be responsible for any monetary damages exceeding the fee for the services provided.