Midwest Sewer Services

P.O. Box 10853 White Bear Lake, MN 55110 Brian Humpal 651-492-7550/Brian@Midwestsoiltesting.com MPCA Licensed Advanced Inspector

SUBSURFACE SEWAGE TREATMENT SYSTEM (SSTS) COMPLIANCE REPORT

Inspection Address: 11730 Dellwood Rd N, Grant, MN 55082

REPORT SUMMARY

I have performed an "MPCA Compliance Inspection" on this system and have reviewed the original design/permit records on file at Washington County. This very old system (installed in 1984) consists of a pre-cast septic tank, a pre-cast lift tank, and a mound. It should be noted that the average life expectancy of a septic system is approximately 30 years. Pinky's Sewer Service pumped the tanks on January 9, 2023. Two unsecured manholes were replaced on 1/18/2023.

Predicated on my inspection of the system and my review of the original design/permit records, it is my opinion that this system <u>presently meets</u> MPCA minimum compliance inspection requirements.

Midwest Sewer Services have been hired to perform a compliance inspection of this SSTS for compliance with local ordinances pursuant to Minn. Stat. § 115.55 (2013). This compliance inspection covers only the criteria required by Minn. Stat. § 115.55 Subd. 5a (2013) and Minn. R. 7080.1500 (2011). A compliance inspection is an indication of the current compliance status of the system and does not guarantee the performance or longevity of this system beyond the date of inspection, as it is impossible to determine the future performance of any system. Midwest Sewer Services disclaim any use of this compliance inspection beyond determining SSTS compliance pursuant to Minn. Stat. § 115.55 Subd. 5a (2013) and Minn. R. 7080.1500 (2011).

Please contact me should you have any questions.

Christopher Uebe

Brian Humpal

Brian Humpal



520 Lafayette Road North St. Paul, MN 55155-4194

Compliance inspection report form

Existing Subsurface Sewage Treatment System (SSTS)

Doc Type: Compliance and Enforcement

Instructions: Inspector must submit completed form to Local Governmental Unit (LGU) and system owner within 15 days of final determination of compliance or noncompliance. Instructions for filling out this form are located on the Minnesota Pollution Control Agency (MPCA) website at https://www.pca.state.mn.us/sites/default/files/wq-wwists4-31a.pdf.

Property information	Local tracking	number:
Parcel ID# or Sec/Twp/Range:	Reason for Inspection	Property Transfer
Local regulatory authority info: Washington County	<u> </u>	
Property address: 11730 Dellwood Rd N, Grant, MN 55082		
Owner/representative: Paulette & Marvin Jones		Owner's phone: 651-439-5948
Brief system description: A pre-cast septic tank, a pre-cast lift to	ank, and a mound.	
System status		
System status on date (mm/dd/yyyy):1/18/2023		
☐ Compliant – Certificate of compliance*	☐ Noncompliant – Notice	ce of noncompliance
(Valid for 3 years from report date unless evidence of an imminent threat to public health or safety requiring removal and		ound water must be upgraded, replaced, or ime required by local ordinance.
abatement under section 145A.04, subdivision 8 is discovered or a shorter time frame exists in Local Ordinance.)		health and safety (ITPHS) must be e discontinued within ten months of receipt
*Note: Compliance indicates conformance with Minn. R. 7080.1500 as of system status date above and does not guarantee future performance.	of this notice or within a shor under section 145A.04 subdi	ter period if required by local ordinance or ivision 8.
Reason(s) for noncompliance (check all applicate	ole)	
☐ Impact on public health (Compliance component #1) – Immi		nd safety
☐ Tank integrity (Compliance component #2) – Failing to prote	ect groundwater	
$\hfill \Box$ Other Compliance Conditions (Compliance component #3) -	– Imminent threat to public he	ealth and safety
$\hfill \Box$ Other Compliance Conditions (Compliance component #3) -	 Failing to protect groundwa 	nter
System not abandoned according to Minn. R. 7080.2500 (C		Failing to protect groundwater
Soil separation (Compliance component #5) – Failing to pro	=	
Operating permit/monitoring plan requirements (Compliance	e component #4) – Noncomp	liant - local ordinance applies
Comments or recommendations		
Two unsecured manholes were replaced on 1/18/2023.		
Certification		
I hereby certify that all the necessary information has been gathered future system performance has been nor can be made due to unkno inadequate maintenance, or future water usage.		
By typing my name below , I certify the above statements to be true used for the purpose of processing this form.	e and correct, to the best of my	knowledge, and that this information can be
Business name: Midwest Sewer Services		Certification number: 5342/9852
Inspector signature: Brian Humpal (After 1)	·/	License number: L2896
(This document has been electronically sig	ined)	Phone: 651-492-7550
Necessary or locally required supporting do	cumentation (must b	e attached)
☐ Soil observation logs ☐ System/As-Built ☐ Locally red	quired forms 🛭 Tank Integr	rity Assessment
Other information (list): Report Summary, Property Information	ition, Disclaimer	

Compliance criteria:		Attached supporting documentation	:
System discharges sewage to the ground surface	☐ Yes* ☒ No	☐ Other: ☐ Not applicable	
System discharges sewage to drain tile or surface waters.	☐ Yes* ⊠ No		
System causes sewage backup into dwelling or establishment.	☐ Yes* ⊠ No	-	
Any "yes" answer above indicates imminent threat to public health an		_	
Describe verification methods and	results:		
None of the above found.			
ink integrity – Compliance	component #2	of 5	
	component #2		
nnk integrity – Compliance Compliance criteria:	component #2	of 5 Attached supporting documentation	:
Compliance criteria:	•	Attached supporting documentation	:
Compliance criteria: System consists of a seepage pit,	component #2		
Compliance criteria: System consists of a seepage pit, cesspool, drywell, leaching pit,	•	Attached supporting documentation	: Pinky's Sev
Compliance criteria: System consists of a seepage pit,	•	Attached supporting documentation	
Compliance criteria: System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit?	☐ Yes* ☒ No	Attached supporting documentation Empty tank(s) viewed by inspector Name of maintenance business:	Pinky's Sev Service
Compliance criteria: System consists of a seepage pit, cesspool, drywell, leaching pit,	•	Attached supporting documentation ☑ Empty tank(s) viewed by inspector	Pinky's Sev Service
Compliance criteria: System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit? Sewage tank(s) leak below their	☐ Yes* ☒ No	Attached supporting documentation Empty tank(s) viewed by inspector Name of maintenance business: License number of maintenance busines Date of maintenance:	Pinky's Sev Service ss: <u>L1673</u> 1/9/2023
Compliance criteria: System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit? Sewage tank(s) leak below their	☐ Yes* ☒ No	Attached supporting documentation Empty tank(s) viewed by inspector Name of maintenance business: License number of maintenance busines Date of maintenance: Existing tank integrity assessment (Attack	Pinky's Sev Service ss: <u>L1673</u> 1/9/2023
Compliance criteria: System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit? Sewage tank(s) leak below their designed operating depth?	☐ Yes* ☒ No	Attached supporting documentation Empty tank(s) viewed by inspector Name of maintenance business: License number of maintenance busines Date of maintenance: Existing tank integrity assessment (Attach	Pinky's Sev Service ss: L1673 1/9/2023 ch)
Compliance criteria: System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit? Sewage tank(s) leak below their	☐ Yes* ☒ No	Attached supporting documentation Empty tank(s) viewed by inspector Name of maintenance business: License number of maintenance busines Date of maintenance: Existing tank integrity assessment (Attack	Pinky's Sev Service ss: L1673 1/9/2023 ch)
Compliance criteria: System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit? Sewage tank(s) leak below their designed operating depth? If yes, which sewage tank(s) leaks: Any "yes" answer above indicates.	☐ Yes* ☒ No ☐ Yes* ☒ No ☐ Yes* ☒ No	Attached supporting documentation Empty tank(s) viewed by inspector Name of maintenance business: License number of maintenance business Date of maintenance: Existing tank integrity assessment (Attached Date of maintenance (mm/dd/yyyy): (must be withing (See form instructions to ensure assessment)	Pinky's Sev Service ss: L1673 1/9/2023 ch)
Compliance criteria: System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit? Sewage tank(s) leak below their designed operating depth? If yes, which sewage tank(s) leaks:	☐ Yes* ☒ No ☐ Yes* ☒ No ☐ Yes* ☒ No	Attached supporting documentation Empty tank(s) viewed by inspector Name of maintenance business: License number of maintenance business Date of maintenance: Existing tank integrity assessment (Attached Date of maintenance (mm/dd/yyyy): (must be within (See form instructions to ensure assessment) (See form instructions to ensure assessment)	Pinky's Sev Service ss: L1673 1/9/2023 ch) n three years) ment complies
Compliance criteria: System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit? Sewage tank(s) leak below their designed operating depth? If yes, which sewage tank(s) leaks: Any "yes" answer above indicates.	☐ Yes* ☒ No ☐ Yes* ☒ No ☐ Yes* ☒ No	Attached supporting documentation Empty tank(s) viewed by inspector Name of maintenance business: License number of maintenance business Date of maintenance: Existing tank integrity assessment (Attached Date of maintenance (mm/dd/yyyy): (must be withing (See form instructions to ensure assessment)	Pinky's Sev Service ss: L1673 1/9/2023 ch) n three years) ment complies
Compliance criteria: System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit? Sewage tank(s) leak below their designed operating depth? If yes, which sewage tank(s) leaks: Any "yes" answer above indicates.	☐ Yes* ☒ No ☐ Yes* ☒ No ☐ Yes* ☒ No	Attached supporting documentation Empty tank(s) viewed by inspector Name of maintenance business: License number of maintenance business Date of maintenance: Existing tank integrity assessment (Attact Date of maintenance (mm/dd/yyyy): (See form instructions to ensure assessment) (See form instructions to ensure assessment) Tank is Noncompliant (pumping not necessor)	Pinky's Sev Service ss: L1673 1/9/2023 ch) n three years) ment complies
Compliance criteria: System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit? Sewage tank(s) leak below their designed operating depth? If yes, which sewage tank(s) leaks: Any "yes" answer above indicates.	☐ Yes* ☑ No ☐ Yes* ☑ No ☐ Yes* ☑ No ☐ ates the system er.	Attached supporting documentation Empty tank(s) viewed by inspector Name of maintenance business: License number of maintenance business Date of maintenance: Existing tank integrity assessment (Attached Date of maintenance (mm/dd/yyyy): (must be within (See form instructions to ensure assessment) (See form instructions to ensure assessment)	Pinky's Sev Service ss: L1673 1/9/2023 ch) n three years) ment complies

https://www.pca.state.mn.us
wq-wwists4-31b • 4/28/2021

roperty Address: 11730 Dellwood Rd N, Grant, MN 55082 usiness Name: Midwest Sewer Services	Date: 1/18/2023
Other compliance conditions – Compliance component #3 of 5	
3a. Maintenance hole covers appear to be structurally unsound (damaged, cracked, etc.), or un ☐ Yes* ☑ No ☐ Unknown	secured?
3b. Other issues (electrical hazards, etc.) to immediately and adversely impact public health or saf	etv?□Yes* ⊠No□Unknov
*Yes to 3a or 3b - System is an imminent threat to public health and safety.	oty. E 100 E 110 E cimilo
3c. System is non-protective of ground water for other conditions as determined by inspector?	☐ Yes* ☒ No
3d. System not abandoned in accordance with Minn. R. 7080.2500?	☐ Yes* ☒ No
*Yes to 3c or 3d - System is failing to protect groundwater.	
Describe verification methods and results:	
Attached supporting documentation: Not applicable	
Operating permit and nitrogen BMP* – Compliance component #4	of 5 🛛 Not applicable
Is the system operated under an Operating Permit? ☐ Yes ☐ No	If "yes", A below is require
Is the system required to employ a Nitrogen BMP specified in the system design? Yes No	-
BMP = Best Management Practice(s) specified in the system design	ii yoo , B boloii lo loquii
If the answer to both questions is "no", this section does not need to be complet	od
•	eu.
Compliance criteria:	
a. Have the operating permit requirements been met?	
b. Is the required nitrogen BMP in place and properly functioning? Yes No	
Any "no" answer indicates noncompliance.	
Describe verification methods and results:	
Attached supporting documentation: Operating permit (Attach)	

siness Name: Midwest Sewer Services		Date: _1/-	18/2023
Soil separation – Compliance co	mponent #5 o	f 5	
Date of installation 1984 (mm/dd/yyyy)	_ Unknown		
Shoreland/Wellhead protection/Food beverage lodging? Compliance criteria (select one):	⊠ Yes □ No	Attached supporting documentation: ☐ Soil observation logs completed for the ☐ Two previous verifications of required	•
5a. For systems built prior to April 1, 1996, and not located in Shoreland or Wellhead Protection Area or not serving a food, beverage or lodging establishment: Drainfield has at least a two-foot vertical separation distance from periodically saturated soil or bedrock.	Yes No*	 □ Not applicable (No soil treatment area ☑ Reviewed design and permit records. Wellhead protection area. 	1)
5b. Non-performance systems built April 1, 1996, or later or for non- performance systems located in Shoreland or Wellhead Protection Areas or serving a food, beverage, or lodging establishment: Drainfield has a three-foot vertical separation distance from periodically saturated soil or bedrock.*	⊠ Yes □ No*	Indicate depths or elevations A. Bottom of distribution media B. Periodically saturated soil/bedrock C. System separation D. Required compliance separation* *May be reduced up to 15 percent if allo	See Attached Boring Log(s)
5c. "Experimental", "Other", or "Performance" systems built under pre-2008 Rules; Type IV or V systems built under 2008 Rules 7080. 2350 or 7080.2400 (Intermediate Inspector License required ≤ 2,500 gallons per day; Advanced Inspector License required > 2,500 gallons per day) Drainfield meets the designed vertical separation distance from periodically saturated soil or bedrock.	☐ Yes ☐ No*	Ordinance.	

Describe verification methods and results:

Upgrade requirements: (Minn. Stat. § 115.55) An imminent threat to public health and safety (ITPHS) must be upgraded, replaced, or its use discontinued within ten months of receipt of this notice or within a shorter period if required by local ordinance. If the system is failing to protect ground water, the system must be upgraded, replaced, or its use discontinued within the time required by local ordinance. If an existing system is not failing as defined in law, and has at least two feet of design soil separation, then the system need not be upgraded, repaired, replaced, or its use discontinued, notwithstanding any local ordinance that is more strict. This provision does not apply to systems in shoreland areas, Wellhead Protection Areas, or those used in connection with food, beverage, and lodging establishments as defined in law.


https://www.pca.state.mn.us wq-wwists4-31b • 4/28/2021

<u>Midwest Sewer Testing</u> <u>Subsurface Sewage Treatment System Owner/Property Information</u>

This information will be used for the purpose of conducting an MPCA	Compliance Inspection.			
Date of Inspection: 1/9/2023 & 1/18/2023	Time: 1:00 PM			
Property Address: 11730 Dellwood Rd N, Grant, MN	Zip: 55082			
Property Owner: Paulette & Marvin Jones	Phone: 651-439-5948			
Tank(s) Tank(s)Material Soil Treatment System Septic 1 Fiberglass Rock trench Aerobic Plastic Gravelless trench Lift Metal Chamber trench Holding Concrete Seepage bed Other: Block Mound Other At-grade	Other Alternative system Experimental system Cesspool system Other system			
Are the tank maintenance covers accessible? ⊠ Yes ☐ No *If r	no, proper maintenance must be			
performed through the maintenance holes. Maintenance hole cove				
the ground surface to facilitate access and proper maintenance of the	he system.			
Year house built: 1969 Year septic installed: 1984	Γank size (gals.): 1200			
How long has seller owned the property? Number of res	sidents in home?			
Number of bedrooms? 3 Are all floors drained by gr	-			
Garbage disposal? Whirlpool bath?				
More than one system (laundry, etc.)?				
Does this property have any footing drain tiles connected to the se	ptic system?			
Are any buildings on this property such as garages or out-buildings connected to this system? Are there any additional systems on this property serving other buildings?				
1 10 W 101				
Location of septic system on lot? West Side Location of water well on lot? Is the	versall a dagger versalla V			
	e well a deep well? Y			
Have you ever experienced any problems with the system such as: tree roots, sewage back-ups, surfacing of sewage onto the ground, septic tank overflowing, etc.; or have any repairs been made to the system? If yes, explain:				
When was the system last pumped? 1/9/2023 Name of pum	per: Pinky's Sewer Service			
How often pumped in previous years?				
Have you received notices from any government agency concerning this system?				
Is your property located in a shoreland management area? N				
Do you have any additional information that should be given to the	e new owner?			
I hereby certify that the above information is correct to the best of my knowledge. I also understand that if the system is considered "non-compliant/failing" per MPCA rules, that the inspector must by law submit a copy of this report to the local government unit within 15 days of the date of inspection completion. I also agree that unless otherwise noted in this report, that I/we are ultimately responsible for payment of all fees for all work performed relative to this inspection.				

this report, that I/we are ultimately responsible for payment of all fees for all work performed relative to this inspection by Inspect Minnesota and Midwest Soil Testing

Owner/Occupant:	Date:



N NO SCALE

Soil Observations Log

Loca	tion of Project:	11730 Dellwood Ro	l N, Gra	nt, MN	55082	
		Midwest Sewer Ser		·	Date:	1/9/2023
Classifi	cation System:	USDA				
Sc	oil Observation:	ST-1		Soil O	bservation:	
Surface Elevation of Observation		top of mound on nal contour		face tion of vation		
Depth In Inches Rock %	Soils E	ncountered	Depth In Inches	Rock %	Soils	Encountered
0-13	With 10YR 2/2 F (Saturated)	Fine Sandy Loam Organics Fine Sandy Loam With High Organics YR 5/8 Redox				
13" Depth	To End Of Soil O	bservation Or Redox		Depth T	o End Of Soil	Observation Or Redox
		n Below Top Of Mound				tion Relative To System
	To Bottom Of Di	stribution Media				Distribution Media
=36" Of Se	paration			Of Sepa	iration	
End Of Soi	Observation At:	25"	Fnd Of	Soil Oh	servation At:	
	oil Conditions At:	12"			onditions At:	
	Vater Present At:				r Present At:	
				-		

Bottom Of Distribution Medium At: 32 Inches		
Signature:	Offer 1h	

DISCLAIMER

Brian L. Humpal, Inc. dba. Midwest Sewer Services, Inspect Minnesota, Midwest Soil Testing Relative to Subsurface Sewage Treatment System (SSTS) Compliance Inspections

- 1. This inspection/report is being performed for only the seller/owner of the property on which the SSTS is located. In such case that another party is paying for the inspection, the contract is between only said party and Brian L. Humpal, Inc.; there is no contract between Brian L. Humpal, Inc. and any other party unless otherwise noted.
- 3. Brian L. Humpal, Inc. has not been retained to warranty, guarantee, or certify the proper functioning of the SSTS for any period of time beyond the date of inspection or into the future. Because of the numerous factors (usage, maintenance, soil characteristics, previous failures, etc.) which may affect the proper operation of an SSTS, as well as the inability of Brian L. Humpal, Inc. to supervise or monitor the use or maintenance of the SSTS, the report shall not be construed as a warranty by Brian L. Humpal, Inc. that the SSTS will function properly for any particular party for any period of time.
- 4. Brian L. Humpal, Inc. is unable to verify the frequency and/or, quality of prior or future maintenance of the SSTS. Maintenance of the tank(s) must be performed through the tanks maintenance hole. The removal of solids from any location other than the maintenance hole is not a compliant method of maintenance. It is strongly recommended that maintenance covers be made accessible to the ground surface to facilitate proper maintenance.
- 5. Minimum Compliance Inspection requirements relative to this inspection and this report include <u>only</u> verification that the SSTS has tank(s) (septic tanks, lift tanks, dosing tanks, stilling tanks, etc.) which are watertight below the designed operating depth, the required separation between the bottom of the subsurface soil distribution medium and seasonally saturated soils, no back-ups of sewage into the dwelling, no discharge of sewage/effluent to the ground surface or surface waters, and no imminent safety hazards. Brian L. Humpal, Inc. does not inspect plumbing or pumps prior to the first SSTS component as these are plumbing components. The performance of exterior pumps and associated components are not inspected as they are considered to be maintenance items. Additionally, no indications relative to compliance with electrical code requirements have been made. It is recommended that any other applicable plumbing, electrical, housing, etc. inspections be performed by a qualified inspection business. Sewage back-up verification is limited to observing the floor drain area and/or the information supplied by the last occupants of the building prior to inspection. Brian L. Humpal, Inc. cannot guarantee that the information given to them by the last occupants of the building prior to inspection relative to back-ups is accurate.
- 4. Certification of this SSTS does not warranty future use beyond the date of the inspection. Any SSTS, old or new, can become hydraulically overloaded or discharge sewage/effluent to the ground surface as a result of more people moving into the house than were previously occupying the house, improper maintenance, heavy usage, leaking plumbing fixtures, groundwater infiltration, tree roots, freezing conditions, surface drainage problems, poor initial design, poor construction practices, or unsuitable materials used in constructing the system; the system can also simply stop working because of its age. An SSTS that has been properly designed and installed, properly maintained, and used in the manner for which the system was designed can be expected to provide service for twenty to twenty-five years on average. Some parts of the SSTS such as alarms, switches, pumps, filters, etc. will most likely have to be repaired or replaced over the lifetime of the system.
- 5. A Compliance Inspection is not meant to be a test or inspection for longevity of the system; a Compliance Inspection is strictly for the purpose of determining if the SSTS is protective of public health and safety, as well as the groundwater at the date and time the inspection was performed. This inspection is not intended to determine if the SSTS was originally designed or installed to past or present MPCA or other Local Government Unit code requirements. This inspection is not intended to determine if the SSTS was designed and/or installed to support the anticipated flow from the building as the use of the building may have changed since the design and construction of the SSTS due to the addition of bedrooms, occupants, etc. In addition, this inspection is not intended to determine the quality of the original SSTS design, the quality of the construction practices used while installing the SSTS, or the quality of the materials used in constructing the SSTS.
- 6. Brian L. Humpal, Inc. cannot guarantee the performance of SSTS products/components such as: gravelless pipe, chamber trenches, effluent filters, tanks, sewage pre-treatment components, piping, etc. Products such as gravelless pipe are no longer approved for installation in the State of Minnesota and may have a significantly reduced performance and/or life expectancy.
- 7. WINTER WORK: By accepting this report, it is understood that inspections conducted during winter months (approximately November 1st through April 1st) are more difficult to perform because of possible snow cover and/or ground frost. SSTS components such as tanks, maintenance covers, tank inspection pipes, subsurface distribution medium inspection pipes, and soil treatment areas are more difficult or impossible to locate due to snow cover and/or ground frost. In addition, soil borings are more difficult to perform due to snow cover and/or ground frost. Brian L. Humpal, Inc. will attempt to use the same level of standards when performing work during winter periods as when performing work during non-winter periods. However, the recipient of this report understands that because of the aforementioned considerations, the same level of standards may not be possible.
- 8. By accepting this report, the client understands that Brian L. Humpal, Inc. will not be responsible for any monetary damages exceeding the fee for the services provided.