

## DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT

GOVERNMENT CENTER

14949 62nd STREET NORTH P.O. BOX 6 STILLWATER, MN 55082-0006 Office: 651-430-6655 TTY: 651-430-6246 FAX: 651-430-6730

## Subsurface Sewage Treatment System Maintenance Permit

This section must be completed in its	entirety to constitute a v	alid maintenance p	ermit. This permit m	ust be completed	
prior to performing maintenance  Date of Maintenance: 7-13-16	e activities and remain o  Reason for Maintenance:	$\mathcal{D}$	ion of the maintenan	ce activity.	
Property Address: 23240		,	lame: STER gui	e Stene	
	( T) M7	entification Number	-		
10217	7777				
Maintenance Permit No: 1/0/1965	Maintainer Name a	and License No. Sill	ilie's Sewer Service/L2	2420	
Maintenance Performed	Tank Mea	asurement (must be	completed if tanks N	(OT pumped)	
Tank(s) Pumped	M 25	Liquid Level of Tank in			
☐ Sludge and scum measured	Sludge Level ir	Sludge Level in Tank in Scum Level in Tank in			
Do tanks need to be pumped?		Sludge + Scum / Liquid Level X 100			
$\square$ Yes $\square$ No (if no provide measure	rements) = % Sludge & S	= % Sludge & Scum Tanks must be pumped if 25% or greater			
1. Access used to remove septage:	Maintenance Hole	(enter authorization c	ode)		
2. Were all covers securely replaced?	√Yes □ No				
3. Is there evidence of tank leakage from a septic, holding, pretreatment or pump tank below the operating depth or evidence of damaged, cracked, or structurally unsound maintenance hole covers?					
Tank	Leaking Out	Leaking In	Cover Damage		
Septic/Holding Tar	nk #1	☐ Yes ☑No	☐ Yes ☑No		
Septic/Holding Tar	nk #2 🔲 Yes 🖟 No	☐ Yes 🖾 No	☐ Yes ☐ No		
Pretreatment Tan	k ☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No		
Pump Tank	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No		
4. How many gallons of septage were	removed?	ont tank	ral Dump Tank	gal	
Talik #1 1 / V gat Talik #2 ( C C ) gat Tretreatment talik gat Talik #2					
5. Other information: List any troubleshooting, minor repairs conducted, tank safety concerns, or other concerns.					
6. Location of septage disposal: Wash Co Land Apply					