Midwest Sewer Services

P.O. Box 10853 White E	Bear Lake, MN 55110	Brian Humpal				
651-492-7550/Brian@Mi	dwestsoiltesting.com	MPCA Licensed Advanced Inspector				
SUBSURFACE SEWAGE TREATMENT SYSTEM (SSTS) COMPLIANCE REPORT						
Date: July 12, 2023	Time: 11:00 AM	Owner: Estate of Annette Pierre				
Inspection Address: 8167 15 th St N, Lake Elmo, MN 55042						

REPORT SUMMARY

I have performed an "MPCA Compliance Inspection" on this system. I have contacted Washington County and the City of Lake Elmo and was advised that there are no records for this system. This system (installation date unknown) consists of a pre-cast septic tank and a rock trench drainfield. This system was not pumped at the time of inspection. This house is presently vacant.

My inspection indicates that this system is presently "non-compliant" in accordance with MPCA rules 7080.1500 Subp.4(B)(E) because of the lack of the required two foot separation between the bottom of the drainfield and seasonally saturated soils.

In accordance with MPCA rules, I am sending a copy of this complete report to Washington County. I cannot officially speak on behalf of the County relative to the upgrade requirements of these non-compliant systems. Please contact the Washington County Department of Public Health & Environment (651-430-6655) to verify the County's position.

Please advise buyer, agents, lender, etc. to contact me should they have any questions regarding this system.

Christopher Uebe

Brian Humpal

Brian Humpal



520 Lafayette Road North St. Paul, MN 55155-4194

Compliance inspection report form

Existing Subsurface Sewage Treatment System (SSTS)

Doc Type: Compliance and Enforcement

Instructions: Inspector must submit completed form to Local Governmental Unit (LGU) and system owner within 15 days of final determination of compliance or noncompliance. Instructions for filling out this form are located on the Minnesota Pollution Control Agency (MPCA) website at https://www.pca.state.mn.us/sites/default/files/wq-wwists4-31a.pdf.

Property information	Local tracking	Local tracking number:			
Parcel ID# or Sec/Twp/Range:	Reason for Inspection	Property Transfer			
Local regulatory authority info: Washington County					
Property address: 8167 15 th St N, Lake Elmo, MN 55042					
Owner/representative: Estate of Annette Pierre/Ralph Pierre (PO	A)	Owner's phone: <u>651-739-3282</u>			
Brief system description: A pre-cast septic tank and a rock trench	drainfield.				

System status

System status on date (mm/dd/yyyy): 7/12/2023

Compliant – Certificate of compliance*

(Valid for 3 years from report date unless evidence of an imminent threat to public health or safety requiring removal and abatement under section 145A.04, subdivision 8 is discovered or a shorter time frame exists in Local Ordinance.)

*Note: Compliance indicates conformance with Minn. R. 7080.1500 as of system status date above and does not guarantee future performance.

⊠ Noncompliant – Notice of noncompliance

Systems failing to protect ground water must be upgraded, replaced, or use discontinued within the time required by local ordinance.

An imminent threat to public health and safety (ITPHS) must be upgraded, replaced, or its use discontinued within ten months of receipt of this notice or within a shorter period if required by local ordinance or under section 145A.04 subdivision 8.

Reason(s) for noncompliance (check all applicable)

Impact on public health (Compliance component #1) – Imminent threat to public health and safety

Tank integrity (Compliance component #2) – Failing to protect groundwater

Other Compliance Conditions (Compliance component #3) – Imminent threat to public health and safety

Other Compliance Conditions (Compliance component #3) - Failing to protect groundwater

System not abandoned according to Minn. R. 7080.2500 (Compliance component #3) – Failing to protect groundwater

Soil separation (Compliance component #5) – *Failing to protect groundwater*

Operating permit/monitoring plan requirements (Compliance component #4) – Noncompliant - local ordinance applies

Comments or recommendations

Certification

I hereby certify that all the necessary information has been gathered to determine the compliance status of this system. No determination of future system performance has been nor can be made due to unknown conditions during system construction, possible abuse of the system, inadequate maintenance, or future water usage.

By typing my name below, I certify the above statements to be true and correct, to the best of my knowledge, and that this information can be used for the purpose of processing this form.

Business name: Midwest Sewer Services

Certification number: 5342/9852

Inspector signature:

Brian Humpal

License number: L2896

Phone: 651-492-7550

Necessary or locally required supporting documentation (must be attached)

Soil observation logs System/As-Built Locally required forms Tank Integrity Assessment Operating Permit Other information (list): Report Summary, Property Information, Disclaimer

https://www.pca.state.mn.us • 651-296-6300 • 800-657-3864 • Use your preferred relay service • Available in alternative formats wq-wwists4-31b • 4/28/2021 Page 1 of 4

Property Address:	8167 15"	' St N, Lake Elmo,	MN 55042

Business Name: Midwest Sewer Services

Date: 7/12/2023

1. Impact on public health – Compliance component #1 of 5

Compliance criteria:		Attached supporting documentation:			
System discharges sewage to the ground surface	🗌 Yes* 🛛 No	☐ Other:			
System discharges sewage to drain tile or surface waters.	🗌 Yes* 🛛 No	_			
System causes sewage backup into dwelling or establishment.	🗌 Yes* 🛛 No				
Any "yes" answer above indicates imminent threat to public health an		_			
Describe verification methods and	results:				

None of the above found.

2. Tank integrity – Compliance component #2 of 5

	Attached supporting documentation:
Yes* ⊠ No	☐ Empty tank(s) viewed by inspector Name of maintenance business:
Yes* 🛛 No	License number of maintenance business: Date of maintenance: Existing tank integrity assessment (Attach)
	Date of maintenance (mm/dd/yyyy): (must be within three years)
the system	(See form instructions to ensure assessment complies with Minn. R. 7082.0700 subp. 4 B (1))
	I Tank is Noncompliant (pumping not necessary – explain below)
	Other:
Y	/es* ⊠ No

Describe verification methods and results:

Drainfield was found non-compliant, therefore the tank was not pumped and inspected at the time of inspection.

٠

٠

٠

4 of 9

Property Address:	8167 15 th St N, Lake Elmo, MN 55042
Business Name:	Midwest Sewer Services

Date: 7/12/2023

3. Other compliance conditions – Compliance component #3 of 5

3a	. Maintenance hole covers appear to be structurally unsound (damaged, cracked, etc.), or unsecu	red?	
	□ Yes* ⊠ No □ Unknown		
3b	. Other issues (electrical hazards, etc.) to immediately and adversely impact public health or safety?	□ Yes*	🖾 No 🔲 Unknown
	*Yes to 3a or 3b - System is an imminent threat to public health and safety.		
30	e. System is non-protective of ground water for other conditions as determined by inspector?	□ Yes*	🖾 No
30	. System not abandoned in accordance with Minn. R. 7080.2500?	□ Yes*	🖾 No
	*Yes to 3c or 3d - System is failing to protect groundwater.		
	Describe verification methods and results:		
	Attached supporting documentation: 🖾 Not applicable		

4. Operating permit and nitrogen BMP* – Compliance component #4 of 5 🛛 Not applicable

Is the system operated under an Operating Permit?		🗌 Yes	🗌 No	If "yes", A below is required				
Is the system required to employ a Nitrogen BMP specified in the system	m design?	🗌 Yes	🗌 No	If "yes", B below is required				
BMP = Best Management Practice(s) specified in the system des								
If the answer to both questions is "no", this section does n	If the answer to both questions is "no", this section does not need to be completed.							
Compliance criteria:								
a. Have the operating permit requirements been met?	🗌 Yes 🗌] No						
b. Is the required nitrogen BMP in place and properly functioning?	□ Yes □] No						
Any "no" answer indicates noncompliance.								

Describe verification methods and results:

Attached supporting documentation: Operating permit (Attach)

discontinued within ten month ground water, the system mu not failing as defined in law, a discontinued, notwithstanding	ns of r st be and ha any	receipt of this noti upgraded, replac as at least two fee local ordinance th	ice or ed, or et of d nat is i	within a shorter p its use discontin esign soil separa more strict. This p	period ued v tion, provis	I if required by local ordinance. If within the time required by local o then the system need not be upg sion does not apply to systems in establishments as defined in law	the s rdina radeo shor	ystem is failing to protect nce. If an existing system is d, repaired, replaced, or its use
https://www.pca.state.mn.us wq-wwists4-31b • 4/28/2021	•	651-296-6300	•	800-657-3864	•	Use your preferred relay service	•	Available in alternative formats Page 4 of 4

Upgrade requirements: (Minn. Stat. § 115.55) An imminent threat to public health and safety (ITPHS) must be upgraded, replaced, or its use

Property Address:	8167 15 th St N, Lake Elmo, MN 55042
Rusiness Name [.]	Midwest Sewer Services

55 Maine. muwes

5. Soil separation – Compliance component #5 of 5

Date of installation (mm/dd/yyyy)	_ 🛛 Unkr	nown					
Shoreland/Wellhead protection/Food beverage lodging? Compliance criteria (select one):	☐ Yes	🛛 No	Attached supporting documentation: Soil observation logs completed for the report Two previous verifications of required vertical separatio				
5a. For systems built prior to April 1, 1996, and not located in Shoreland or Wellhead Protection Area or not serving a food, beverage or lodging establishment:	□ Yes	s 🖾 No*	Not applicable (No soil treatment area	a)			
Drainfield has at least a two-foot vertical separation distance from periodically saturated soil or bedrock.							
 5b. Non-performance systems built April 1, 1996, or later or for non- performance systems located in Shoreland or Wellhead Protection Areas or serving a food, beverage, or lodging establishment: Drainfield has a three-foot vertical separation distance from periodically saturated soil or bedrock.* 	☐ Yes	□ No*	Indicate depths or elevations A. Bottom of distribution media B. Periodically saturated soil/bedrock C. System separation D. Required compliance separation* *May be reduced up to 15 percent if alloc	See Attached Boring Log(s)			
5c. "Experimental", "Other", or "Performance" systems built under pre-2008 Rules; Type IV or V systems built under 2008 Rules 7080. 2350 or 7080.2400 (Intermediate Inspector License required ≤ 2,500 gallons per day; Advanced Inspector License required > 2,500 gallons per day) Drainfield meets the designed vertical separation distance from periodically saturated soil or bedrock.	☐ Yes	□ No*	Ordinance.				

*Any "no" answer above indicates the system is failing to protect groundwater.

Describe verification methods and results:


Date: 7/12/2023

<u>Midwest Sewar Testing</u> Subsurface Sewage Treatment System Owner/Property Information

This information will be used for the purpose of conducting an MPCA Compliance Inspection.								
Date of Inspection: July 12, 2023	Time: 11:00 AM							
Property Address: 8167 15 th St N, Lake Elmo, MN	Zip: 55042							
Property Owner: Estate of Annette Pierre	Phone: 651-739-3282							
Tank(s) Tank(s)Material Soil Treatment System Septic 1 Fiberglass Rock trench Aerobic Plastic Gravelless trench Lift Metal Chamber trench Holding Concrete Seepage bed Other: Block Mound Other At-grade Are the tank maintenance covers accessible?	Other Alternative system Experimental system Cesspool system Other system Other system no. proper maintenance must be							
performed through the maintenance holes. Maintenance hole covers should be made accessible to								
the ground surface to facilitate access and proper maintenance of the system.								
Year house built: 1927Year septic installed: UnknownTank size (gals.):How long has seller owned the property?Number of residents in home?								
Number of bedrooms? 3 Are all floors drained by gravity?								
Garbage disposal? Whirlpool bath?								
More than one system (laundry, etc.)?								
Does this property have any footing drain tiles connected to the septic system?								
Are any buildings on this property such as garages or out-buildings connected to this system? Are there any additional systems on this property serving other buildings?								
Location of septic system on lot? East Side								
Location of water well on lot? UnknownIs the well a deep well? Unknown								
Have you ever experienced any problems with the system such as: tree roots, sewage back-ups,								
surfacing of sewage onto the ground, septic tank overflowing, etc.; to the system? If yes, explain:	; or have any repairs been made							
When was the system last pumped? UnknownName of pumper: Unknown								
How often pumped in previous years?Is system on a monitoring plan?								
Have you received notices from any government agency concerning this system?								
Is your property located in a shoreland management area?								
Do you have any additional information that should be given to the new owner?								

I hereby certify that the above information is correct to the best of my knowledge. I also understand that if the system is considered "non-compliant/failing" per MPCA rules, that the inspector must by law submit a copy of this report to the local government unit within 15 days of the date of inspection completion. I also agree that unless otherwise noted in this report, that I/we are ultimately responsible for payment of all fees for all work performed relative to this inspection by Inspect Minnesota and Midwest Soil Testing

Owner/Occupant:



Soil Observations Log

Location of Project: 8167 15th St N, Lake Elmo, MN 55042								
Observations Made By: Midwest Sewer Serv						Date:	7/12/2023	
Cla	issificati	on System:	USDA					
	Soil Observation: ST-1		Soil Observation:					
Surfac Elevation Observa	n of	Same ground surface as last drainfield trench		Surface Elevation of Observation				
Depth In Inches	ock %	<u>Soils E</u>	ncountered	Depth In Inches				
0-4 4-14 14-24	v	10YR 3/3 Sil 7.5YR 5/3 Cla	t Loam (Very Dry) t Loam (Very Dry) ay Loam (Very Dry) 8 & 10YR 6/2 Redox					
14" De	epth To I	End Of Soil Ol	bservation Or Redox	n Or Redox Depth To End Of Soil Observation Or Redox				
Same El	Same Elevation Of Observation Relative To System				Elevation Of Observation Relative To System			
-41" De	-41" Depth To Bottom Of Distribution Media			Depth To Bottom Of Distribution Media				
=0" Of Separation				Of Separation				
	End Of Soil Observation At: 24"				End Of Soil Observation At:			
	Limiting Soil Conditions At: 14"				Limiting Soil Conditions At:			
Standi	Standing Water Present At: None Standing Water Present At:							

Bottom Of Distribution Medium At: 41 Inches

Signature:

Obten Ula

DISCLAIMER

Brian L. Humpal, Inc. dba. Midwest Sewer Services, Inspect Minnesota, Midwest Soil Testing Relative to Subsurface Sewage Treatment System (SSTS) Compliance Inspections

- 1. This inspection/report is being performed for only the seller/owner of the property on which the SSTS is located. In such case that another party is paying for the inspection, the contract is between only said party and Brian L. Humpal, Inc.; there is no contract between Brian L. Humpal, Inc. and any other party unless otherwise noted.
- 3. Brian L. Humpal, Inc. has not been retained to warranty, guarantee, or certify the proper functioning of the SSTS for any period of time beyond the date of inspection or into the future. Because of the numerous factors (usage, maintenance, soil characteristics, previous failures, etc.) which may affect the proper operation of an SSTS, as well as the inability of Brian L. Humpal, Inc. to supervise or monitor the use or maintenance of the SSTS, the report shall not be construed as a warranty by Brian L. Humpal, Inc. that the SSTS will function properly for any particular party for any period of time.
- 4. Brian L. Humpal, Inc. is unable to verify the frequency and/or, quality of prior or future maintenance of the SSTS. Maintenance of the tank(s) must be performed through the tanks maintenance hole. The removal of solids from any location other than the maintenance hole is not a compliant method of maintenance. It is strongly recommended that maintenance covers be made accessible to the ground surface to facilitate proper maintenance.
- 5. Minimum Compliance Inspection requirements relative to this inspection and this report include <u>only</u> verification that the SSTS has tank(s) (septic tanks, lift tanks, dosing tanks, stilling tanks, etc.) which are watertight below the designed operating depth, the required separation between the bottom of the subsurface soil distribution medium and seasonally saturated soils, no back-ups of sewage into the dwelling, no discharge of sewage/effluent to the ground surface or surface waters, and no imminent safety hazards. Brian L. Humpal, Inc. does not inspect plumbing or pumps prior to the first SSTS component as these are plumbing components. The performance of exterior pumps and associated components are not inspected as they are considered to be maintenance items. Additionally, no indications relative to compliance with electrical code requirements have been made. It is recommended that any other applicable plumbing, electrical, housing, etc. inspections be performed by a qualified inspection business. Sewage back-up verification is limited to observing the floor drain area and/or the information supplied by the last occupants of the building prior to inspection. Brian L. Humpal, Inc. cannot guarantee that the information given to them by the last occupants of the building prior to inspection relative to back-ups is accurate.
- 4. Certification of this SSTS does not warranty future use beyond the date of the inspection. Any SSTS, old or new, can become hydraulically overloaded or discharge sewage/effluent to the ground surface as a result of more people moving into the house than were previously occupying the house, improper maintenance, heavy usage, leaking plumbing fixtures, groundwater infiltration, tree roots, freezing conditions, surface drainage problems, poor initial design, poor construction practices, or unsuitable materials used in constructing the system; the system can also simply stop working because of its age. An SSTS that has been properly designed and installed, properly maintained, and used in the manner for which the system was designed can be expected to provide service for twenty to twenty-five years on average. Some parts of the SSTS such as alarms, switches, pumps, filters, etc. will most likely have to be repaired or replaced over the lifetime of the system.
- 5. A Compliance Inspection is not meant to be a test or inspection for longevity of the system; a Compliance Inspection is strictly for the purpose of determining if the SSTS is protective of public health and safety, as well as the groundwater at the date and time the inspection was performed. This inspection is not intended to determine if the SSTS was originally designed or installed to past or present MPCA or other Local Government Unit code requirements. This inspection is not intended to determine if the SSTS was designed and/or installed to support the anticipated flow from the building as the use of the building may have changed since the design and construction of the SSTS due to the addition of bedrooms, occupants, etc. In addition, this inspection is not intended to determine the quality of the original SSTS design, the quality of the construction practices used while installing the SSTS, or the quality of the materials used in constructing the SSTS.
- 6. Brian L. Humpal, Inc. cannot guarantee the performance of SSTS products/components such as: gravelless pipe, chamber trenches, effluent filters, tanks, sewage pre-treatment components, piping, etc. Products such as gravelless pipe are no longer approved for installation in the State of Minnesota and may have a significantly reduced performance and/or life expectancy.
- 7. WINTER WORK: By accepting this report, it is understood that inspections conducted during winter months (approximately November 1st through April 1st) are more difficult to perform because of possible snow cover and/or ground frost. SSTS components such as tanks, maintenance covers, tank inspection pipes, subsurface distribution medium inspection pipes, and soil treatment areas are more difficult or impossible to locate due to snow cover and/or ground frost. In addition, soil borings are more difficult to perform due to snow cover and/or ground frost. Brian L. Humpal, Inc. will attempt to use the same level of standards when performing work during winter periods as when performing work during non-winter periods. However, the recipient of this report understands that because of the aforementioned considerations, the same level of standards may not be possible.
- 8. By accepting this report, the client understands that Brian L. Humpal, Inc. will not be responsible for any monetary damages exceeding the fee for the services provided.