# Washington County

#### DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT

GOVERNMENT CENTER

14949 62nd STREET NORTH P.O. BOX 6 STILLWATER, MN 55082-0006
Office: 651-430-6655 TTY: 651-430-6246 FAX: 651-430-6730

## Subsurface Sewage Treatment System Maintenance Permit

This section must be prior to perf	e completed in its entirety to forming maintenance activition	o constitute a va es and remain on	id maintenance per	mit. This permi	t must be completed		
Date of Maintenance	e: 5-8-23 Reason fo	or Maintenance:		Rout	Routine		
Property Address:	Anderson						
	age Grove ZIP: 550						
Maintenance Permit	No: <u>02918 331500</u> Ma	intainer Name and	d License No. <u>Meyer S</u>	ewer Service/ L	915		
Mainter	ance Performed	Tank Meas	urement (must be co	ompleted if tan	ks NOT pumped)		
Laukisi Puliibed		Liquid Level of Tankin					
☐ Sludge and scum		Sludge Level in Tankin Scum Level in Tankin Sludge + Scum/ Liquid Level X 100					
tanks need to be			= % Sludge & Scum Tanks must be pumped if 25% or greater				
☐ Yes ☐ No (i	f no provide measurements)						
3. Is there evidence of tank leakage from a septic, holding, pretreatment or pump tank below the operating depth or evidence of damaged, cracked, or structurally unsound maintenance hole covers?   Ta Leaking Out Leaking In Cover Damage							
	nk				_		
	Septic/Holding Tank #1	□Yes □ No	☐ Yes ☐ No	☐ Yes ☐ No			
	Septic/Holding Tank #2	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
	Pretreatment Tank	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
	Pump Tank	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	_		
Tank #1_150	s of septage were removed?gal Tank #2g n: List any troubleshooting, r	minor repairs con	tankgal ducted, tank safety	concerns, or of	gal ther concerns.		
( leasting of south	diamonds M 1						
<b>b.</b> Location of septas	ge disposal: M - 1	Meyer Sewer Se 5325 Manning Afton, MN 55	Ave S				

License Number: L915 P: 651-459-0162

Maintenance activities must be reported to the Department within 90 days.



520 Lafayette Road North St. Paul, MN 55155-4194

## Sewage tank maintenance reporting form

### **Subsurface Sewage** Treatment Systems (SSTS) Program

Doc Type: Compliance and Enforcement

Purpose: Management and maintenance of Subsurface Sewage Treatment Systems (SSTS) are important to ensure resource protection and long-term and cost-effective sewage treatment. Completion of this form complies with the sewage tank maintenance requirements under Minn. R. 7080.2450 and 7082.0600. This form may be used to certify the compliance status of the sewage tank components of the SSTS. This form is not a complete SSTS inspection report, only a tank integrity assessment, and may only certify sewage tank compliance status when entirely completed and signed on page 3 by a qualified professional.

Instructions: A copy of this information must be submitted to the system owner within 30 days of the maintenance date and be maintained by the licensed SSTS maintainer business for a period of five (5) years from the maintenance date. Maintenance reporting to the local unit of government may be required by local ordinance. Check with your local SSTS program for maintenance reporting protocol. Page 3 is optional and not required to be completed on routine maintenance events.

#### Secure maintenance hole covers

All maintenance hole covers must be returned to service in a sound and durable condition and be capable of withstanding the anticipated load.

Covers must be re-secured in accordance with Minn. R. 7080.2450, subp. 3, Items C or D:

- a) Covers installed under local ordinances adopted after February 4, 2008 must be locked, boited or screwed or must be 95 pounds in weight. They must be made of material suitable for outdoor use, resistant to ultraviolet degradation and leaks, and not susceptible to being slid or flipped. They must have a label warning of hazardous conditions inside the tank. All screw openings must be refastened.
- b) Covers installed under local ordinances adopted before February 4, 2008 must either be buried with at least 12 inches of soil cover or be secured according to the local ordinance in effect before February 4, 2008.
- c) Covers must meet item 'a' above when raised to the ground surface or less than 12 inches from the ground surface.

Date	e of maintenance (mm/dd/yyyy	11: 45-8-23	Reason for ma	intenance: Routile			
				Parcel ID:			
City: Cottage Gray			State:	State: Zip code:			
Prop	perty owner's name:	a Anders	04				
Prop	perty-owner's address (if differ	ent):					
City			State:	State: Zip code:			
Pho	ne number:		Email address: _	Email address:			
1.	Did you measure the accur	nulation of scum ar	d sludge? 🗌 Yes	No (tank(s) pumped withou	ut measuring)		
•	Tank (check if present)	Scum	Sludge	Operating depth	Percent full		
	Septic/holding tank #1						
	☐ Septic/holding tank #2						
	☐ Pretreatment tank						
	☐ Pump tank						
2.	Access used to remove se	ntage: 🗀 Maintena	ance hole DOther (L	Jnless a holding tank, go to #4	below)		
	If yes □ No If no please explain below:						
3.	3. If the maintenance hole was used, were all covers secured in place:						
					_		
4.	If the owner refuses to allo	w a Subsurface Se	wage Treatment Syst	em (SSTS) to be pumped thr	rough the maintenance		
	hala haya tham campiata	and eign the follow:	ina statement.	•			
	1. John Andersu	, refus	se to allow the remova	l of the solids and liquids throu	gri tile mamtenance		
	(Print owner's name)	val of solids and liqui	ids through other acce	ss points is not considered a c	compliant method of		
	- solids removal and done not	fulfill the solids remo	ival requirements of W	11111, 17, 1000,2400 and 100=10	•		
	By typing/signing my nam	e below, I certify the	above statements to t	pe true and correct, to the best	t of my knowledge, and		
	that this information can, be	used for the purpose	of processing this for	Π.			
	Owner's signature: John Anderson Date (mm/dd/yyyy): 3-8-23						

Pro	perty address:			Parcel ID:			
City			State:	Zip code:			
5.	is the tank designed as a lea  Tank #1: Yes No  Tank #2: Yes No	Verification method used:	VISUAL				
6.							
٠.	Tank (check if present)	Tank leaks below the designed operating depth	Tank leaks above the designed operating depth	Maintenance hole cover is damaged, cracked, unsecured, or appears to be structurally unsound			
	Septic/holding Tank #1	☐ Yes ☐ No	☐ Yes ☐ No	Yes No			
	☐ Septic/holding Tank #2	Yes No	Yes No	Yes No			
	Pretreatment Tank	☐ Yes ☐ No	Yes No	Yes No			
-	Pump Tank	Yes No	☐ Yes ☐ No	Yes No			
	Describe detail for any "Yes"						
7.	How many gallons of septag Tank #1: _ 750 _ Tan		retreatment Tank:	Pump Tank:			
8.	Where was the septage taken?  Wastewater treatment facility Land application Other  Explanation (Facility name/Site #):						
<ul> <li>9. Did you identify any operational issues or unsafe conditions while assessing the sewage tanks in this system?    Yes   No   If yes, identify tank and explain:   Evidence of non-domestic waste   Baffle(s) condition   Effluent screen condition   Maintenance hole and extensions condition   Other conditions (e.g. structural integrity of tank or lid, electrical hazard, etc.)</li> <li>Explanation:</li> <li>10. List any troubleshooting and minor repairs completed or declined by owner:   Troubleshooting and repairs conducted:   Repairs declined by owner:</li> </ul>							
	Additional comments or sugge	stions for owner's considera	ition:				
Pu	mping record						
	ersonally conducted the work de h Minnesota Rules Chapters 70		a Minnesota-licensed SSTS M	aintenance Business, in compliance			
□ By		ual of the business listed be w, I certify the above statem	low. ents to be true and correct, to	the best of my knowledge, and that			
	information can be used for the	purpose of processing tills					
	mpany information	nuro Crowsi		Employee information			
		EWER SERVICE		Print name: CHRIS WAGNER			
	iness license number: <u>L9/3</u>	0 h. + 1 0 h-		Certification number: (if applicable): <u>C976</u>   Phone number: <u>651-459-016</u> 2			
	meyersewer (	z novnaci com	<del></del>				
Emj	ployee's signature:	Wagner	Date (mr	m/dd/yyyy): <b>5-8-23</b>			
		=					