# Washington County

DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT
GOVERNMENT CENTER
14949 62nd STREET NORTH P.O. BOX 6 STILLWATER, MN 55082-0006
Office: 651-430-6655 TTY: 651-430-6246 FAX: 651-430-6730

## Subsurface Sewage Treatment System Maintenance Permit

	be completed in its entirety t forming maintenance activition							
Date of Maintenance	e: <u>5-8-23</u> Reason fo	or Maintenance:	Maintenance:		Routine			
Property Address:	9437 Jane Ct. 1	<b>V</b> P	roperty Owner's Nan	ne: Tom Pa	ulson			
	Le Elmo ZIP: 55049							
	No: 8381493363] Ma							
Mainter	nance Performed	Tank Meas	surement (must be o	ompleted if tanks N	IOT pumped)			
Tank(s) Pumped			Γankin					
_	Sludge Level in Tankin Scum Level in Tankin  dge and scum measured Do  Sludge + Scum/ Liquid LevelX 100			in				
tanks need to b			um/ Eiquid Lev		f 25% or greater			
☐ Yes ☐ No (	if no provide measurements)							
	6.							
1. Access used to re	emove septage:   Maintenanc	e Hole Other (e	enter authorization cod	e)				
<ol> <li>Were all covers securely replaced? Yes \( \sumsymbol{\text{No}} \) Yes \( \sumsymbol{\text{No}} \) No</li> <li>Is there evidence of tank leakage from a septic, holding, pretreatment or pump tank below the operating depth or evidence of damaged, cracked, or structurally unsound maintenance hole covers? \( \sumsymbol{\text{Yes}} \sumsymbol{\text{No}} \) No</li> </ol>								
	Ta nk	Leaking Out	Leaking In	Cover Damage				
	Septic/Holding Tank #1	□Yes 🔽 No	☐ Yes ✓ No	☐ Yes ☐ No				
	Septic/Holding Tank #2	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No				
	Pretreatment Tank	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No				
	Pump Tank	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No				
4. How many gallon	ns of septage were removed?							
	gal Tank #2g	gal Pretreatment	tank gal	Pump Tank	gal			
	on: List any troubleshooting, r							
6. Location of septag	ge disposal: St. Paul	Treatm	ent Plant					
		Meyer Sewer S						
	5325 Manning Ave S							
	License	Afton, MN 55 Number: L915						
				within 00 days				
	Maintenance activities mus	ir ne reported i	to the bepartinent	. within 30 days.				

White Copy-Maintainer submits to Washington County / Yellow Copy-Property Owner Record



520 Lafavette Road North St. Paul, MN 55155-4194

# Sewage tank maintenance reporting form

### **Subsurface Sewage** Treatment Systems (SSTS) Program

Doc Type: Compliance and Enforcement

Purpose: Management and maintenance of Subsurface Sewage Treatment Systems (SSTS) are important to ensure resource protection and long-term and cost-effective sewage treatment. Completion of this form complies with the sewage tank maintenance requirements under Minn. R. 7080.2450 and 7082.0600. This form may be used to certify the compliance status of the sewage tank components of the SSTS. This form is not a complete SSTS inspection report, only a tank integrity assessment, and may only certify sewage tank compliance status when entirely completed and signed on page 3 by a qualified professional.

Instructions: A copy of this information must be submitted to the system owner within 30 days of the maintenance date and be maintained by the licensed SSTS maintainer business for a period of five (5) years from the maintenance date. Maintenance reporting to the local unit of government may be required by local ordinance. Check with your local SSTS program for maintenance reporting protocol. Page 3 is optional and not required to be completed on routine maintenance events.

#### Secure maintenance hole covers

All maintenance hole covers must be returned to service in a sound and durable condition and be capable of withstanding the anticipated load.

Covers must be re-secured in accordance with Minn. R. 7080.2450, subp. 3, Items C or D:

- a) Covers installed under local ordinances adopted after February 4, 2008 must be locked, bolted or screwed or must be 95 pounds in weight. They must be made of material suitable for outdoor use, resistant to ultraviolet degradation and leaks, and not susceptible to being slid or flipped. They must have a label warning of hazardous conditions inside the tank. All screw openings must be refastened.
- b) Covers installed under local ordinances adopted before February 4, 2008 must either be buried with at least 12 inches of soil cover or be secured according to the local ordinance in effect before February 4, 2008.
- c) Covers must meet item 'a' above when raised to the ground surface or less than 12 inches from the ground surface.

Reporting information									
Date of maintenance (mm/dd/yyyy):		Reason for mainter	nance: Routi	ne					
Property address: 9437 Tow	12 Ct. N		Parcel ID						
city: Lake Elmo		State: MN Zip code		55092					
Property owner's name:	Paulson								
Property-owner's address (if different):			3						
City:		State: Zip code:							
Phone number:		Email address:							
	rou measure the accumulation of scum and sludge?   Yes No (tank(s) pumped without measuring)								
Tank (check if present)	Scum	Sludge	Operating depth	Percent full					
☐ Septic/holding tank #1									
☐ Septic/holding tank #2									
☐ Pretreatment tank		9.33	27						
☐ Pump tank									
2. Access used to remove septage	Access used to remove septage:   Maintenance hole Other (Unless a holding tank, go to #4 below)								
	If the maintenance hole was used, were all covers secured in place? Yes No If no, please explain below:								
				,					
4. If the owner refuses to allow a S	Subsurface Sewage	Treatment System (S	STS) to be pumped th	rough the maintenance					
Tom Paulson	hole, have them complete and sign the following statement.								
( <i>Print owner's name</i> ), refuse to allow the removal of the solids and liquids through the maintenance									
hole. I understand that removal of solids and liquids through other access points is not considered a compliant method of solids removal and does not fulfill the solids removal requirements of Minn. R. 7080.2450 and 7082.0600.									
By typing/signing my name below, I certify the above statements to be true and correct, to the best of my knowledge, and that this information can be used for the purpose of processing this form.									
Owner's signature:	and	Date (r	mm/dd/yyyy): 5 - 9	8-23					

Prop	perty address:			Parcel ID:				
City			State:					
5.	Is the tank designed as a lear	Verification method used:	ge pit, cesspool, drywell, leach	ing pit)				
	Tank #1: ☐ Yes ☐ No Verification method used:							
c			¥1.001.12					
6.	Is there evidence of the following?  Tank leaks below the designed operating depth		Tank leaks above the designed operating depth	Maintenance hole cover is damaged, cracked, unsecured, or appears to be structurally unsound				
	Septic/holding Tank #1	☐ Yes ♠ No	☐ Yes <b>⊘</b> No	☐ Yes 👩 No				
	Septic/holding Tank #2	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No				
	☐ Pretreatment Tank	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No				
	☐ Pump Tank	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No				
	Describe detail for any "Yes"							
	Tank #1: 1070 Tan	nk #2: F		Pump Tank:				
8.	Where was the septage taken? Wastewater treatment facility Land application Other Explanation (Facility name/Site #):							
	Did you identify any operational issues or unsafe conditions while assessing the sewage tanks in this system?  ☐ Yes No If yes, identify tank and explain: ☐ Evidence of non-domestic waste ☐ Baffle(s) condition ☐ Effluent screen condition ☐ Maintenance hole and extensions condition ☐ Other conditions (e.g. structural integrity of tank or lid, electrical hazard, etc.  Explanation:							
10.	List any troubleshooting and minor repairs complete  Troubleshooting and repairs conducted:		d or declined by owner:					
-	Troubleshooting and repair	s conducted.	Trepairs declined by owne	1.				
-								
	Additional comments or sugge	Additional comments or suggestions for owner's consideration:						
Diii	mping record							
I pe with	rsonally conducted the work de Minnesota Rules Chapters 70	scribed above on behalf of a 80 – 7083:	a Minnesota-licensed SSTS M	aintenance Business, in compliance				
M	As a noncertified individual who	has received proper training	g, daily work review, and perio	dic observation, or				
	As a designated certified individ	lual of the business listed be	elow.					
	typing/signing my name belo information can be used for the			the best of my knowledge, and that				
Con	npany information	0	Employee informati	on				
	pany name: MEYER	SEWER SERVI	ICE Print name: AI Th	urmes				
	1 0	JEWEN JEIL	Certification number: (if					
Email: meyer gewer @ hot mail. Com Phone number: 651-459-0162								
1 // = 1/								
∟mp	oloyee's signature:		Date (IIII	11/1dd/yyyy/. 3-6-23				

Available in alternative formats Page 2 of 3