Washington County

DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT
GOVERNMENT CENTER
14949 62nd STREET NORTH P.O. BOX 6 STILLWATER, MN 55082-0006
Office: 651-430-6655 TTY: 651-430-6246 FAX: 651-430-6730

## Subsurface Sewage Treatment System Maintenance Permit

	pe completed in its entirety forming maintenance activit							
Date of Maintenance	e: 6 13 23 Reason	for Maintenance:		Routin	e			
Property Address:	5545 Keats Ave	N.	Property Owner's Na	ame: Tom H	lermanson			
Municipality: \_\a\	Ke Elmo ZIP: 5501	t2 Property Ide	entification Number:	:				
	No: 09320133648 M							
-								
Mainter	nance Performed	Tank Mea	surement (must be	completed if tank	s NOT pumped)			
Tank(s) Pumped			Tankin					
☐ Sludge and scum		Sludge Level in Tankin Scum Level in Tankin Sludge + Scum/ Liquid LevelX 100						
tanks need to b			= % Sludge & Scum Tanks must be pumped if 25% or greater					
☐ Yes ☐ No (i	if no provide measurements)			<u> </u>				
3. Is there evidence	e of tank leakage from a sept naged, cracked, or structura	tic, holding, preti			erating depth or			
	nk	Leaking Out	Leaking in	Cover Damage	_			
	Septic/Holding Tank #1	□Yes ☑ No	☐ Yes ☐ No	☐ Yes ☐ No				
	Septic/Holding Tank #2	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No				
	Pretreatment Tank	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No				
	Pump Tank	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	_			
Tank #1 \\200	s of septage were removed?gal Tank #2_ n: List any troubleshooting,	gal Pretreatmen			gal ner concerns.			
6. Location of septas		Meyer Sewer S 5325 Manning Afton, MN 5 e Number: L915	Ave S 5001					

White Copy-Maintainer submits to Washington County / Yellow Copy-Property Owner Record

Maintenance activities must be reported to the Department within 90 days.



520 Lafayette Road North St. Paul, MN 55155-4194

# Sewage tank maintenance reporting form

### Subsurface Sewage Treatment Systems (SSTS) Program

Doc Type: Compliance and Enforcement

Purpose: Management and maintenance of Subsurface Sewage Treatment Systems (SSTS) are important to ensure resource protection and long-term and cost-effective sewage treatment. Completion of this form complies with the sewage tank maintenance requirements under Minn. R. 7080.2450 and 7082.0600. This form may be used to certify the compliance status of the sewage tank components of the SSTS. This form is not a complete SSTS inspection report, only a tank integrity assessment, and may only certify sewage tank compliance status when entirely completed and signed on page 3 by a qualified professional.

**Instructions:** A copy of this information must be submitted to the system owner within 30 days of the maintenance date and be maintained by the licensed SSTS maintainer business for a period of five (5) years from the maintenance date. Maintenance reporting to the local unit of government *may* be required by local ordinance. Check with your local SSTS program for maintenance reporting protocol. **Page 3 is optional and not required to be completed on routine maintenance events.** 

### Secure maintenance hole covers

All maintenance hole covers must be returned to service in a sound and durable condition and be capable of withstanding the anticipated load.

Covers must be re-secured in accordance with Minn. R. 7080.2450, subp. 3, Items C or D:

- a) Covers installed under local ordinances adopted after February 4, 2008 must be locked, bolted or screwed or must be 95 pounds in weight. They must be made of material suitable for outdoor use, resistant to ultraviolet degradation and leaks, and not susceptible to being slid or flipped. They must have a label warning of hazardous conditions inside the tank. All screw openings must be refastened.
- b) Covers installed under local ordinances adopted before February 4, 2008 must either be buried with at least 12 inches of soil cover or be secured according to the local ordinance in effect before February 4, 2008.
- c) Covers must meet item 'a' above when raised to the ground surface or less than 12 inches from the ground surface.

	c) Covers must meet item a c	above when raised to	ino ground buridos or re						
Rep	orting information	1 1							
Date	of maintenance (mm/dd/yyyy):	6/13/23	Reason for mainte	nance: Rouths					
Prop	perty address: 5545 KE	093 AUE. M		Parcel ID:	- >1/1				
	lake Elmo		State: MN	Zip code:	5092				
Prop	perty owner's name: 101	n Herman ?	50n						
Prop	perty-owner's address (if differen	t):							
City: State				Zip code:					
	ne number:								
1.	The state of the s								
	Tank (check if present)	Scum	Sludge	Operating depth	Percent full				
	☐ Septic/holding tank #1								
	☐ Septic/holding tank #2								
	☐ Pretreatment tank								
	☐ Pump tank								
2.	Access used to remove septa	ge: Maintenance	hole Other (Unles	s a holding tank, go to #4 be	elow)				
3.	If the maintenance hole was u								
4.	If the owner refuses to allow	a Subsurface Sewage	e Treatment System (		gh the maintenance				
	hole, have them complete and			e solids and liquids through	the maintenance				
	(Print owner's name)	, refuse to	allow the removal of th	le sollos and liquios through	the maintenance				
	hole. I understand that removal solids removal and does not ful	of solids and liquids th	nrough other access po	ints is not considered a com	pliant method of				
	By typing/signing my name below, I certify the above statements to be true and correct, to the best of my knowledge, and that this information cap be used for the purpose of processing this form.								
	Owner's signature:	Jumana	Date	(mm/dd/yyyy): 6-13-	23				

perty address:			Parcel ID:
			Zip code:
Is the tank designed as a lea	aky tank? (Example: seep	age pit, cesspool, drywell, leach	ning pit)
Tank #1: Yes No	Verification method used	. 1/	
Tank #2: Yes No	Verification method used	d: VISUAL	
Is there evidence of the follo			
to another control of the folia	, in the second	1	Maintenance hole cover is
Tank (shock if present)	Tank leaks below the	Tank leaks above the	damaged, cracked, unsecured, o
Tank (check if present)  Septic/holding Tank #1	designed operating depth		appears to be structurally unsou
Septic/holding Tank #2	Yes No	Yes No	☐ Yes ♠ No
Pretreatment Tank	Yes No	Yes No	Yes No
Pump Tank	Yes No	Yes No	Yes No
•	Yes No	☐ Yes ☐ No	☐ Yes ☐ No
Describe detail for any "Yes"			
How many gallons of septag	ge were removed?		
Tank #1: /200 Tar	nk #2:	Pretreatment Tank:	Pump Tank:
		ent facility Dand application	
Explanation (Facility name/Site			
Did you identify any operation	onal issues or unsafe cor	nditions while assessing the s	sewage tanks in this system?
Yes No If yes, ident	tify tank and explain:		
Evidence of non-domes	stic waste Baffle(s) cor	ndition	dition
		ndition	
☐ Maintenance hole and e	extensions condition   C	other conditions (e.g. structural inte	
Maintenance hole and e	extensions condition   C	Other conditions (e.g. structural inter-	
☐ Maintenance hole and e Explanation:  List any troubleshooting and	extensions condition	other conditions (e.g. structural into	egrity of tank or lid, electrical hazard, etc
Maintenance hole and e	extensions condition	other conditions (e.g. structural into	egrity of tank or lid, electrical hazard, etc
☐ Maintenance hole and e Explanation:  List any troubleshooting and	extensions condition	other conditions (e.g. structural into	egrity of tank or lid, electrical hazard, etc
☐ Maintenance hole and e Explanation:  List any troubleshooting and	extensions condition	other conditions (e.g. structural into	egrity of tank or lid, electrical hazard, etc
☐ Maintenance hole and e Explanation:  List any troubleshooting and	extensions condition	other conditions (e.g. structural into	egrity of tank or lid, electrical hazard, etc
☐ Maintenance hole and e Explanation:  List any troubleshooting and ☐ Troubleshooting and repair	extensions condition	d or declined by owner:  Repairs declined by owner	egrity of tank or lid, electrical hazard, etc
☐ Maintenance hole and e Explanation:  List any troubleshooting and	extensions condition	d or declined by owner:  Repairs declined by owner	egrity of tank or lid, electrical hazard, etc
☐ Maintenance hole and e Explanation:  List any troubleshooting and ☐ Troubleshooting and repair	extensions condition	d or declined by owner:  Repairs declined by owner	egrity of tank or lid, electrical hazard, etc
☐ Maintenance hole and e Explanation:  List any troubleshooting and ☐ Troubleshooting and repair	extensions condition	d or declined by owner:  Repairs declined by owner	egrity of tank or lid, electrical hazard, etc
☐ Maintenance hole and e Explanation:  List any troubleshooting and ☐ Troubleshooting and repair	extensions condition	d or declined by owner:  Repairs declined by owner	egrity of tank or lid, electrical hazard, etc
☐ Maintenance hole and e Explanation:  List any troubleshooting and ☐ Troubleshooting and repair	extensions condition	d or declined by owner:  Repairs declined by owner	egrity of tank or lid, electrical hazard, et
☐ Maintenance hole and explanation:  List any troubleshooting and ☐ Troubleshooting and repair  Additional comments or sugge	extensions condition	d or declined by owner:  Repairs declined by owner	egrity of tank or lid, electrical hazard, etc
☐ Maintenance hole and e Explanation:  List any troubleshooting and ☐ Troubleshooting and repair	extensions condition	d or declined by owner:  Repairs declined by owner	egrity of tank or lid, electrical hazard, etc
☐ Maintenance hole and explanation:  List any troubleshooting and □ Troubleshooting and repair  Additional comments or sugge	d minor repairs complete s conducted:	d or declined by owner: Repairs declined by owner ration:	egrity of tank or lid, electrical hazard, etc
☐ Maintenance hole and explanation:  List any troubleshooting and repair  Troubleshooting and repair  Additional comments or sugges	d minor repairs complete s conducted:  stions for owner's consider	d or declined by owner: Repairs declined by owner ration:	egrity of tank or lid, electrical hazard, et
☐ Maintenance hole and of Explanation:  List any troubleshooting and repair  ☐ Troubleshooting and repair  Additional comments or suggest and the suggest and	d minor repairs completes conducted:  stions for owner's consider scribed above on behalf of 30 – 7083:	d or declined by owner:  Repairs declined by owner  ration:	egrity of tank or lid, electrical hazard, etc
☐ Maintenance hole and of Explanation:  List any troubleshooting and □ Troubleshooting and repair  Additional comments or sugger  apping record  sonally conducted the work deal Minnesota Rules Chapters 708 and a noncertified individual who	d minor repairs completes conducted:  stions for owner's consider scribed above on behalf of 30 – 7083: has received proper trainir	d or declined by owner:  Repairs declined by owner  ration:	egrity of tank or lid, electrical hazard, etc
☐ Maintenance hole and of Explanation:  List any troubleshooting and repair  ☐ Troubleshooting and repair  Additional comments or suggest and the work decord and the	d minor repairs complete s conducted:  stions for owner's consider scribed above on behalf of 30 – 7083: has received proper training all of the business listed b	d or declined by owner:  Repairs declined by owner  ration:  Ta Minnesota-licensed SSTS Manag, daily work review, and periodelow.	egrity of tank or lid, electrical hazard, etc
☐ Maintenance hole and of Explanation:  List any troubleshooting and repair  ☐ Troubleshooting and repair  Additional comments or suggest and suggest	d minor repairs completes conducted:  scribed above on behalf of 30 – 7083: has received proper training all of the business listed bow, I certify the above stater	d or declined by owner:  Repairs declined by owner  ration:  The Minnesota-licensed SSTS Manager, daily work review, and period elow.  The ments to be true and correct, to the ments to the ments to be true and correct, to the ments to the ments to be true and correct, to the ments to	egrity of tank or lid, electrical hazard, etc
☐ Maintenance hole and of Explanation:  List any troubleshooting and repair  ☐ Troubleshooting and repair  Additional comments or suggest and the work decord and the	d minor repairs completes conducted:  scribed above on behalf of 30 – 7083: has received proper training all of the business listed bow, I certify the above stater	d or declined by owner:  Repairs declined by owner  ration:  The Minnesota-licensed SSTS Manager, daily work review, and period elow.  The ments to be true and correct, to the ments to the ments to be true and correct, to the ments to the ments to be true and correct, to the ments to	egrity of tank or lid, electrical hazard, etc
☐ Maintenance hole and of Explanation:  List any troubleshooting and □ Troubleshooting and repair  Additional comments or sugger  Additional comments or sugger  Sonally conducted the work dearnines of Rules Chapters 708 as a noncertified individual who is a designated certified individual who is a designated certified individual who is a designated certified individual who information can be used for the	extensions condition	d or declined by owner:  Repairs declined by owner  a Minnesota-licensed SSTS Mang, daily work review, and period elow.  The property of the contract of the c	egrity of tank or lid, electrical hazard, etc.  r:  aintenance Business, in compliance dic observation, or the best of my knowledge, and that
☐ Maintenance hole and of Explanation:  List any troubleshooting and □ Troubleshooting and repair  Additional comments or sugger  Additional comments or sugger  Sonally conducted the work dealer Minnesota Rules Chapters 708 as a noncertified individual who as a designated certified individual who as a designated certified individual who as a designated certified individual who are the pany information	extensions condition	d or declined by owner:  Repairs declined by owner  a Minnesota-licensed SSTS Mang, daily work review, and period elow.  The property of the contract of the c	egrity of tank or lid, electrical hazard, etc.  r:  aintenance Business, in compliance dic observation, or the best of my knowledge, and that
☐ Maintenance hole and of Explanation:  List any troubleshooting and □ Troubleshooting and repair  Additional comments or sugger  Additional comments or sugger  Sonally conducted the work dead Minnesota Rules Chapters 708 as a noncertified individual who is a designated certified i	extensions condition	d or declined by owner:  Repairs declined by owner  a Minnesota-licensed SSTS Mang, daily work review, and period elow.  The ments to be true and correct, to be form.  Employee information  ILCE Print name: Al The	egrity of tank or lid, electrical hazard, etc.  r:  aintenance Business, in compliance dic observation, or the best of my knowledge, and that
☐ Maintenance hole and of Explanation:  List any troubleshooting and □ Troubleshooting and repair  Additional comments or sugger  Additional comments or sugger  Sonally conducted the work dead Minnesota Rules Chapters 708 as a noncertified individual who is a designated certified i	extensions condition   d minor repairs complete s conducted:  escribed above on behalf of 30 – 7083:  has received proper training ual of the business listed b w, I certify the above stater purpose of processing this  SEWER SERV	d or declined by owner:  Repairs declined by owner  a Minnesota-licensed SSTS Mang, daily work review, and period elow.  The ments to be true and correct, to be form.  Employee information  Certification number: (if a content of the content of th	egrity of tank or lid, electrical hazard, etc.  r:  aintenance Business, in compliance dic observation, or the best of my knowledge, and that  on  aurmes  applicable):
☐ Maintenance hole and of Explanation:  List any troubleshooting and □ Troubleshooting and repair  Additional comments or sugger  Additional comments or sugger  Sonally conducted the work dead Minnesota Rules Chapters 708 as a noncertified individual who is a designated certified i	extensions condition   d minor repairs complete s conducted:  escribed above on behalf of 30 – 7083:  has received proper training ual of the business listed b w, I certify the above stater purpose of processing this  SEWER SERV	ther conditions (e.g. structural into dor declined by owner:  Repairs declined by owner:  Repairs declined by owner  ration:  Repairs declined by owner  Repairs declined by owner  ration:  Repairs declined by owner  Repairs declined by owner  Repairs declined by owner  ration:  Rep	egrity of tank or lid, electrical hazard, etc.  r:  aintenance Business, in compliance dic observation, or the best of my knowledge, and that  on  iumics  applicable):

Available in alternative formats