Was	hington
	County
\sim	

DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT GOVERNMENT CENTER 14949 62nd STREET NORTH P.O. BOX 6 STILLWATER, MN 55082-0006 Office: 651-430-6655 TTY: 651-430-6246 FAX: 651-430-6730

Subsurface Sewage Treatment System Maintenance Permit

	to constitute a valid maintenance permine es and remain on-site for the duration of			
prior to performing maintenance activities and remain on-site for the duration of the maintenance activity. Date of Maintenance: Date of Maintenance: Property Address: 2075 Quebec Ave. S. Property Owner's Name: Rowanne Fogand Aunicipality: <u>31. Croix Beach</u> ZIP: <u>35043</u> Property Identification Number: Maintenance Permit No: <u>a1902a33680</u> Maintainer Name and License No. <u>Meyer Sewer Service/ L915</u>				
U				
Maintenance Performed	Tank Measurement (must be com			

1. Access used to remove septage: Maintenance Hole Other (enter authorization code)

2. Were all covers securely replaced? Z Yes D No

3. Is there evidence of tank leakage from a septic, holding, pretreatment or pump tank below the operating depth or evidence of damaged, cracked, or structurally unsound maintenance hole covers?
Yes No

Ta nk	Leaking Out	Leaking In	Cover Damage
Septic/Holding Tank #1	Yes No	🗆 Yes 🗹 No	🗌 Yes 🗹 No
Septic/Holding Tank #2	🗌 Yes 🗌 No	🗌 Yes 🗌 No	🗆 Yes 🗆 No
Pretreatment Tank	🗌 Yes 🗌 No	🗌 Yes 🗌 No	🗆 Yes 🗌 No
Pump Tank	🗆 Yes 🗆 No	🗆 Yes 🗆 No	🗆 Yes 🗆 No

4. How many gallons of septage were removed?

	Tank #1_	1250	_gal	Tank #2	gal	Pretreatment tank_	gal	Pump Tank_	gal
_			10.0						

5. Other information: List any troubleshooting, minor repairs conducted, tank safety concerns, or other concerns.

6. Location of septage disposal: _	Land	P	10	P	14	-	M	۸-	.1
			- 1						-

Meyer Sewer Service 5325 Manning Ave S

Afton, MN 55001 License Number: L915 P: 651-459-0162

Maintenance activities must be reported to the Department within 90 days.

White Copy-Maintainer submits to Washington County / Yellow Copy-Property Owner Record

MINNESOTA POLLUTION

520 Lafayette Road North St. Paul, MN 55155-4194

Sewage tanl maintenance reporting form Subsurface Sewage

Treatment Systems (SSTS) Program

Doc Type: Compliance and Enforceme.

Purpose: Management and maintenance of Subsurface Sewage Treatment Systems (SSTS) are important to ensure resource protection and long-term and cost-effective sewage treatment. Completion of this form complies with the sewage tank maintenance requirements under Minn. R. 7080.2450 and 7082.0600. This form may be used to certify the compliance status of the sewage tank components of the SSTS. This form is not a complete SSTS inspection report, only a tank integrity assessment, and may only certify sewage tank compliance status when entirely completed and signed on page 3 by a qualified professional.

Instructions: A copy of this information must be submitted to the system owner within 30 days of the maintenance date and be maintained by the licensed SSTS maintainer business for a period of five (5) years from the maintenance date. Maintenance reporting to the local unit (government may be required by local ordinance. Check with your local SSTS program for maintenance reporting protocol. Page 3 is optional and not required to be completed on routine maintenance events.

Secure maintenance hole covers

All maintenance hole covers must be returned to service in a sound and durable condition and be capable of withstanding the anticipated load.

Covers must be re-secured in accordance with Minn. R. 7080.2450, subp. 3, Items C or D:

- a) Covers installed under local ordinances adopted after February 4, 2008 must be locked, bolted or screwed or must be 95 pounds in weight. They must be made of material suitable for outdoor use, resistant to ultraviolet degradation and leak and not susceptible to being slid or flipped. They must have a label warning of hazardous conditions inside the tank. All screw openings must be refastened.
- b) Covers installed under local ordinances adopted before February 4, 2008 must either be buried with at least 12 inches of soil cover or be secured according to the local ordinance in effect before February 4, 2008.
- c) Covers must meet item 'a' above when raised to the ground surface or less than 12 inches from the ground surface.

Reporting information

Date of maintenance (mm/dd/yyyy	1522	Poseon for ma	intenance: Reg Art			
Date of maintenance (mm/dd/yyyy	1.6-15-05	- 1 -	Parcel ID:	les polition		
Property address: 2075						
City: The St Croix			Zip code:			
Property owner's name: Kake	inne togo	and				
Property-owner's address (if different	int):					
City:		State:	State: Zip code:			
Phone number:						
			No (tank(s) pumped without	measuring)		
Tank (check if present)	Scum	Sludge	Operating depth	Percent full		
Septic/holding tank #1						
Septic/holding tank #2			0.10.251.1	24		
Pretreatment tank						
Pump tank						
2 Acres used to remove con	tago: Maintena	nce hole ther (1)	nless a holding tank, go to #4 b	elow)		
2. Access used to remove sep	tage. I maintena	ince more pounder (or		aasa axalain helow:		
If the maintenance hole was	used, were all cov	ers secured in place	Yes 🗆 No If no, pl	ease explain below.		
	Cubaudaaa Cau	and Treatment Syste	m (SSTS) to be pumped thro	ugh the maintenance		
hale have them complete a	nd cian the follow!!	ng statement.				
Hole, Have them complete a	refus	e to allow the removal	of the solids and liquids through	h the maintenance		
hole. I understand that remov	al of solids and liquid	ds through other acces	s points is not considered a co	mpliant method of		
collide removal and does not f	ulfill the solids remov	val requirements of will	II. R. 1000.2400 and 1002.000			
By typing/signing my name	below, I certify the	above statements to be	e true and correct, to the best o	and the knowledge, and		
that this information can be u	sed for the purpose of		Date (mm/dd/yyyy): 6-15			
Owner's signature:			ate (mm/dd/yyyy).	01		

Available in alternative forma Page 1 of

5.			State:	ZID CODE.
5.	Is the tank designed as a lea			Zip code:
		ky tank? (Example: seepad	ge pit, cesspool, drywell, leach	aing oit)
	Tank #1: Yes XNo	Verification method used:		
	Tank #2: Yes No	Verification method used:	Visilal	
6.	Is there evidence of the follo		TIONE	
	is there evidence of the follo	wing ?	I Contraction of the second	1.00.1
	-	Tank leaks below the	Tank leaks above the	Maintenance hole cover is damaged, cracked, unsecured, or
-	Tank (check if present)	designed operating depth	designed operating depth	appears to be structurally unsour
	Septic/holding Tank #1	Yes ANO	Yes No	Yes Yo
-	Septic/holding Tank #2	Yes No	Yes No	Yes No
	Pretreatment Tank			Yes No
~	Pump Tank	Yes No	Yes No	Yes No
	Describe detail for any "Yes"	2		at a second base in the second s
	How many gallons of septage	Woro romovad?		
• • • •	gunono or septage	e were removed r		
• - 16	Tank #1: 1250 Tan	k #2: Pi	retreatment Tank:	Pump Tank:
	Tank #1: 1250 Tan	k #2: Pr		Pump Tank:
i.	Tank #1: 1250 Tan Where was the septage taker	k #2: Pr	facility, Land application	
3.).	Tank #1: 250 Tan Where was the septage taker Explanation (Facility name/Site Did you identify any operatio	k #2: Pr Pr Pr Wastewater treatment #): nal issues or unsafe cond	facility DLand application	Other
	Tank #1: 250 Tan Where was the septage taker Explanation (Facility name/Site Did you identify any operatio Yes Alo If yes, identii Evidence of non-domest	k #2: Pr Pr Pr Wastewater treatment #): nal issues or unsafe cond fy tank and explain: ic waste	tion Effluent screen cond	Other ewage tanks in this system?
5.).	Tank #1: 250 Tan Where was the septage taker Explanation (Facility name/Site Did you identify any operatio Yes No If yes, identii Evidence of non-domest Maintenance hole and e:	k #2: Pr Pr Pr Pr Pr Pr Pr Pr Pr Pr	tion Effluent screen cond er conditions (e.g. structural inte	Other
3.).	Tank #1: 250 Tan Where was the septage taker Explanation (Facility name/Site Did you identify any operatio Yes No If yes, identii Evidence of non-domest Maintenance hole and ex- Explanation:	k #2: Pr ? Wastewater treatment #): 	tions while assessing the s tion Effluent screen cond er conditions (e.g. structural inte	Other
8.). 0.	Tank #1: 250 Tan Where was the septage taker Explanation (Facility name/Site Did you identify any operatio Pes Alo If yes, identi Evidence of non-domest Maintenance hole and ex- Explanation: List any troubleshooting and	k #2: Pr Pr Pr Pr Pr Pr Pr Pr Pr Pr	tions while assessing the s tion Effluent screen cond er conditions (e.g. structural inte	Other ewage tanks in this system?
8.). 0.	Tank #1: 250 Tan Where was the septage taker Explanation (Facility name/Site Did you identify any operatio Yes No If yes, identii Evidence of non-domest Maintenance hole and ex- Explanation:	k #2: Pr Pr Pr Pr Pr Pr Pr Pr Pr Pr	tions while assessing the s tion Effluent screen cond er conditions (e.g. structural inte	Other ewage tanks in this system? ition egrity of tank or lid, electrical hazard, etc.
0.	Tank #1: 250 Tan Where was the septage taker Explanation (Facility name/Site Did you identify any operatio Pes Alo If yes, identi Evidence of non-domest Maintenance hole and ex- Explanation: List any troubleshooting and	k #2: Pr Pr Pr Pr Pr Pr Pr Pr Pr Pr	tion Effluent screen cond er conditions (e.g. structural inter or declined by owner:	Other ewage tanks in this system? ition egrity of tank or lid, electrical hazard, etc.
0.	Tank #1: 250 Tan Where was the septage taker Explanation (Facility name/Site Did you identify any operatio Pes Alo If yes, identi Evidence of non-domest Maintenance hole and ex- Explanation: List any troubleshooting and	k #2: Pr Pr Pr Pr Pr Pr Pr Pr Pr Pr	tion Effluent screen cond er conditions (e.g. structural inter or declined by owner:	Other ewage tanks in this system? ition egrity of tank or lid, electrical hazard, etc.
0.	Tank #1: 250 Tan Where was the septage taker Explanation (Facility name/Site Did you identify any operatio Pes Alo If yes, identi Evidence of non-domest Maintenance hole and ex- Explanation: List any troubleshooting and	k #2: Pr Pr Pr Pr Pr Pr Pr Pr Pr Pr	tion Effluent screen cond er conditions (e.g. structural inter or declined by owner:	Other ewage tanks in this system? ition egrity of tank or lid, electrical hazard, etc.
3.). 0. 	Tank #1: Tank Where was the septage taker Explanation (Facility name/Site Did you identify any operatio Pres ANO If yes, identi Evidence of non-domest Maintenance hole and ex Explanation: List any troubleshooting and Troubleshooting and repairs	k #2: Pr ? [] Wastewater treatment #): nal issues or unsafe cond fy tank and explain: ic waste [] Baffle(s) condi xtensions condition [] Other minor repairs completed of conducted: []	tion Effluent screen cond er conditions (e.g. structural inter or declined by owner: Repairs declined by owner	Other ewage tanks in this system? ition egrity of tank or lid, electrical hazard, etc.
3.). 0. 	Tank #1: 250 Tan Where was the septage taker Explanation (Facility name/Site Did you identify any operatio Pes Alo If yes, identi Evidence of non-domest Maintenance hole and ex- Explanation: List any troubleshooting and	k #2: Pr ? [] Wastewater treatment #): nal issues or unsafe cond fy tank and explain: ic waste [] Baffle(s) condi xtensions condition [] Other minor repairs completed of conducted: []	tion Effluent screen cond er conditions (e.g. structural inter or declined by owner: Repairs declined by owner	Other ewage tanks in this system? ition egrity of tank or lid, electrical hazard, etc.
3.). 0. 	Tank #1: Tank Where was the septage taker Explanation (Facility name/Site Did you identify any operatio Pres ANO If yes, identi Evidence of non-domest Maintenance hole and ex Explanation: List any troubleshooting and Troubleshooting and repairs	k #2: Pr ? [] Wastewater treatment #): nal issues or unsafe cond fy tank and explain: ic waste [] Baffle(s) condi xtensions condition [] Other minor repairs completed of conducted: []	tion Effluent screen cond er conditions (e.g. structural inter or declined by owner: Repairs declined by owner	Other ewage tanks in this system? ition egrity of tank or lid, electrical hazard, etc.
3.). 0. 	Tank #1: Tank Where was the septage taker Explanation (Facility name/Site Did you identify any operatio Pres ANO If yes, identi Evidence of non-domest Maintenance hole and ex Explanation: List any troubleshooting and Troubleshooting and repairs	k #2: Pr ? [] Wastewater treatment #): nal issues or unsafe cond fy tank and explain: ic waste [] Baffle(s) condi xtensions condition [] Other minor repairs completed of conducted: []	tion Effluent screen cond er conditions (e.g. structural inter or declined by owner: Repairs declined by owner	Other ewage tanks in this system? ition egrity of tank or lid, electrical hazard, etc.
3.). 0.	Tank #1: Tank Where was the septage taker Explanation (Facility name/Site Did you identify any operatio Pres ANO If yes, identi Evidence of non-domest Maintenance hole and ex Explanation: List any troubleshooting and Troubleshooting and repairs	k #2: Pr ? [] Wastewater treatment #): nal issues or unsafe cond fy tank and explain: ic waste [] Baffle(s) condi xtensions condition [] Other minor repairs completed of conducted: []	tion Effluent screen cond er conditions (e.g. structural inter or declined by owner: Repairs declined by owner	Other ewage tanks in this system? ition egrity of tank or lid, electrical hazard, etc.
3.). 0. 	Tank #1: Tank Where was the septage taker Explanation (Facility name/Site Did you identify any operatio Pres ANO If yes, identi Evidence of non-domest Maintenance hole and ex Explanation: List any troubleshooting and Troubleshooting and repairs	k #2: Pr ? [] Wastewater treatment #): nal issues or unsafe cond fy tank and explain: ic waste [] Baffle(s) condi xtensions condition [] Other minor repairs completed of conducted: []	tion Effluent screen cond er conditions (e.g. structural inter or declined by owner: Repairs declined by owner	Other ewage tanks in this system? ition egrity of tank or lid, electrical hazard, etc.

Company Information Company name: <u>MEYER SEWER SERVICE</u>	Employee information Print name: CHRIS WAGNER
Business license number: 1915	Certification number: (if applicable): C9761
Employee's signature: Chi's Wagne	Phone number: <u>65/-459-0162</u> Date (mm/dd/yyyy): <u>6-15-23</u>