Washington

DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT GOVERNMENT CENTER 14949 62nd STREET NORTH P.O. BOX 6 STILLWATER, MN 55082-0006 Office: 651-430-6655 TTY: 651-430-6246 FAX: 651-430-6730

Subsurface Sewage Treatment System Maintenance Permit

This section must be completed in its entirety to constitute a valid maintenance permit. This permit must be completed prior to performing maintenance activities and remain on-site for the duration of the maintenance activity.				
Date of Maintenance: 6 16 23 Reason for Maintenance: Routine Property Address: 4380 McDonald 0r CHN Property Owner's Name: Harlan Anderson Municipality: Baytown ZIP: Property Identification Number:				
Maintenance Performed	Tank Measurement (must be completed if tanks NOT pumped)			
· · · · · · · · · · · · · · · · · · ·				

1. Access used to remove septage:
Maintenance Hole Other (enter authorization code)

2. Were all covers securely replaced? Ves 🗌 No

3. Is there evidence of tank leakage from a septic, holding, pretreatment or pump tank below the operating depth or evidence of damaged, cracked, or structurally unsound maintenance hole covers?
Yes No

Ta nk	Leaking Out	Leaking In	Cover Damage
Septic/Holding Tank #1	Yes 🗹 No	🗌 Yes 🗹 No	Yes No
Septic/Holding Tank #2	🗌 Yes 📈 No	Yes No	🗆 Yes 🔽 No
Pretreatment Tank	🗆 Yes 🗆 No	🗆 Yes 🗆 No	🗆 Yes 🗆 No
Pump Tank	🗆 Yes 🗆 No	🗆 Yes 🗆 No	🗆 Yes 🗆 No

4. How many gallons of septage were removed?

	Tank #1_100 0	_gal T	ank #2	1000	gal Pr	etreatment tank	gal	Pump Tank_	gal
5.	Other information:	: List any	troubles	shooting,	minor	repairs conducted	l, tank safety	concerns, or	other concerns.

Land 6. Location of septage disposal:

Meyer Sewer Service 5325 Manning Ave S Afton, MN 55001

License Number: L915 P: 651-459-0162

Maintenance activities must be reported to the Department within 90 days.

White Copy-Maintainer submits to Washington County / Yellow Copy-Property Owner Record

MINNESOTA POLLUTION

520 Lafayette Road North St. Paul, MN 55155-4194

Sewage tar maintenance reporting for **Subsurface Sewa**

Treatment Systems (SSTS) Progra

Doc Type: Compliance and Enforcen

Purpose: Management and maintenance of Subsurface Sewage Treatment Systems (SSTS) are important to ensure resource protection and long-term and cost-effective sewage treatment. Completion of this form complies with the sewage tank maintenance requirements under Minn. R. 7080.2450 and 7082.0600. This form *may* be used to certify the compliance status of the sewage tank components of the SSTS. This form is not a complete SSTS inspection report, only a tank integrity assessment, and may only certify sewage tank compliance status when entirely completed and signed on page 3 by a qualified professional.

Instructions: A copy of this information must be submitted to the system owner within 30 days of the maintenance date and be maintain by the licensed SSTS maintainer business for a period of five (5) years from the maintenance date. Maintenance reporting to the local un government *may* be required by local ordinance. Check with your local SSTS program for maintenance reporting protocol. **Page 3 is optional and not required to be completed on routine maintenance events**.

Secure maintenance hole covers

All maintenance hole covers must be returned to service in a sound and durable condition and be capable of withstandi the anticipated load.

Covers must be re-secured in accordance with Minn. R. 7080.2450, subp. 3, Items C or D:

- a) Covers installed under local ordinances adopted after February 4, 2008 must be locked, bolted or screwed or must be 95 pounds in weight. They must be made of material suitable for outdoor use, resistant to ultraviolet degradation and lea and not susceptible to being slid or flipped. They must have a label warning of hazardous conditions inside the tank. All screw openings must be refastened.
- b) Covers installed under local ordinances adopted before February 4, 2008 must either be buried with at least 12 inches c soil cover or be secured according to the local ordinance in effect before February 4, 2008.
- c) Covers must meet item 'a' above when raised to the ground surface or less than 12 inches from the ground surface.

Reporting information

	0					
Dat	te of maintenance (mm/dd/yyyy)	6/16/230	Reason for mainte	hance: Routinz		
Property address: 4380 McDonald DR. Ct. N Parcel ID:						
City: Stillwater Baytown, A State: MN Zip code: 55				5082		
	perty owner's name:	arlan Avc	ERSON			
Pro	perty-owner's address (if different	nt):				
City			State:	State: Zip code:		
Pho	one number:					
1.	Did you measure the accum		/	lo (tank(s) pumped without m	neasuring)	
	Tank (check if present)	Scum	Sludge	Operating depth	Percent full	
	Septic/holding tank #1					
	Septic/holding tank #2					
	Pretreatment tank			7		
	Pump tank		-			
2.	Access used to remove septage: Aaintenance hole Dother (Unless a holding tank, go to #4 below)					
3.						
				5		
4.	If the owner refuses to allow	a Subsurface Sewage	Treatment System (S	STS) to be pumped throug	h the maintenanc	
	hole, have them complete an			· · · · · · · · · · · · · · · · · · ·		
	(Print owner's name), refuse to allow the removal of the solids and liquids through the maintenance					
	hole. I understand that removal of solids and liquids through other access points is not considered a compliant method of					
	solids removal and does not fulfill the solids removal requirements of Minn. R. 7080.2450 and 7082.0600.					
	By typing/signing my name t	elow, I certify the abov	e statements to be true	and correct, to the best of m	ny knowledge, and	
	that this information can be used for the purpose of processing this form.					
	Owner's signature:	m	Date (r	mm/dd/yyyy): <u>6/16/23</u>		

Available in alternative form Page 1 c

Pro	perty address:			Parcel ID:		
City:			State:	Zip code:		
5.	F		VISUAL	ing pit)		
6.	Is there evidence of the follo	wing? Tank leaks below the	Tank leaks above the	Maintenance hole cover is damaged, cracked, unsecured, or		
	Tank (check if present) Septic/holding Tank #1 Septic/holding Tank #2 Pretreatment Tank Pump Tank Describe detail for any "Yes"	designed operating depth Yes No Yes No Yes No Yes No Yes No Yes No Yes No	designed operating depth Yes No Yes No Yes No Yes No Yes No Yes No Yes No	appears to be structurally unsound Yes No Yes No Yes No Yes No Yes No		
7. 8.	How many gallons of septage were removed? Tank #1: <u>1000</u> Tank #2: <u>1000</u> Pretreatment Tank: Pump Tank: Where was the septage taken? Usetwater treatment facility D Land application Other					
9.	Explanation (Facility name/Site #):					
10. List any troubleshooting and minor repairs completed			or declined by owner:	r:		
	Additional comments or sugge	stions for owner's considera	ation:			

Pumping record

I personally conducted the work described above on behalf of a Minnesota-licensed SSTS Maintenance Business, in compliance with Minnesota Rules Chapters 7080 – 7083:

X As a noncertified individual who has received proper training, daily work review, and periodic observation, or

As a designated certified individual of the business listed below.

By typing/signing my name below, I certify the above statements to be true and correct, to the best of my knowledge, and that this information can be used for the purpose of processing this form.

Company information	Employee information
Company name: MEYER SEWER SERVIC	E Print name: Al Thurmes
Business license number: <u>L915</u>	Certification number: (if applicable):
Email: meyer gewer @ hot mail. Co	M Phone number: 651-459-0162
Employee's signature:	Date (mm/dd/yyyy): ما ا ما ا