#### **Midwest Sewer Services**

P.O. Box 10853 White Bear Lake, MN 55110 651-492-7550/Brian@Midwestsoiltesting.com

Brian Humpal MPCA Licensed Advanced Inspector

#### SUBSURFACE SEWAGE TREATMENT SYSTEM (SSTS) COMPLIANCE REPORT

**Inspection Address:** 14281 St. Croix Trl N, May Twp, MN 55082

#### REPORT SUMMARY

I have performed an "MPCA Compliance Inspection" on this system and have reviewed the original design/permit records on file at Washington County. This system (installed in 1979) consists of a pre-cast septic tank and a rock trench drainfield. This system was not pumped at the time of inspection.

My inspection indicates that this system is presently "non-compliant" in accordance with MPCA rules 7080.1500 Subp.4(B)(D) because of the lack of the required three foot separation between the bottom of the drainfield and seasonally saturated soils.

In accordance with MPCA rules, I am sending a copy of this complete report to Washington County. I cannot officially speak on behalf of the County relative to the upgrade requirements of these non-compliant systems. Please contact the Washington County Department of Public Health & Environment (651-430-6655) to verify the County's position.

Please advise buyer, agents, lender, etc. to contact me should they have any questions regarding this system.

Christopher Uebe

Brian Humpal

Brian Humpal



520 Lafayette Road North St. Paul, MN 55155-4194

## Compliance inspection report form

#### **Existing Subsurface Sewage Treatment System (SSTS)**

Doc Type: Compliance and Enforcement

Instructions: Inspector must submit completed form to Local Governmental Unit (LGU) and system owner within 15 days of final determination of compliance or noncompliance. Instructions for filling out this form are located on the Minnesota Pollution Control Agency (MPCA) website at https://www.pca.state.mn.us/sites/default/files/wq-wwists4-31a.pdf.

Property information	Local tracking	number:	
Parcel ID# or Sec/Twp/Range:	Reason for Inspection	Property Transfer	
Local regulatory authority info: Washington County	<u> </u>		
Property address: 14281 St. Croix Trl N, May Twp, MN 55082			
Owner/representative: Pat & Ken Merz		Owner's phone: 651-383-7040	
Brief system description: A pre-cast septic tank and a rock trend	ch drainfield.		
System status			
System status on date (mm/dd/yyyy): 2/7/2024			
☐ Compliant – Certificate of compliance*	Noncompliant − Notice     Notice     Noncompliant − Notice     Notice     Noncompliant − Notice     Notice     Noncompliant − Notice     Notice     Noncompliant − Notice     Not	ce of noncompliance	
(Valid for 3 years from report date unless evidence of an imminent threat to public health or safety requiring removal and	Systems failing to protect ground water must be upgraded, replaced, or use discontinued within the time required by local ordinance.		
abatement under section 145A.04, subdivision 8 is discovered or a shorter time frame exists in Local Ordinance.)		health and safety (ITPHS) must be e discontinued within ten months of receipt	
*Note: Compliance indicates conformance with Minn. R. 7080.1500 as of system status date above and does not guarantee future performance.	of this notice or within a shor under section 145A.04 subdi	ter period if required by local ordinance or vision 8.	
Reason(s) for noncompliance (check all applicate	ole)		
☐ Impact on public health (Compliance component #1) – Immi	•	nd safety	
☐ Tank integrity (Compliance component #2) – Failing to prote	ct groundwater		
$\hfill \Box$ Other Compliance Conditions (Compliance component #3) -	- Imminent threat to public he	ealth and safety	
☐ Other Compliance Conditions (Compliance component #3) -	- Failing to protect groundwa	ter	
☐ System not abandoned according to Minn. R. 7080.2500 (Co		Failing to protect groundwater	
Soil separation (Compliance component #5) – Failing to prot	•		
Operating permit/monitoring plan requirements (Compliance	component #4) – Noncompi	liant - local ordinance applies	
Comments or recommendations			
Certification			
I hereby certify that all the necessary information has been gathered future system performance has been nor can be made due to unknown that the necessary information has been not can be made due to unknown that the necessary information has been not can be made due to unknown that the necessary information has been gathered.			
inadequate maintenance, or future water usage.	and correct to the heat of my	knowledge, and that this information can be	
By typing my name below, I certify the above statements to be true used for the purpose of processing this form.	and correct, to the best of my	•	
Business name: Midwest Sewer Services	//	Certification number: 5342/9852	
Inspector signature: Brian Humpal Man /		License number: L2896	
(This document has been electronically sign	,	Phone: 651-492-7550	
Necessary or locally required supporting do	cumentation (must b	e attached)	
Soil observation logs	quired forms 🛮 Tank Integr	ity Assessment	
oximes Other information (list): Report Summary, Property Informa	tion, Disclaimer		

https://www.pca.state.mn.us wq-wwists4-31b • 4/28/2021 651-296-6300

800-657-3864

Use your preferred relay service

Available in alternative formats

npact on public health – Co	,	
Compliance criteria:	D.V. N.	Attached supporting documentation:
System discharges sewage to the ground surface	☐ Yes* ⊠ No	☐ Other: ☐ Not applicable
System discharges sewage to drain tile or surface waters.	☐ Yes* ⊠ No	
System causes sewage backup into dwelling or establishment.	☐ Yes* ⊠ No	
Any "yes" answer above indicates imminent threat to public health an		
Describe verification methods and	results:	
None of the above found.		
onk integrity. Compliance	component #2	οfΓ
ı <b>nk integrity</b> – Compliance	component #2	of 5
	component #2	
Compliance criteria:	component #2	Attached supporting documentation:
Compliance criteria:  System consists of a seepage pit, cesspool, drywell, leaching pit,	•	
Compliance criteria:  System consists of a seepage pit,	•	Attached supporting documentation:  ☐ Empty tank(s) viewed by inspector
Compliance criteria:  System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit?	☐ Yes* ☑ No	Attached supporting documentation:  Empty tank(s) viewed by inspector  Name of maintenance business:
Compliance criteria:  System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit?  Sewage tank(s) leak below their	☐ Yes* ☑ No	Attached supporting documentation:  Empty tank(s) viewed by inspector  Name of maintenance business:  License number of maintenance business:
Compliance criteria:  System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit?  Sewage tank(s) leak below their	☐ Yes* ☑ No	Attached supporting documentation:  Empty tank(s) viewed by inspector  Name of maintenance business:  License number of maintenance business:  Date of maintenance:  Existing tank integrity assessment (Attach)
Compliance criteria:  System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit?  Sewage tank(s) leak below their	☐ Yes* ☑ No	Attached supporting documentation:  Empty tank(s) viewed by inspector  Name of maintenance business:  License number of maintenance business:  Date of maintenance:  Existing tank integrity assessment (Attach)  Date of maintenance
Compliance criteria:  System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit?  Sewage tank(s) leak below their designed operating depth?	☐ Yes* ☒ No ☐ Yes* ☒ No ☐ Yes* ☒ No	Attached supporting documentation:  Empty tank(s) viewed by inspector  Name of maintenance business:  License number of maintenance business:  Date of maintenance:  Existing tank integrity assessment (Attach)  Date of maintenance  (mm/dd/yyyyy):  (must be within three year
Compliance criteria:  System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit?  Sewage tank(s) leak below their designed operating depth?  If yes, which sewage tank(s) leaks:  Any "yes" answer above indicates.	☐ Yes* ☒ No ☐ Yes* ☒ No ☐ Yes* ☒ No	Attached supporting documentation:  Empty tank(s) viewed by inspector  Name of maintenance business:  License number of maintenance business:  Date of maintenance:  Existing tank integrity assessment (Attach)  Date of maintenance (mm/dd/yyyy):  (See form instructions to ensure assessment complement of the complete of
Compliance criteria:  System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit?  Sewage tank(s) leak below their designed operating depth?  If yes, which sewage tank(s) leaks:  Any "yes" answer above indicates.	☐ Yes* ☒ No ☐ Yes* ☒ No ☐ Yes* ☒ No	Attached supporting documentation:  Empty tank(s) viewed by inspector  Name of maintenance business:  License number of maintenance business:  Date of maintenance:  Existing tank integrity assessment (Attach)  Date of maintenance (mm/dd/yyyy):  (must be within three yea  (See form instructions to ensure assessment completion. R. 7082.0700 subp. 4 B (1))  Tank is Noncompliant (pumping not necessary – expla
Compliance criteria:  System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit?  Sewage tank(s) leak below their designed operating depth?  If yes, which sewage tank(s) leaks:  Any "yes" answer above indicis failing to protect groundwate	☐ Yes* ☐ No ☐ Yes* ☐ No ☐ Yes* ☐ No ☐ Ates the system er.	Attached supporting documentation:  Empty tank(s) viewed by inspector  Name of maintenance business:  License number of maintenance business:  Date of maintenance:  Existing tank integrity assessment (Attach)  Date of maintenance (mm/dd/yyyy):  (See form instructions to ensure assessment complement of the complete of
Compliance criteria:  System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit?  Sewage tank(s) leak below their designed operating depth?  If yes, which sewage tank(s) leaks:  Any "yes" answer above indicates.	☐ Yes* ☐ No ☐ Yes* ☐ No ☐ Yes* ☐ No ☐ Ates the system er.	Attached supporting documentation:  Empty tank(s) viewed by inspector  Name of maintenance business:  License number of maintenance business:  Date of maintenance:  Existing tank integrity assessment (Attach)  Date of maintenance (mm/dd/yyyy):  (See form instructions to ensure assessment complement in the complement

	pperty Address: 14281 St. Croix Trl N, May Twp, MN 55082 siness Name: Midwest Sewer Services	Date: <u>2/7/2024</u>
3.	Other compliance conditions – Compliance component #3 of 5	
	<ul> <li>3a. Maintenance hole covers appear to be structurally unsound (damaged, cracked, etc.), or unsound (damaged, cracked, etc.), or unsound (damaged, cracked, etc.)</li> <li>3b. Other issues (electrical hazards, etc.) to immediately and adversely impact public health or safe</li> </ul>	
	*Yes to 3a or 3b - System is an imminent threat to public health and safety.	
	3c. System is non-protective of ground water for other conditions as determined by inspector?	☐ Yes* ☒ No
	3d. System not abandoned in accordance with Minn. R. 7080.2500?	☐ Yes* ⊠ No
	*Yes to 3c or 3d - System is failing to protect groundwater.	
	Describe verification methods and results:	
	Attached supporting documentation:   Not applicable	
<u>4.</u>	Operating permit and nitrogen BMP* – Compliance component #4	Of 5 🛮 Not applicable
	Is the system operated under an Operating Permit? ☐ Yes ☐ No	If "yes", A below is required
	Is the system required to employ a Nitrogen BMP specified in the system design? $\square$ Yes $\square$ No	If "yes", B below is required
	BMP = Best Management Practice(s) specified in the system design	
	If the answer to both questions is "no", this section does not need to be complete	ed.
	Compliance criteria:	
	a. Have the operating permit requirements been met? ☐ Yes ☐ No	
	b. Is the required nitrogen BMP in place and properly functioning? ☐ Yes ☐ No	
	Any "no" answer indicates noncompliance.	
	Describe verification methods and results:	
	Attached supporting documentation: ☐ Operating permit (Attach) ☐	

https://www.pca.state.mn.us 651-296-6300 800-657-3864 Use your preferred relay service • Available in alternative formats wq-wwists4-31b • 4/28/2021

pperty Address: 14281 St. Croix Trl N, May Tw siness Name: Midwest Sewer Services	p, iviiv 550	02	Date: <u>2</u> /	7/2024	
Soil separation – Compliance co	mpone	nt #5 o	f 5		
Date of installation 1979 (mm/dd/yyyy)	_ 🗌 Unkn	own			
Shoreland/Wellhead protection/Food beverage lodging?	⊠ Yes	☐ No	Attached supporting documentation:  ☑ Soil observation logs completed for the supporting documentation:	ne report	
Compliance criteria (select one):			☐ Two previous verifications of required	l vertical separat	
5a. For systems built prior to April 1, 1996, and not located in Shoreland or Wellhead Protection Area or not serving a food, beverage or lodging establishment:	d ☐ Yes	□ No*	☐ Not applicable (No soil treatment are	a)	
Drainfield has at least a two-foot vertical separation distance from periodically saturated soil or bedrock.					
5b. Non-performance systems built	☐ Yes   ☐	s ⊠ No*	Indicate depths or elevations		
April 1, 1996, or later or for non- performance systems located in Shoreland or Wellhead Protection Areas or serving a			A. Bottom of distribution media	See Attached Boring Log(s)	
food, beverage, or lodging establishment:			B. Periodically saturated soil/bedrock		
Drainfield has a three-foot vertical			C. System separation		
separation distance from periodically saturated soil or bedrock.*			D. Required compliance separation*		
			*May be reduced up to 15 percent if all Ordinance.	owed by Local	
5c. "Experimental", "Other", or "Performance" systems built under pre-2008 Rules; Type IV or V systems built under 2008 Rules 7080. 2350 or 7080.2400 (Intermediate Inspector License required ≤ 2,500 gallons per day; Advanced Inspector License required > 2,500 gallons per day)		□ No*			
Drainfield meets the designed vertical separation distance from periodically saturated soil or bedrock.					


**Upgrade requirements:** (Minn. Stat. § 115.55) An imminent threat to public health and safety (ITPHS) must be upgraded, replaced, or its use discontinued within ten months of receipt of this notice or within a shorter period if required by local ordinance. If the system is failing to protect ground water, the system must be upgraded, replaced, or its use discontinued within the time required by local ordinance. If an existing system is not failing as defined in law, and has at least two feet of design soil separation, then the system need not be upgraded, repaired, replaced, or its use discontinued, notwithstanding any local ordinance that is more strict. This provision does not apply to systems in shoreland areas, Wellhead Protection Areas, or those used in connection with food, beverage, and lodging establishments as defined in law.

# Midwest Sewer Testing Subsurface Sewage Treatment System Owner/Property Information

This information will be used for the purpose of conducting an MPCA	Compliance Inspection.				
Date of Inspection: February 7, 2024	Time: 11:00 AM				
Property Address: 14281 St. Croix Trl N, May Twp, MN	Zip: 55082				
Property Owner: Pat & Ken Merz	Phone: 651-383-7040				
Tank(s)       Tank(s)Material       Soil Treatment System         Septic 1       Fiberglass       Rock trench         Aerobic       Plastic       Gravelless trench         Lift       Metal       Chamber trench         Holding       Concrete       Seepage bed         Other:       Block       Mound         Other       At-grade	Other  Alternative system Experimental system Cesspool system Other system				
Are the tank maintenance covers accessible? ⊠ Yes ☐ No *If i	no, proper maintenance must be				
performed through the maintenance holes. Maintenance hole cover					
the ground surface to facilitate access and proper maintenance of t	the system.				
Year house built: 1965 Year septic installed: 1979	Tank size (gals.): 1200				
How long has seller owned the property? Number of re	sidents in home?				
Number of bedrooms? 4 Are all floors drained by g	<u>,                                      </u>				
Garbage disposal? Whirlpool bath?					
More than one system (laundry, etc.)?					
Does this property have any footing drain tiles connected to the septic system?					
Are any buildings on this property such as garages or out-buildings connected to this system?  Are there any additional systems on this property serving other buildings?					
Location of septic system on lot? Northeast Side					
	e well a deep well? N				
Have you ever experienced any problems with the system such as: tree roots, sewage back-ups, surfacing of sewage onto the ground, septic tank overflowing, etc.; or have any repairs been made to the system?  If yes, explain:					
When was the system last pumped? 2022 Name of pumper: Pinky's Sewer Service					
How often pumped in previous years?					
Have you received notices from any government agency concerning this system?					
Is your property located in a shoreland management area? Y					
Do you have any additional information that should be given to the new owner?					
I hereby certify that the above information is correct to the best of my knowledge. I also understand that if the system is considered "non-compliant/failing" per MPCA rules, that the inspector must by law submit a copy of this report to the local government unit within 15 days of the date of inspection completion. I also agree that unless otherwise noted in this report, that I/we are ultimately responsible for payment of all fees for all work performed relative to this inspection					

this report, that I/we are ultimately responsible for payment of all fees for all work performed relative to this insp by Inspect Minnesota and Midwest Soil Testing

Owner/Occupant:	Date:
1	



### **Soil Observations Log**

Location of Project: 14281 St. Croix Trl N, May Twp, MN 55082							
Ob	Observations Made By: Midwest Sewer Ser				Date:	2/7/2024	
C	Classific	ation System:	USDA				
	Soil Observation: ST-1			Soil O	bservation:		
Elevat	Surface Elevation of Observation Same ground surface as last drainfield trench			face tion of vation			
Depth In Inches	Rock %	Soils E	ncountered	Depth In Inches	Rock %	Soils Encountered	
0-18 18-29 29-31	>50	10YR 4/2 10YR 4/2 M Sandstone Fr	Loamy Fine Sand  2 Medium Sand  3 Medium Sand With  4 Medium Sand With  5 Medium Sand With  6 Medium Sand With  7 Medium Sand  7 Medium Sand  8 Medium Sand  8 Medium Sand  9 Medium Sand				
20"	D 11 T				- · · · -		
		h To End Of Soil Observation Or Bedrock					Observation Or Redox
Same	Elevatio	evation Of Observation Relative To System			Elevatio	n Of Observat	tion Relative To System
						Distribution Media	
=0"	Of Sepa	ration			Of Sepa	ration	
Fnd	Of Soil (	Observation At:	31"	Fnd Of	Soil Ob	servation At:	
		Conditions At:	29"			onditions At:	
			None		_	r Present At:	
Standing Water Present At: None St				5			

Bottom Of Distribution Medium At: 31 Inches			
Signature:	Offer the		



#### **DISCLAIMER**

## Brian L. Humpal, Inc. dba. Midwest Sewer Services, Inspect Minnesota, Midwest Soil Testing Relative to Subsurface Sewage Treatment System (SSTS) Compliance Inspections

- 1. This inspection/report is being performed for only the seller/owner of the property on which the SSTS is located. In such case that another party is paying for the inspection, the contract is between only said party and Brian L. Humpal, Inc.; there is no contract between Brian L. Humpal, Inc. and any other party unless otherwise noted.
- 3. Brian L. Humpal, Inc. has not been retained to warranty, guarantee, or certify the proper functioning of the SSTS for any period of time beyond the date of inspection or into the future. Because of the numerous factors (usage, maintenance, soil characteristics, previous failures, etc.) which may affect the proper operation of an SSTS, as well as the inability of Brian L. Humpal, Inc. to supervise or monitor the use or maintenance of the SSTS, the report shall not be construed as a warranty by Brian L. Humpal, Inc. that the SSTS will function properly for any particular party for any period of time.
- 4. Brian L. Humpal, Inc. is unable to verify the frequency and/or, quality of prior or future maintenance of the SSTS. Maintenance of the tank(s) must be performed through the tanks maintenance hole. The removal of solids from any location other than the maintenance hole is not a compliant method of maintenance. It is strongly recommended that maintenance covers be made accessible to the ground surface to facilitate proper maintenance.
- 5. Minimum Compliance Inspection requirements relative to this inspection and this report include <u>only</u> verification that the SSTS has tank(s) (septic tanks, lift tanks, dosing tanks, stilling tanks, etc.) which are watertight below the designed operating depth, the required separation between the bottom of the subsurface soil distribution medium and seasonally saturated soils, no back-ups of sewage into the dwelling, no discharge of sewage/effluent to the ground surface or surface waters, and no imminent safety hazards. Brian L. Humpal, Inc. does not inspect plumbing or pumps prior to the first SSTS component as these are plumbing components. The performance of exterior pumps and associated components are not inspected as they are considered to be maintenance items. Additionally, no indications relative to compliance with electrical code requirements have been made. It is recommended that any other applicable plumbing, electrical, housing, etc. inspections be performed by a qualified inspection business. Sewage back-up verification is limited to observing the floor drain area and/or the information supplied by the last occupants of the building prior to inspection. Brian L. Humpal, Inc. cannot guarantee that the information given to them by the last occupants of the building prior to inspection relative to back-ups is accurate.
- 4. Certification of this SSTS does not warranty future use beyond the date of the inspection. Any SSTS, old or new, can become hydraulically overloaded or discharge sewage/effluent to the ground surface as a result of more people moving into the house than were previously occupying the house, improper maintenance, heavy usage, leaking plumbing fixtures, groundwater infiltration, tree roots, freezing conditions, surface drainage problems, poor initial design, poor construction practices, or unsuitable materials used in constructing the system; the system can also simply stop working because of its age. An SSTS that has been properly designed and installed, properly maintained, and used in the manner for which the system was designed can be expected to provide service for twenty to twenty-five years on average. Some parts of the SSTS such as alarms, switches, pumps, filters, etc. will most likely have to be repaired or replaced over the lifetime of the system.
- 5. A Compliance Inspection is not meant to be a test or inspection for longevity of the system; a Compliance Inspection is strictly for the purpose of determining if the SSTS is protective of public health and safety, as well as the groundwater at the date and time the inspection was performed. This inspection is not intended to determine if the SSTS was originally designed or installed to past or present MPCA or other Local Government Unit code requirements. This inspection is not intended to determine if the SSTS was designed and/or installed to support the anticipated flow from the building as the use of the building may have changed since the design and construction of the SSTS due to the addition of bedrooms, occupants, etc. In addition, this inspection is not intended to determine the quality of the original SSTS design, the quality of the construction practices used while installing the SSTS, or the quality of the materials used in constructing the SSTS.
- 6. Brian L. Humpal, Inc. cannot guarantee the performance of SSTS products/components such as: gravelless pipe, chamber trenches, effluent filters, tanks, sewage pre-treatment components, piping, etc. Products such as gravelless pipe are no longer approved for installation in the State of Minnesota and may have a significantly reduced performance and/or life expectancy.
- 7. WINTER WORK: By accepting this report, it is understood that inspections conducted during winter months (approximately November 1<sup>st</sup> through April 1<sup>st</sup>) are more difficult to perform because of possible snow cover and/or ground frost. SSTS components such as tanks, maintenance covers, tank inspection pipes, subsurface distribution medium inspection pipes, and soil treatment areas are more difficult or impossible to locate due to snow cover and/or ground frost. In addition, soil borings are more difficult to perform due to snow cover and/or ground frost. Brian L. Humpal, Inc. will attempt to use the same level of standards when performing work during winter periods as when performing work during non-winter periods. However, the recipient of this report understands that because of the aforementioned considerations, the same level of standards may not be possible.
- 8. By accepting this report, the client understands that Brian L. Humpal, Inc. will not be responsible for any monetary damages exceeding the fee for the services provided.