Washington ¹⁴ Subsurf	DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT GOVERNMENT CENTER 1949 62nd STREET NORTH P.O. BOX 6 STILLWATER, MN 55082-0006 Office: 651-430-6655 TTY: 651-430-6246 FAX: 651-430-6730
	ace Sewage Treatment System Maintenance Permit
prior to performing maintenance activiti Date of Maintenance: <u>7-5-23</u> Reason f Property Address: <u>13200 Point Dougla</u> Municipality: <u>Denmark</u> ZIP: <u>550</u>	to constitute a valid maintenance permit. This permit must be completed les and remain on-site for the duration of the maintenance activity. The maintenance of the maintenance activity. The maintenance of the maintenance activity. Routine Routine Danny Pace B A Property Identification Number: aintainer Name and License No. Meyer Sewer Service/ L915
Maintenance Performed	Tank Measurement (must be completed if tanks NOT pumped)
Tank(s) Pumped	Liquid Level of Tankin Sludge Level in Tankin Scum Level in Tankin
Sludge and scum measured Do tanks need to be pumped?	Studge Level III TalikIII Scull Level III TalikIII Sludge + Scum/ Liquid Level X 100 = % Sludge & Scum Tanks must be pumped if 25% or greater
☐ Yes ☐ No (if no provide measurements)	

1. Access used to remove septage: An Maintenance Hole Other (enter authorization code)

2. Were all covers securely replaced ? Yes No

3. Is there evidence of tank leakage from a septic, holding, pretreatment or pump tank below the operating depth or evidence of damaged, cracked, or structurally unsound maintenance hole covers?
Yes No

	Ta nk	Leaking Out	Leaking In	Cover Damage	
	Septic/Holding Tank #1	Yes No	Yes No	Yes No	
	Septic/Holding Tank #2	🗆 Yes 🗆 No	🗆 Yes 🗆 No	🗆 Yes 🗆 No	
	Pretreatment Tank	🗌 Yes 🗌 No	🗌 Yes 🗌 No	🗆 Yes 🗆 No	
	Pump Tank	🗆 Yes 🗆 No	🗆 Yes 🗆 No	🗆 Yes 🗆 No	
	gal Tank #2 on: List any troubleshooti				gal er concerns.
6. Location of septa	ge disposal: S+. P	201			
	Lic	Meyer Sewer 5325 Mannin Afton, MN tense Number: L915	g Ave S 55001		
	Maintenance activities	must be reported	to the Departmer	nt within 90 days.	

White Copy-Maintainer submits to Washington County / Yellow Copy-Property Owner Record

MINNESOTA POLLUTION

520 Lafayette Road North St. Paul, MN 55155-4194

Sewage tank maintenance reporting form Subsurface Sewage Treatment Systems (SSTS) Program

Doc Type: Compliance and Enforcement

Purpose: Management and maintenance of Subsurface Sewage Treatment Systems (SSTS) are important to ensure resource protection and long-term and cost-effective sewage treatment. Completion of this form complies with the sewage tank maintenance requirements under Minn. R. 7080.2450 and 7082.0600. This form *may* be used to certify the compliance status of the sewage tank components of the SSTS. This form is not a complete SSTS inspection report, only a tank integrity assessment, and may only certify sewage tank compliance status when entirely completed and signed on page 3 by a qualified professional.

Instructions: A copy of this information must be submitted to the system owner within 30 days of the maintenance date and be maintained by the licensed SSTS maintainer business for a period of five (5) years from the maintenance date. Maintenance reporting to the local unit of government *may* be required by local ordinance. Check with your local SSTS program for maintenance reporting protocol. **Page 3 is optional and not required to be completed on routine maintenance events**.

Secure maintenance hole covers

All maintenance hole covers must be returned to service in a sound and durable condition and be capable of withstanding the anticipated load.

Covers must be re-secured in accordance with Minn. R. 7080.2450, subp. 3, Items C or D:

- a) Covers installed under local ordinances adopted after February 4, 2008 must be locked, bolted or screwed or must be 95 pounds in weight. They must be made of material suitable for outdoor use, resistant to ultraviolet degradation and leaks, and not susceptible to being slid or flipped. They must have a label warning of hazardous conditions inside the tank. All screw openings must be refastened.
- b) Covers installed under local ordinances adopted before February 4, 2008 must either be buried with at least 12 inches of soil cover or be secured according to the local ordinance in effect before February 4, 2008.
- c) Covers must meet item 'a' above when raised to the ground surface or less than 12 inches from the ground surface.

Reporting information

1 0				
Date of maintenance (mm/dd/yyyy):	1/5/23	Reason for mainter	nance: Rountine	
Property address: 13200 Poin	t Douglas	pr s	Parcel ID:	
City: Hastings	J	State: MN	Zip code: 55	2033
Property owner's name: Danny	Pace			
Property-owner's address (if different):				
City:		State:	Zip code:	
Phone number:		Email address:		
1. Did you measure the accumulati	on of scum and sl	udge? 🗌 Yes 🕅 N	o (tank(s) pumped without m	easuring)
Tank (check if present) S	cum	Sludge	Operating depth	Percent full
Septic/holding tank #1				
Septic/holding tank #2				
Pretreatment tank				
Pump tank			P	
2. Access used to remove septage:	Maintenance	hole Other (Unless	a holding tank, go to #4 belo	ow)
3. If the maintenance hole was use	d, were all covers	secured in place?	Yes No If no, pleas	se explain below:
4. If the owner refuses to allow a Su	ubeurface Seware	Tractor and Sucham (S	CTC) to be sugged through	h 4h
 If the owner refuses to allow a So hole, have them complete and si 	gn the following s	tatement.	515) to be pumped throug	n the maintenance
			solids and liquids through the	ne maintenance
hole. I understand that removal of s solids removal and does not fulfill th	solids and liquids the solids removal re	rough other access poin equirements of Minn. R.	nts is not considered a comp 7080.2450 and 7082.0600.	liant method of
By typing/signing my name below that this information can be used for	w, I certify the abov	e statements to be true		
Owner's signature:	Ram		mm/dd/yyyy): 7-5-	23
www.pca.state.mn.us • 651-296-6300	• 800-657-3864	Use your preferred r	elay service • Availa	ble in alternative formats
wq-wwists4-38 • 4/28/21				Page 1 of 3

Pro	perty address:			Parcel ID:	
City			State:	Zip code:	
5.	Is the tank designed as a lea Tank #1: ☐ Yes ↓ No Tank #2: ☐ Yes ₩ No	Verification method used:	• • • •		
6.	Is there evidence of the follo	wing?			
-	Tank (check if present)	Tank leaks below the designed operating depth	Tank leaks above the designed operating depth	Maintenance hole cover is damaged, cracked, unsecured, or appears to be structurally unsound	
	Septic/holding Tank #1	Yes No	Yes No	Yes No	
	Septic/holding Tank #2	Yes No	Yes No	Yes No	
	Pretreatment Tank	Yes No	Yes No	Yes No	
2	Pump Tank	Yes No	Yes No	Yes No	
	Describe detail for any "Yes"				
7.	How many gallons of septage were removed? Tank #1: 500 Tank #2: Pretreatment Tank:				
8.	Where was the septage taken? \Box Wastewater treatment facility \Box Land application \Box Other Explanation (Facility name/Site #): $\nabla T P = S P$				
9.	 Did you identify any operational issues or unsafe conditions while assessing the sewage tanks in this system? Yes No If yes, identify tank and explain: Evidence of non-domestic waste Baffle(s) condition Effluent screen condition Maintenance hole and extensions condition Other conditions (e.g. structural integrity of tank or lid, electrical hazard, etc.) Explanation: 				
10.	0. List any troubleshooting and minor repairs completed or declined by owner:				
Troubleshooting and repairs conducted:					
ŝ	Additional comments or sugge	estions for owner's considera	ition:		

Pumping record

I personally conducted the work described above on behalf of a Minnesota-licensed SSTS Maintenance Business, in compliance with Minnesota Rules Chapters 7080 – 7083:

As a noncertified individual who has received proper training, daily work review, and periodic observation, or

As a designated certified individual of the business listed below.

By typing/signing my name below, I certify the above statements to be true and correct, to the best of my knowledge, and that this information can be used for the purpose of processing this form.

Company information	Employee information
Company name: MEYER SEWER SERVICE	Print name: Each Biscoe
I DIE	Certification number: (if applicable): Phone number: <u>651-459-0162</u> Date (mm/dd/yyyy): 15]23

.

٠