# Washington County

#### DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT

GOVERNMENT CENTER

14949 62nd STREET NORTH P.O. BOX 6 STILLWATER, MN 55082-0006
Office: 651-430-6655 TTY: 651-430-6246 FAX: 651-430-6730

## Subsurface Sewage Treatment System Maintenance Permit

	be completed in its entirety rforming maintenance activi							
	ce: 1-1-23 Reason			^	Routine			
	14223 7th 8t. N.							
	est Lakeland ZIP: 5 51	_		•				
Maintenance Permi	t No: 5 7007 c 3 4437 N	Maintainer Name a	and License No. Meyer	Sewer Service/ L915				
Maintenance Performed		Tank Me	Tank Measurement (must be completed if tanks NOT pumped)					
Tank(s) Pumped	d		f Tankin		•			
☐ Sludge and scur	m measured Do		Sludge Level in Tankin Scum Level in Tankin					
tanks need to be pumped?			Sludge + Scum/ Liquid LevelX 100 = % Sludge & Scum Tanks must be pumped if 25% or greater					
☐ Yes ☐ No	(if no provide measurements)							
1. Access used to r	remove septage:   Maintena	nce Hole Other	(enter authorization co	de)				
	securely replaced? Yes							
			troatmont or nump t	ank balow the opera	ting donth or			
	e of tank leakage from a sep maged, cracked, or structur				ting depth or			
evidence of da	maged, cracked, or structur	atty unsound ma	interiarice note cover	13: □ 162 140				
	Ta	Leaking Out	Leaking In	Cover Damage				
	nk							
	Septic/Holding Tank #1	□Yes No	☐ Yes 1 No	☐ Yes No				
	Septic/Holding Tank #2	☐ Yes ☑ No	☐ Ye <b>s</b> No	☐ Yes No				
	Pretreatment Tank	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No				
	Pump Tank	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No				
4 How many gallor	ns of septage were removed	2						
	gal Tank #2 1000		nt tank ga	l Dumo Tank	<b>42</b> 1			
5. Other information	on: List any troubleshooting	minor repairs of	onducted, tank safet	v concerns or other	gal			
				y concerns, or other	concerns.			
6. Location of septa	ge disposal: Land	Apply M	11					
		Meyer Sewer	Service					
		5325 Mannin						
	Ţ.2	Afton, MN !						
			P: 651-459-0162					
	Maintenance activities m	ust be reported	to the Departmen	t within 90 days.				

 $\underline{\textbf{White Copy}}\textbf{-Maintainer submits to Washington County } / \underline{\textbf{Yellow Copy}}\textbf{-Property Owner Record}$ 



520 Lafayette Road North St. Paul, MN 55155-4194

## Sewage tank maintenance reporting form

### **Subsurface Sewage** Treatment Systems (SSTS) Program

Doc Type: Compliance and Enforcement

Purpose: Management and maintenance of Subsurface Sewage Treatment Systems (SSTS) are important to ensure resource protection and long-term and cost-effective sewage treatment. Completion of this form complies with the sewage tank maintenance requirements under Minn. R. 7080.2450 and 7082.0600. This form may be used to certify the compliance status of the sewage tank components of the SSTS. This form is not a complete SSTS inspection report, only a tank integrity assessment, and may only certify sewage tank compliance status when entirely completed and signed on page 3 by a qualified professional.

Instructions: A copy of this information must be submitted to the system owner within 30 days of the maintenance date and be maintained by the licensed SSTS maintainer business for a period of five (5) years from the maintenance date. Maintenance reporting to the local unit of government may be required by local ordinance. Check with your local SSTS program for maintenance reporting protocol. Page 3 is optional and not required to be completed on routine maintenance events.

#### Secure maintenance hole covers

All maintenance hole covers must be returned to service in a sound and durable condition and be capable of withstanding the anticipated load.

Covers must be re-secured in accordance with Minn. R. 7080.2450, subp. 3, Items C or D:

- a) Covers installed under local ordinances adopted after February 4, 2008 must be locked, bolted or screwed or must be 95 pounds in weight. They must be made of material suitable for outdoor use, resistant to ultraviolet degradation and leaks, and not susceptible to being slid or flipped. They must have a label warning of hazardous conditions inside the tank. All screw openings must be refastened.
- b) Covers installed under local ordinances adopted before February 4, 2008 must either be buried with at least 12 inches of soil cover or be secured according to the local ordinance in effect before February 4, 2008.
- c) Covers must meet item 'a' above when raised to the ground surface or less than 12 inches from the ground surface.

Reporting information	, ,	-		
Date of maintenance (mm/dd/yyyy):	7/7/23	Reason for mainter	nance: ROUTINE	1912 to 1
Property address: 14223 79		^	Parcel ID:	
City: Stillwater / West L	aksland Tws	State: MN	Zip code:55	082
Property owner's name. Than	ES KELLER	_		
Property-owner's address (if different)				
City:		State:	Zip code:	
Phone number:				
Did you measure the accumula				easuring)
Tank (check if present)	Scum	Sludge	Operating depth	Percent full
☐ Septic/holding tank #1		-		
Septic/holding tank #2			F10001 87	Eggnyn y C
☐ Pretreatment tank				
☐ Pump tank	,			
<ol> <li>Access used to remove septag</li> <li>If the maintenance hole was us</li> </ol>	sed, were all covers s	secured in place?	Yes No If no, pleas	se explain below:
4. If the owner refuses to allow a hole, have them complete and i, Charles Keller	sign the following st	tatement.		
(Print owner's name)				
hole. I understand that removal of solids removal and does not fulfi	Il the solids removal re	equirements of Minn. R	2. 7080.2450 and 7082.0600.	
By typing/signing my name be that this information can be used	low, I certify the above for the purpose of pro-	accorded this form		ny knowledge, and
Owner's signature:	by Keller	Date (	(mm/dd/yyyy): 1 7 3	al 7
www.pca.state.mn.us • 651-296-6300	900-657-3864	Use your preferred		able in alternative formats  Page 1 of 3

Property address:			Parcel ID:					
		State:	Zip code:					
5. Is the tank designed as a lea	aky tank? (Example: seepag		*					
Tank #1: Tes Yes You		1/10.00						
Tank #2: ☐ Yes 🛱 No								
6. Is there evidence of the folio								
Tank (check if present)	Tank leaks below the		Maintenance hole cover is damaged, cracked, unsecured, or appears to be structurally unsound					
Septic/holding Tank #1	☐ Yes ☑ No	designed operating depth  Yes  No	☐ Yes ☑No					
Septic/holding Tank #2	☐ Yes 🖟 No	☐ Yes ♠No	☐ Yes ☑No					
☐ Pretreatment Tank	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No					
☐ Pump Tank	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No					
Describe detail for any "Yes"								
7. How many gallons of septage were removed?  Tank #1:								
	•							
☐ Yes ☑ No If yes, ident☐ Evidence of non-domes☐ Maintenance hole and €	tify tank and explain: stic waste	ition	ition egrity of tank or lid, electrical hazard, etc.)					
List any troubleshooting and     Troubleshooting and repair		or declined by owner:  Repairs declined by owne						
		Trebuile doomled by enries.						
Additional comments or sugge	stions for owner's considera	tion:						
I personally conducted the work de with Minnesota Rules Chapters 700		Minnesota-licensed SSTS Ma	aintenance Business, in compliance					
As a noncertified individual who  As a designated certified individ	has received proper training		dic observation, or					
this information can be used for the		form.	the best of my knowledge, and that					
Company information Company name: MEYER	SEWER SERVI	Employee information  CE Print name: A) Th	on urmes					
Business license number: L 9/5 Certification number: (if applicable):								
Email: meyer gewer @ hotmail. Com Phone number: 651-459-0162								
Employee's signature: Date (mm/dd/yyyy): 1-1-23								
	%.		J					