Washington County

DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT

GOVERNMENT CENTER

14949 62nd STREET NORTH P.O. BOX 6 STILLWATER, MN 55082-0006
Office: 651-430-6655 TTY: 651-430-6246 FAX: 651-430-6730

Subsurface Sewage Treatment System Maintenance Permit

	t be completed in its entire erforming maintenance act	5					
Date of Maintenan	of Maintenance: 8-2-23 Reason for Maintenance: Routine						
Property Address:	3027 Manning	Ave S	Property Owner's N				
Municipality: A	•		entification Number				
	nit No: 14424 w 34495						
marrierianee r erii	11. 10. 1 21 11. 15	Maintainer Name 8	and License No. Meye	er sewer servicer Egri	,		
		Tank Mo	asurament (must be	completed if tanks I	NOT numped)		
Maint	enance Performed			completed if talks i	no r pumpeu)		
☑ Tank(s) Pumpe	ed	1 '	Liquid Level of Tankin Sludge Level in Tankin Scum Level in Tankin Sludge + Scum/ Liquid LevelX 100				
☐ Sludge and scu							
tanks need to			cum Ta	inks must be pumped i	if 25% or greater		
☐ Yes ☐ No	(if no provide measuremen	ts)	· · · · · · · · · · · · · · · · · · ·				
3. Is there eviden	Ta nk Septic/Holding Tank #2	eptic, holding, pre			ating depth or		
	Pretreatment Tank	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
	Pump Tank	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
Tank #1_ \ 0 0	ons of septage were removo gal Tank #2ion: List any troubleshooti	gal Pretreatmenng, minor repairs c	onducted, tank safe	10	gal r concerns.		
		Meyer Sewer 5325 Mannin					
		Afton, MN					
	Lic	ense Number: L915	P: 651-459-0162				

White Copy-Maintainer submits to Washington County / Yellow Copy-Property Owner Record

Maintenance activities must be reported to the Department within 90 days.



520 Lafayette Road North St. Paul, MN 55155-4194

Sewage tank maintenance reporting form

Subsurface Sewage Treatment Systems (SSTS) Program

Doc Type: Compliance and Enforcement

Purpose: Management and maintenance of Subsurface Sewage Treatment Systems (SSTS) are important to ensure resource protection and long-term and cost-effective sewage treatment. Completion of this form complies with the sewage tank maintenance requirements under Minn. R. 7080.2450 and 7082.0600. This form *may* be used to certify the compliance status of the sewage tank components of the SSTS. This form is not a complete SSTS inspection report, only a tank integrity assessment, and may only certify sewage tank compliance status when entirely completed and signed on page 3 by a qualified professional.

Instructions: A copy of this information must be submitted to the system owner within 30 days of the maintenance date and be maintained by the licensed SSTS maintainer business for a period of five (5) years from the maintenance date. Maintenance reporting to the local unit of government *may* be required by local ordinance. Check with your local SSTS program for maintenance reporting protocol. **Page 3** is **optional and not required to be completed on routine maintenance events**.

Secure maintenance hole covers

All maintenance hole covers must be returned to service in a sound and durable condition and be capable of withstanding the anticipated load.

Covers must be re-secured in accordance with Minn. R. 7080.2450, subp. 3, Items C or D:

- a) Covers installed under local ordinances adopted after February 4, 2008 must be locked, bolted or screwed or must be 95 pounds in weight. They must be made of material suitable for outdoor use, resistant to ultraviolet degradation and leaks, and not susceptible to being slid or flipped. They must have a label warning of hazardous conditions inside the tank. All screw openings must be refastened.
- b) Covers installed under local ordinances adopted before February 4, 2008 must either be buried with at least 12 inches of soil cover or be secured according to the local ordinance in effect before February 4, 2008.
- c) Covers must meet item 'a' above when raised to the ground surface or less than 12 inches from the ground surface.

	te of maintenance (mm/dd/yyy		Reason for ma	intenance: Rountin	e
Pro	perty address: 3027	Manning	Ave s.	Parcel ID:	
Cit	r: Afton		State: M	Zip code:	55001
Pro	perty owner's name: Jua	nita Hing	er		
Pro	perty-owner's address (if differ	rent):			
City	<i>I</i> :		State:	Zip code: _	
Pho	one number:				
1.	Did you measure the accur	mulation of scum a	and sludge?	No (tank(s) pumped withou	it measuring)
	Tank (check if present)	Scum	Sludge	Operating depth	Percent full
	☐ Septic/holding tank #1				
	Septic/holding tank #2				
	☐ Pretreatment tank				
	☐ Pretreatment tank ☐ Pump tank				
2.	Pump tank	ptage:	nance hole Other (U	nless a holding tank, go to #4	below)
	Pump tank Access used to remove se			nless a holding tank, go to #4	
2. 3.	Pump tank				
	Pump tank Access used to remove se				
	Pump tank Access used to remove se If the maintenance hole wa	s used, were all co w a Subsurface Se	overs secured in place		lease explain below:
3.	Pump tank Access used to remove se If the maintenance hole wa If the owner refuses to allohole, have them complete	s used, were all co w a Subsurface Se and sign the follow	ewage Treatment Systeving statement.	? Yes No If no, p	bugh the maintenance
3.	If the owner refuses to allo hole, have them complete (Print owner's name)	w a Subsurface Se and sign the follow	ewage Treatment Systeving statement. se to allow the removal	? Yes No If no, per (SSTS) to be pumped through of the solids and liquids through	bugh the maintenance
3.	If the owner refuses to allo hole, have them complete (Print owner's name)	w a Subsurface Se and sign the follow refuser val of solids and liqu	ewage Treatment Systeving statement. se to allow the removal	? Yes No If no, p	bugh the maintenance ompliant method of
3.	Pump tank Access used to remove se If the maintenance hole wa If the owner refuses to allo hole, have them complete (Print owner's name) hole. I understand that remo solids removal and does not	wa Subsurface Se and sign the follow refused of solids and liquid fulfill the solids remains the belows I certify the	ewage Treatment Systeving statement. se to allow the removal aids through other accessoval requirements of Mile above statements to be of processing this form	Yes No If no, per (SSTS) to be pumped through the solids and liquids through the spoints is not considered a conn. R. 7080.2450 and 7082.06 the true and correct, to the best	bugh the maintenance ompliant method of 00. of my knowledge, and

. . 651/296-6300

Prop	perty address:			Parcel ID:		
City			State:	Zip code:		
5.	Is the tank designed as a lear	ky tank? (Example: seepag Verification method used:	e pit, cesspool, drywell, leachin	ng pit)		
e						
6.	Is there evidence of the follo Tank (check if present)	Tank leaks below the designed operating depth	Tank leaks above the designed operating depth	Maintenance hole cover is damaged, cracked, unsecured, or appears to be structurally unsound		
-	Septic/holding Tank #1	☐ Yes ☑ No	Yes No	Yes No		
	Septic/holding Tank #2	Yes No	Yes No	Yes No		
1	Pretreatment Tank	Yes No	Yes No	Yes No		
-	Pump Tank	Yes No	Yes No	Yes No		
	Describe detail for any "Yes"					
7.	How many gallons of septag		retreatment Tank:	Pump Tank:		
3.						
10.	Maintenance hole and e Explanation: List any troubleshooting and	extensions condition		grity of tank or lid, electrical hazard, etc.)		
-	Additional comments or sugge	ations for average and idea				
ur	nping record					
	rsonally conducted the work de Minnesota Rules Chapters 708		Minnesota-licensed SSTS Mai	intenance Business, in compliance		
□ A By t	As a designated certified individ	ual of the business listed below, I certify the above statement	ents to be true and correct, to the	ic observation, or ne best of my knowledge, and that		
Company information Company name: MEYER SEWER SERVICE Business license number: L 915 Email: Meyer Sewer hot mail. Co			Employee information Print name: Zach Certification number: (if a)	Employee information Print name: Zach Biscoe Certification number: (if applicable): Phone number: 651-459-0162		
	loyee's signature: Jalh	Bien	Date (mm/	2101-2		

Available in alternative formats