

DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT

GOVERNMENT CENTER

14949 62nd STREET NORTH P.O. BOX 6 STILLWATER, MN 55082-0006
Office: 651-430-6655 TTY: 651-430-6246 FAX: 651-430-6730

Subsurface Sewage Treatment System Maintenance Permit

This section must I	be completed in its entire forming maintenance act	ety to constitute a vivities and remain	valid maintenance p on-site for the dura	ermit. This permit m	nust be completed		
Date of Maintenance	e: 9-6-23 Reas	on for Maintenance:		Routine			
Property Address:	8320 39th St	N	Property Owner's N	ame: Mike &	arkwell		
	ipality: Lake Elmo ZIP: 95042 Property Identification Number:						
		Maintainer Name and License No. Meyer Sewer Service / L915 Tank Measurement (must be completed if tanks NOT pumped) Liquid Level of Tankin Sludge Level in Tankin Scum Level in Tankin Sludge + Scum / Liquid Level X 100 = % Sludge & Scum Tanks must be pumped if 25% or greater					
Mainte	nance Performed	Tank Me	asurement (must be	completed if tanks I	NOT pumped)		
☐ Tank(s) Pumped☐ Sludge and scum tanks need to b☐ Yes ☐ No (n measured Do	Sludge Level ir Sludge + Scum = % Sludge & S	n Tankin / Liquid Le	evelX 100			
2. Were all covers s 3. Is there evidence	emove septage: Mainte securely replaced? Yes e of tank leakage from a s maged, cracked, or struct	s □ No eptic, holding, pre	treatment or pump	tank below the opera	ating depth or		
	Ta nk	Leaking Out	Leaking In	Cover Damage			
	Septic/Holding Tank #1	□Yes, □ No	☐ Yes ☑ No	☐ Yes ☐ No			
	Septic/Holding Tank #2	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
	Pretreatment Tank	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
	Pump Tank	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
Tank #1 1500	ge disposal:	gal Pretreatme ng, minor repairs c	N-2 Service ng Ave S				
License Number: L915 P: 651-459-0162							

White Copy-Maintainer submits to Washington County / Yellow Copy-Property Owner Record

Maintenance activities must be reported to the Department within 90 days.



520 Lafayette Road North St. Paul, MN 55155-4194

Sewage tank maintenance reporting form Subsurface Sewage Treatment Systems (SSTS) Program

Doc Type: Compliance and Enforcement

Purpose: Management and maintenance of Subsurface Sewage Treatment Systems (SSTS) are important to ensure resource protection and long-term and cost-effective sewage treatment. Completion of this form complies with the sewage tank maintenance requirements under Minn. R. 7080.2450 and 7082.0600. This form may be used to certify the compliance status of the sewage tank components of the SSTS. This form is not a complete SSTS inspection report, only a tank integrity assessment, and may only certify sewage tank compliance status when entirely completed and signed on page 3 by a qualified professional.

Instructions: A copy of this information must be submitted to the system owner within 30 days of the maintenance date and be maintained by the licensed SSTS maintainer business for a period of five (5) years from the maintenance date. Maintenance reporting to the local unit of government *may* be required by local ordinance. Check with your local SSTS program for maintenance reporting protocol. **Page 3 is optional and not required to be completed on routine maintenance events.**

Secure maintenance hole covers

All maintenance hole covers must be returned to service in a sound and durable condition and be capable of withstanding the anticipated load.

Covers must be re-secured in accordance with Minn. R. 7080.2450, subp. 3, Items C or D:

- a) Covers installed under local ordinances adopted after February 4, 2008 must be locked, bolted or screwed or must be 95 pounds in weight. They must be made of material suitable for outdoor use, resistant to ultraviolet degradation and leaks, and not susceptible to being slid or flipped. They must have a label warning of hazardous conditions inside the tank. All screw openings must be refastened.
- b) Covers installed under local ordinances adopted before February 4, 2008 must either be buried with at least 12 inches of soil cover or be secured according to the local ordinance in effect before February 4, 2008.
- c) Covers must meet item 'a' above when raised to the ground surface or less than 12 inches from the ground surface.

Date of r	maintenance (mm/dd/yyy	y): <u>9/6/23</u>	Reason for ma	intenance: Rountine				
Property	address: 8320 3	39th St	N	Parcel ID:				
City: L	ake Elmo		State:	MN Zip code:	55042			
	owner's name:	* Mike	Barkwell					
	-owner's address (if differ							
	City: State: Zip code:							
	umber:							
1. Did you measure the accumulation of scum and sludge? Yes No (tank(s) pumped without measuring)								
	nk (check if present)	Scum	Sludge	Operating depth	Percent full			
	Septic/holding tank #1							
	Septic/holding tank #2							
	Pretreatment tank			-				
	Pump tank							
	Funip tarik	Access used to remove septage: Maintenance hole Other (Unless a holding tank, go to #4 below)						
		ptage: Maintena	ance hole (L) Other (L	Inless a holding tank, go to #4	t below)			
2. Acc	cess used to remove se	-						
2. Acc		-						
2. Acc	cess used to remove se	-						
 Acc If th If th 	cess used to remove se ne maintenance hole wa ne owner refuses to allo	is used, were all cov	vers secured in place		please explain below:			
 Acc If th If th 	cess used to remove se ne maintenance hole wa ne owner refuses to allo e, have them complete	us used, were all cov ow a Subsurface Ser and sign the follow	vers secured in place wage Treatment Systeing statement.	? Yes No If no,	please explain below: rough the maintenance			
 Acc If th If th 	ress used to remove se maintenance hole was ne owner refuses to allow, have them complete thank.	us used, were all cov ow a Subsurface Ser and sign the follow	vers secured in place wage Treatment Systeing statement.	? Yes No If no,	please explain below: rough the maintenance			
 Acc If th If th 	ress used to remove se the maintenance hole was the mean tenance hole was the mean tenance of the maintenance of the maintenance has a second to the maintenance of	wa Subsurface Sevand sign the following prefus	wage Treatment Systems to allow the removal	? Yes No If no, em (SSTS) to be pumped the of the solids and liquids through	please explain below: rough the maintenance			
2. Acc 3. If th 4. If th hole	ne owner refuses to allo e, have them complete Monk (Print owner's name)	wa Subsurface Serand sign the following of solids and liqui	wage Treatment Systems statement. The to allow the removal do through other access	? Yes No If no,	please explain below: rough the maintenance ugh the maintenance compliant method of			
2. Acc 3. If the solic solic by	ne maintenance hole was ne owner refuses to allo e, have them complete Mark (Print owner's name) e. I understand that remods removal and does not typing/signing my name	is used, were all consists used, were all consists and sign the following colds and liquical of solids and liquical fulfill the solids remove below, I certify the	wage Treatment Systems statement. The to allow the removal distribution of the second in the second	? Yes No If no, em (SSTS) to be pumped the of the solids and liquids through points is not considered a cnn. R. 7080.2450 and 7082.0 e true and correct, to the best	please explain below: rough the maintenance ugh the maintenance compliant method of 600.			
2. Acc 3. If the hole soli By that	ne maintenance hole was ne owner refuses to allow them complete to the maintenance hole was not been also to the model of	wa Subsurface Sevand sign the following of solids and liquing fulfill the solids remove below, I certify the used for the purpose	wage Treatment Systems statement. The to allow the removal distribution of the second in the second	? Yes No If no, em (SSTS) to be pumped the of the solids and liquids through spoints is not considered a conn. R. 7080.2450 and 7082.00 e true and correct, to the best of the solids.	please explain below: rough the maintenance ugh the maintenance compliant method of 600.			

Pro	perty address:			Parcel ID:			
City:			State:	Zip code:			
5.	Is the tank designed as a lea Tank #1: Yes No Tank #2: Yes No	Verification method used:		ng pit)			
6.	Is there evidence of the following?		Tank leaks above the	Maintenance hole cover is damaged, cracked, unsecured, or appears to be structurally unsound			
-	Tank (check if present) Septic/holding Tank #1	designed operating depth Yes No	designed operating depth Yes No	Yes No			
-	☐ Septic/holding Tank #2	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
•	Pretreatment Tank	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
-	☐ Pump Tank	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
-	Describe detail for any "Yes"						
7.	How many gallons of septag Tank #1: 1500 Tan		retreatment Tank:	Pump Tank:			
8.	Where was the septage taken? ☐ Wastewater treatment facility ☑ Land application ☐ Other Explanation (Facility name/Site #): M - 2						
10.	Did you identify any operational issues or unsafe conditions while assessing the sewage tanks in this system? Yes No If yes, identify tank and explain: Evidence of non-domestic waste Baffle(s) condition Effluent screen condition Maintenance hole and extensions condition Other conditions (e.g. structural integrity of tank or lid, electrical hazard, etc.) Explanation: List any troubleshooting and minor repairs completed or declined by owner:						
	☐ Troubleshooting and repair	1	Repairs declined by owner				
•	Additional comments or sugge	stions for owner's considerat	tion:				
Pur	mping record						
	rsonally conducted the work de Minnesota Rules Chapters 708		Minnesota-licensed SSTS Ma	intenance Business, in compliance			
□ / By	As a noncertified individual who As a designated certified individent typing/signing my name below information can be used for the	ual of the business listed below, I certify the above stateme	ow. ents to be true and correct, to	the best of my knowledge, and that			
Company information Company name: MEYER SEWER SERVICE			Employee information	Employee information Print name: Each Biscoe			
Business license number: 1915 Certification number: (if applicable): Email: meyer sewer@hotmail.com Phone number: 651-459-0162							
∟mp	loyee's signature:	B340/	Date (mm	лаалуууу). чүрүз			