Washington County

DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT

GOVERNMENT CENTER

14949 62nd STREET NORTH P.O. BOX 6 STILLWATER, MN 55082-0006
Office: 651-430-6655 TTY: 651-430-6246 FAX: 651-430-6730

Subsurface Sewage Treatment System Maintenance Permit

This section must prior to per	be completed in its entire forming maintenance act	ety to constitute a vivities and remain	valid maintenance p	permit. This permit m	iust be completed		
Date of Maintenanc	e: 10-23-23 Reas	on for Maintenance	·	Routine			
	14031 Point Dove			ame: Davidle	D. I		
	enmark ZIP: 55						
Maintenance Description	t No: x 6223 234598	Property id	dentification Number	;			
maintenance Permi	t NO: X0-12 X3 10 10	Maintainer Name a	and License No. <u>Meye</u>	er Sewer Service/ L915	I		
				-			
Mainte	nance Performed		and the second second	completed if tanks N	NOT pumped)		
☐ Tank(s) Pumped	I		f Tankin	C			
☐ Sludge and scun	n measured Do			Scum Level in Tank	in		
tanks need to b	e pumped?		Sludge + Scum/ Liquid LevelX 100 = % Sludge & Scum Tanks must be pumped if 25% or greater				
☐ Yes ☐ No (if no provide measuremen	ts)					
1. Access used to re	emove septage: Mainte	nance Hole Other	(enter authorization c	ode)			
2 Were all covers	securely replaced? Yes	s □ No					
	e of tank leakage from a s		treatment or pump	tank below the opera	ating depth or		
	maged, cracked, or struct				tenig depen of		
		,,					
	Та	Leaking Out	Leaking In	Cover Damage			
	nk Septic/Holding Tank #1						
	Septic/Holding Tank #1	□Yes □ No	☐ Yes ☑ No	☐ Yes ☑ No			
	Septic/Holding Tank #2	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
	Pretreatment Tank	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
	Pump Tank	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
4. How many galler	of contage were remain	- 43					
	ns of septage were remove gal Tank #2		nt tank a	al Dump Tank	gal		
	on: List any troubleshooti						
		,	onducted, turn sure	ery concerns, or other			
6. Location of septa	ge disposal:land	Apply W	1-1				
		Meyer Sewer					
		5325 Mannir	_				
	Lic	Afton, MN ense Number: L915					
	Lic	ense number. E71J	1.031-737-0102				

Maintenance activities must be reported to the Department within 90 days.



520 Lafayette Road North St. Paul, MN 55155-4194

Sewage tank maintenance reporting form

Subsurface Sewage Treatment Systems (SSTS) Program

Doc Type: Compliance and Enforcement

Purpose: Management and maintenance of Subsurface Sewage Treatment Systems (SSTS) are important to ensure resource protection and long-term and cost-effective sewage treatment. Completion of this form complies with the sewage tank maintenance requirements under Minn. R. 7080.2450 and 7082.0600. This form may be used to certify the compliance status of the sewage tank components of the SSTS. This form is not a complete SSTS inspection report, only a tank integrity assessment, and may only certify sewage tank compliance status when entirely completed and signed on page 3 by a qualified professional.

Instructions: A copy of this information must be submitted to the system owner within 30 days of the maintenance date and be maintained by the licensed SSTS maintainer business for a period of five (5) years from the maintenance date. Maintenance reporting to the local unit of government may be required by local ordinance. Check with your local SSTS program for maintenance reporting protocol. Page 3 is optional and not required to be completed on routine maintenance events.

Secure maintenance hole covers

All maintenance hole covers must be returned to service in a sound and durable condition and be capable of withstanding the anticipated load.

Covers must be re-secured in accordance with Minn. R. 7080.2450, subp. 3, Items C or D:

- a) Covers installed under local ordinances adopted after February 4, 2008 must be locked, bolted or screwed or must be 95 pounds in weight. They must be made of material suitable for outdoor use, resistant to ultraviolet degradation and leaks, and not susceptible to being slid or flipped. They must have a label warning of hazardous conditions inside the tank. All screw openings must be refastened.
- Covers installed under local ordinances adopted before February 4, 2008 must either be buried with at least 12 inches of soil cover or be secured according to the local ordinance in effect before February 4, 2008.
- Covers must meet item 'a' above when raised to the ground surface or less than 12 inches from the ground surface.

le p	porting information			7 4-05	
Pro City	e of maintenance (mm/dd/yyyy perty address: 14031 i: Hashags Dew perty owner's hame:	16 Int Do	Reason for mai rug las Dri JE State: M	ntenance: Routin2 Parcel ID: Zip code:	550 3 3
Pro	perty-owner's address (if different	ənt):		7in ande:	
City					
Pho	one number:		Email address:		
1.	Did you measure the accum	nulation of scum	and sludge? Yes	No (tank(s) pumped withou	ut measuring)
	Tank (check if present)	Scum	Sludge	Operating depth	Percent full
	Septic/holding tank #1				
	Septic/holding tank #2				
	☐ Pretreatment tank				
	☐ Pump tank				
2.	Access used to remove sep	otage: Mainte	enance hole	nless a holding tank, go to #4	below)
	If the maintenance hole was	a used were all c	over secured in place?	Yes No If no, p	olease explain below:
3.	if the maintenance note was	s useu, were an c	,01013 300dica iii piaee		
4.	(Print owner's name)	and sign the follo	wing statement. fuse to allow the removal of the strough other access.	of the solids and liquids throu	gh the maintenance ompliant method of
	solids removal and does not	fulfill the solids rer	moval requirements of iviir	III. K. 1000.2430 and 1002.00	,00.
	By typing/signing my name that this information can be under the control of the c	e below, I certify the	he above statements to be	true and correct, to the best	of my knowledge, and
ww	w.pca.state.mn.us • 651-296-	-6300 • 800-65	/~ -		Available in alternative formats

lity:			Parcel ID:
		State:	Zip code:
is the tank designed as a leater Tank#1: Yes V No Tank#2: Yes No	Verification method used:	e pit, cesspool, drywell, leach VISUAL VISUAL	
is there evidence of the folio		VISOND	
Tank (check if present)	Tank leaks below the designed operating depth	Tank leaks above the designed operating depth	Maintenance hole cover is damaged, cracked, unsecured, or appears to be structurally unsour
Septic/holding Tank #1	Yes 6No	☐ Yes 💋 No	☐ Yes ੴ No
Septic/holding Tank #2	Yes No	Yes No	Yes No
Pretreatment Tank	Yes No	☐ Yes ☐ No	Yes No
Pump Tank Describe detail for any "Yes"	☐ Yes ☐ No	☐ Yes ☐ No	Yes No
How many gallons of septag	e were removed? k #2:	etreatment Tank:	Pump Tank:
Where was the septage take Explanation (Facility name/Site	n? Wastewater treatment	facility Land application	
Yes No If yes, ident Evidence of non-domes Maintenance hole and e	ify tank and explain: tic waste □ Baffle(s) condi	tion	ewage tanks in this system? tion grity of tank or lid, electrical hazard, etc
1 int any traublanhantlan and			··· · · · · · · · · · · · · · · · · ·
Troubleshooting and repair	minor repairs completed of s conducted:	or declined by owner: Repairs declined by owner	
	s conducted:	Repairs declined by owner	
Troubleshooting and repairs Additional comments or suggest	s conducted:	Repairs declined by owner	
Additional comments or suggesting and repairs	s conducted:	Repairs declined by owner	
Troubleshooting and repairs Additional comments or suggest Additional comments or suggest Ersonally conducted the work dest h Minnesota Rules Chapters 708 As a noncertified individual who As a designated certified individual typing/signing my name below	sconducted: stions for owner's consideration of a stion of the business listed below, I certify the above statemers.	Repairs declined by owner Minnesota-licensed SSTS Ma daily work review, and period w.	intenance Business, in compliance
Additional comments or suggest the Minnesota Rules Chapters 708. As a noncertified individual who as a designated certified individual with the ryping/signing my name below is information can be used for the	sconducted: stions for owner's consideration of a stion of the business listed below, I certify the above statemers.	Repairs declined by owner Minnesota-licensed SSTS Ma daily work review, and period w.	intenance Business, in compliance ic observation, or
Additional comments or suggest the Minnesota Rules Chapters 708. As a noncertified individual who As a designated certified individual with typing/signing my name below information can be used for the impany information	sconducted: stions for owner's consideration of a score of proper training, and of the business listed below, I certify the above stateme purpose of processing this for	Repairs declined by owner Minnesota-licensed SSTS Ma daily work review, and period w. nts to be true and correct, to t orm. Employee informatio CE Print name: Al The	intenance Business, in compliance ic observation, or he best of my knowledge, and that n
Additional comments or suggest the suggest that the sugge	sconducted: stions for owner's consideration of a scribed above on behalf of a scribed above proper training, and of the business listed below, I certify the above statement purpose of processing this for SEWER SERVIII	Minnesota-licensed SSTS Madaily work review, and period www. The sto be true and correct, to the storm. Employee information CE Print name: A The Certification number: (if a	intenance Business, in compliance ic observation, or he best of my knowledge, and that n
Additional comments or suggest the Minnesota Rules Chapters 708. As a noncertified individual who As a designated certified individual typing/signing my name below information can be used for the impany information	sconducted: stions for owner's consideration of a scribed above on behalf of a scribed above proper training, and of the business listed below, I certify the above statement purpose of processing this for SEWER SERVIII	Minnesota-licensed SSTS Madaily work review, and period www. The sto be true and correct, to the storm. Employee information CE Print name: A The Certification number: (if a	intenance Business, in compliance ic observation, or he best of my knowledge, and that numes