# Washington County

### DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT

GOVERNMENT CENTER

14949 62nd STREET NORTH P.O. BOX 6 STILLWATER, MN 55082-0006
Office: 651-430-6655 TTY: 651-430-6246 FAX: 651-430-6730

## Subsurface Sewage Treatment System Maintenance Permit

|  | pe completed in its entire<br>forming maintenance act  |   |                                      |                     |                      |
|--|--|---|--------------------------------------|---------------------|----------------------|
| Date of Maintenance                                  |  | on for Maintenance                      |                                      | Routin              | 5                    |
| Property Address: 1                                  | 6221 4th St 1  | 1                                       | _Property Owner's N                  |                     |                      |
|  | Keland ZIP: 5  |   |                                      |                     | , , , , ,            |
|  | No: 62979x3466   |   |                                      |                     | 915                  |
| Mainter  | nance Performed  | Tank Me                                 | asurement (must be                   | e completed if tan  | ks NOT pumped)       |
| ✓ Tank(s) Pumped  ☐ Sludge and scum tanks need to be |  | Sludge Level in<br>Sludge + Scum        | f Tankin n Tankinin/ Liquid Locum Ta | evelX 10            | 00                   |
| ☐ Yes ☐ No (i  | f no provide measuremen  |   | cum                                  | - Indsc be pumpe    |                      |
| 3. Is there evidence                                 | ecurely replaced?  ee<br>of tank leakage from a s<br>naged, cracked, or struct<br>———————————————————————————————————— | eptic, holding, pre                     |                                      |                     | erating depth or     |
|  | Septic/Holding Tank #1   | □Yes√No                                 | ☐ Yes ✓ No                           | ☐ Yes 🗹 No          | _                    |
|  | Septic/Holding Tank #2   | ☐ Yes ☐ No                              | ☐ Yes ☐ No                           | ☐ Yes ☐ No          |                      |
|  | Pretreatment Tank  | ☐ Yes ☐ No                              | ☐ Yes ☐ No                           | ☐ Yes ☐ No          |                      |
|  | Pump Tank  | ☐ Yes ☐ No                              | ☐ Yes ☐ No                           | ☐ Yes ☐ No          |                      |
| Tank #1 \\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \       | s of septage were remove<br>2_gal Tank #2_<br>n: List any troubleshooting  | gal Pretreatmen                         | nt tankg<br>onducted, tank safe      | ety concerns, or ot | gal<br>her concerns. |
| <b>6.</b> Location of septag                         | e disposal: St P   | aul                                     |                                      |                     |                      |
|  |  | Meyer Sewer<br>5325 Mannin<br>Afton, MN | g Ave S                              |                     |                      |
|  | Lic  | ense Number: L915                       |                                      |                     |                      |

White Copy-Maintainer submits to Washington County / Yellow Copy-Property Owner Record

Maintenance activities must be reported to the Department within 90 days.



520 Lafayette Road North St. Paul, MN 55155-4194

## Sewage tank maintenance reporting form Subsurface Sewage

Treatment Systems (SSTS) Program

Doc Type: Compliance and Enforcement

Purpose: Management and maintenance of Subsurface Sewage Treatment Systems (SSTS) are important to ensure resource protection and long-term and cost-effective sewage treatment. Completion of this form complies with the sewage tank maintenance requirements under Minn. R. 7080.2450 and 7082.0600. This form may be used to certify the compliance status of the sewage tank components of the SSTS. This form is not a complete SSTS inspection report, only a tank integrity assessment, and may only certify sewage tank compliance status when entirely completed and signed on page 3 by a qualified professional.

**Instructions:** A copy of this information must be submitted to the system owner within 30 days of the maintenance date and be maintained by the licensed SSTS maintainer business for a period of five (5) years from the maintenance date. Maintenance reporting to the local unit of government *may* be required by local ordinance. Check with your local SSTS program for maintenance reporting protocol. **Page 3 is optional and not required to be completed on routine maintenance events.** 

#### Secure maintenance hole covers

All maintenance hole covers must be returned to service in a sound and durable condition and be capable of withstanding the anticipated load.

Covers must be re-secured in accordance with Minn. R. 7080.2450, subp. 3, Items C or D:

- a) Covers installed under local ordinances adopted after February 4, 2008 must be locked, botted or screwed or must be 95 pounds in weight. They must be made of material suitable for outdoor use, resistant to ultraviolet degradation and leaks, and not susceptible to being slid or flipped. They must have a label warning of hazardous conditions inside the tank. All screw openings must be refastened.
- b) Covers installed under local ordinances adopted before February 4, 2008 must either be buried with at least 12 inches of soil cover or be secured according to the local ordinance in effect before February 4, 2008.
- c) Covers must meet item 'a' above when raised to the ground surface or less than 12 inches from the ground surface.

| Repor        | ting information  |  |  | Factor 10 10 10 10 10 10 10 10 10 10 10 10 10 |                             |                 |
|--------------|---|--|--|---|-----------------------------|-----------------|
|              | maintenance (mm/dd/yyyy)  |  | Reason for maint   | enance: Ran                                   | AM                          |                 |
| Property     | address: 16221 4H   | - St N   |  | Par   | cel ID:                     |                 |
| City:        | Labeland  |  | State: M   | V Zig   | code:                       | 5 043           |
| Property     | owner's name:   | seff Neo   | the  |   | -                           | , - 1,          |
| Property     | -owner's address (if differen   | nt):   | ,  | - 7   | y 0. 1 kg                   |                 |
| City:        |   |  | State:   | Zig   | code:                       |                 |
| Phone n      | umber:  |  | Email address:   |   |                             |                 |
| 1. Did       | you measure the accumu  | lation of scum and sl                                | udge?  Yes   | No (tank(s) pumpe                             | d without me                | asuring)        |
| Tai          | nk (check if present)   | Scum   | Sludge   | Operating dep                                 | th                          | Percent full    |
|              | Septic/holding tank #1  |  |  |   |                             | Truck Brases on |
|              | Septic/holding tank #2  |  | -  |   |                             |                 |
|              | Pretreatment tank   |  |  |   |                             | 7 7             |
|              | Pump tank   |  | /  |   |                             |                 |
| 2. Acc       | cess used to remove septa   | ge: Maintenance                                      | hole Other (Unles  | es a holding tank o                           | o to #4 below               | w)              |
|              | ne maintenance hole was i   |  |  | Yes No  |                             |                 |
| noi          | ne owner refuses to allow<br>e, have them complete and<br>Jeff Neg fus<br>Print owner's name) | d sign the following s                               | Treatment System (<br>tatement.<br>allow the removal of th |   |                             |                 |
| hole<br>soli | e. I understand that removal<br>ds removal and does not ful                                   | of solids and liquids the fill the solids removal re | rough other access po<br>equirements of Minn. F            | pints is not conside<br>R. 7080.2450 and 7    | red a complia<br>7082.0600. | ant method of   |
| By<br>that   | typing/signing my name be<br>this information can be use                                      | elow, I certify the above d for the purpose of pro   | re statements to be tru<br>ocessing this form.             | e and correct, to the                         | ne best of my               | knowledge, and  |
| Owi          | ner's signature:  | reference to   | Date   | (mm/dd/yyyy):                                 | 11-1-2                      | ?               |

| operty address:   |  |   | -   |  |  |  |  | Parcel ID:                  |                                 |         |            |
|---|--|---|---|--|--|--|--|-----------------------------|---------------------------------|---------|------------|
| y:  |  |   |   | State:   |  |  |  |                             |                                 |         |            |
| Is the tank designed as a Tank #1: Yes No Tank #2: Yes No   | Verifi   | ication n   | method used   | age pit, cess<br>d:  |  |  |  | g pit)                      |                                 |         |            |
|   |  |   | nounce door   |  |  |  |  |                             |                                 |         |            |
| Tank (check if present)   | Tank leaks below the designed operating dept   |   | Tank leaks above the designed operating depth   |  |  |  | Maintenance hole cover is damaged, cracked, unsecured, or appears to be structurally unsou |                             |                                 |         |            |
| ☐ Septic/holding Tank #1  |  |   | No  |  |  | 12 No  | ш  | appears                     | ☐ Ye                            |         |            |
| ☐ Septic/holding Tank #2  |  |   | □ No  |  |  | No   |  |                             | ☐ Ye                            | -       | -          |
| ☐ Pretreatment Tank   |  |   | □No   |  |  | □ No   |  |                             | ☐ Ye                            |         |            |
| ☐ Pump Tank   |  |   | □No   |  |  | □ No   |  |                             |                                 |         | ] No       |
| Describe detail for any "Yes  | -  |   |   |  |  |  |  |                             |                                 |         |            |
| How many gallons of sep   |  |   |   | Pretreatmer  | t Tank   | :  |  | Pur                         | mp Tank                         |         |            |
|   |  |   |   |  |  |  |  |                             | - P / WITH                      |         |            |
| Where was the septage to  | Ken?   | vvastew:  | ater treatme  | ent facility [_  | Land   | applica  | tion 📋   | Other                       |                                 |         |            |
| Explanation (Facility name/   | Site #):   | 1 1   | 17  |  |  |  |  |                             |                                 |         |            |
| Did you identify any open   | ational is:  | sues or   | unsafe cor  | nditions whi   | le ass   | essing   | the sev  | wage tan                    | ks in th                        | is s    | ystem?     |
| Yes A No If yes, id   |  |   |   |  |  |  |  | 1                           |                                 |         | 190        |
| _ 100 /L  | circuly warm   |   |   |  |  | ecroon   |  |                             |                                 |         |            |
|   |  |   | Baffle(s) cor   | ndition M F  | ffluent  |  | CONDITIO   | on                          |                                 |         |            |
| ☐ Evidence of non-don   | nestic was   | te 🗆 f  |   |  |  |  |  |                             | or liet ele                     | ortri e | cal hazard |
| ☐ Evidence of non-don ☐ Maintenance hole ar   | nestic was   | ons con   | dition 🔲 0  | ther condition   | ns (e.g  | . structu  |  |                             | or lid, ek                      | ectric  | cal hazard |
| ☐ Evidence of non-don ☐ Maintenance hole ar  Explanation:   | nestic was   | ons con   | dition 🗌 C  | Other condition  | ns (e.g  | . structu  |  |                             | or lid, ek                      | ectric  | cal hazard |
| ☐ Evidence of non-don ☐ Maintenance hole an Explanation:  List any troubleshooting  | nestic was   | ons con   | dition  | other condition  | ns (e.g  | structu  | ral integr   |                             | or lid, ek                      | ectric  | cal hazard |
| ☐ Evidence of non-don ☐ Maintenance hole ar  Explanation:  List any troubleshooting   | nestic was   | ons con   | dition  | Other condition  | ns (e.g  | structu  | ral integr   |                             | or lid, ek                      | ectric  | cal hazard |
| ☐ Evidence of non-don ☐ Maintenance hole ar  Explanation:  List any troubleshooting   | nestic was   | ons con   | dition  | other condition  | ns (e.g  | structu  | ral integr   |                             | c or lid, ele                   | ectric  | cal hazard |
| ☐ Evidence of non-don ☐ Maintenance hole ar  Explanation:   | nestic was   | ons con   | dition  | other condition  | ns (e.g  | structu  | ral integr   |                             | c or lid, ele                   | ectric  | cal hazard |
| ☐ Evidence of non-don ☐ Maintenance hole ar  Explanation:  List any troubleshooting   | nestic was   | ons con   | dition  | other condition  | ns (e.g  | structu  | ral integr   |                             | c or lid, ele                   | ectric  | cal hazard |
| ☐ Evidence of non-don ☐ Maintenance hole ar Explanation: List any troubleshooting ☐ Troubleshooting and rep   | nestic was<br>ad extension<br>and mino<br>airs condi   | r repair<br>ucted:  | dition  | d or decline   | ns (e.g  | structu  | ral integr   |                             | c or lid, ele                   | ectric  | cal hazard |
| ☐ Evidence of non-don ☐ Maintenance hole ar Explanation:  List any troubleshooting  | nestic was<br>ad extension<br>and mino<br>airs condi   | r repair<br>ucted:  | dition  | d or decline   | ns (e.g  | structu  | ral integr   |                             | c or lid, ele                   | ectric  | cal hazard |
| ☐ Evidence of non-don ☐ Maintenance hole ar Explanation: List any troubleshooting ☐ Troubleshooting and rep   | nestic was<br>ad extension<br>and mino<br>airs condi   | r repair<br>ucted:  | dition  | d or decline   | ns (e.g  | structu  | ral integr   |                             | c or lid, ele                   | ectric  | cal hazard |
| ☐ Evidence of non-don ☐ Maintenance hole ar Explanation: List any troubleshooting ☐ Troubleshooting and rep   | nestic was<br>ad extension<br>and mino<br>airs condi   | r repair<br>ucted:  | dition  | d or decline   | ns (e.g  | structu  | ral integr   |                             | c or lid, ele                   | ectric  | cal hazard |
| ☐ Evidence of non-don ☐ Maintenance hole ar Explanation: List any troubleshooting ☐ Troubleshooting and rep   | nestic was<br>ad extension<br>and mino<br>airs condi   | r repair<br>ucted:  | dition  | d or decline   | ns (e.g  | structu  | ral integr   |                             | c or lid, ele                   | ectric  | cal hazard |
| ☐ Evidence of non-don ☐ Maintenance hole ar Explanation: List any troubleshooting ☐ Troubleshooting and rep  Additional comments or sug   | nestic was<br>ad extension<br>and mino<br>airs condi   | r repair<br>ucted:  | dition  | d or decline   | ns (e.g  | structu  | ral integr   |                             | c or lid, ele                   | ectric  | cal hazard |
| ☐ Evidence of non-don ☐ Maintenance hole ar Explanation: List any troubleshooting ☐ Troubleshooting and rep  Additional comments or sug   | nestic was<br>ad extension<br>and mino<br>airs condi   | r repair<br>ucted:  | dition  | d or decline   | ns (e.g  | structu  | ral integr   |                             | c or lid, ele                   | ectric  | cal hazard |
| ☐ Evidence of non-don ☐ Maintenance hole ar Explanation: List any troubleshooting ☐ Troubleshooting and rep  Additional comments or sug   | nestic was<br>ad extension<br>and minor<br>pairs condi-  | r repair<br>ucted:  | s complete  | d or decline Repair  | ed by a  | wner:  | owner:   | rity of tank                |                                 |         |            |
| ☐ Evidence of non-don ☐ Maintenance hole ar Explanation: List any troubleshooting ☐ Troubleshooting and rep  Additional comments or sug   | nestic was id extension and minor pairs condi  | r repair<br>ucted:  | s complete  | d or decline Repair  | ed by a  | wner:  | owner:   | rity of tank                |                                 |         |            |
| □ Evidence of non-don □ Maintenance hole ar Explanation: □ List any troubleshooting □ Troubleshooting and rep  Additional comments or sugar   | and mino<br>mairs condi-<br>agestions of<br>described<br>7080 - 70   | r repainucted:  | s complete er's conside   | d or decline Repair  | ed by o  | wner:<br>ned by c  | owner:   | ity of tank                 | Busines                         |         |            |
| □ Evidence of non-don □ Maintenance hole ar Explanation: □ List any troubleshooting □ Troubleshooting and rep  Additional comments or sug  mping record  rsonally conducted the work a Minnesota Rules Chapters As a noncertified individual w  | described  | r repainucted:  for owner  f above 183: ceived p  | s complete er's conside   | d or decline Repair  | ed by o  | wner:<br>ned by c  | owner:   | ity of tank                 | Busines                         |         |            |
| □ Evidence of non-don □ Maintenance hole ar Explanation: □ List any troubleshooting □ Troubleshooting and rep  Additional comments or sug  mping record  resonally conducted the work Minnesota Rules Chapters As a noncertified individual was a designated certified individual was a designated certif | described 7080 - 70 tho has re-  | r repain ucted:  for owne  f above 183: ceived p  | s complete er's conside   | d or decline Repair  ration:   | ed by a declir   | structu  | owner:   | nity of tank                | Busines                         | s, ir   | n complia  |
| □ Evidence of non-don □ Maintenance hole ar Explanation: □ List any troubleshooting □ Troubleshooting and rep  Additional comments or sugar  Additional comments or sugar  Arsonally conducted the work of Minnesota Rules Chapters  As a noncertified individual was a designated certified individual w | described 7080 - 70 tho has recividual of the formal of th | r repain ucted:  for owne  f above 183: ceived p the busin  | s complete er's conside   | d or decline Repair  ration:   | ed by a declir   | structu  | owner:   | nity of tank                | Busines                         | s, ir   | n complia  |
| ☐ Evidence of non-don ☐ Maintenance hole ar Explanation: List any troubleshooting ☐ Troubleshooting and rep  Additional comments or sug   | described 7080 - 70 tho has recividual of the formal of th | r repain ucted:  for owne  f above 183: ceived p the busin  | s complete er's conside   | d or decline Repair Repair ration:   | ad by o  | structu  | owner:   | atenance c observa          | Busines                         | s, ir   | n complia  |
| □ Evidence of non-don □ Maintenance hole ar Explanation: □ List any troubleshooting □ Troubleshooting and rep  Additional comments or sugar  Additional comments or sugar  As a noncertified individual was a designated certified individual was a designated cert | described 7080 - 70 the has revidual of the purpos   | r repain ucted:  for owne  f above 183: ceived p the busin  | s complete er's conside   | d or decline Repair  Repair  ration:  f a Minnesota  ng, daily wor  pelow.  ments to be s form.  Emp | a-licens   | structu  | owner:  TS Main periodic ct, to the  | atenance<br>c observa       | Busines                         | s, ir   | n complia  |
| □ Evidence of non-don □ Maintenance hole ar Explanation: □ List any troubleshooting □ Troubleshooting and rep  Additional comments or sugar  Additional comments or sugar  Arsonally conducted the work of Minnesota Rules Chapters  As a noncertified individual was a designated certified individual w | described 7080 - 70 the has revidual of the purpos   | r repain ucted:  for owne  f above 183: ceived p the busin  | s complete er's conside   | d or declined Repairs  ration:  f a Minnesota  ng, daily work pelow. ments to be a form.  Emp        | ad by one decliration of the second s | structures seed SST www. and correct seed seed seed seed seed seed seed see  | owner:  TS Main periodic ct, to the mation   | of tank                     | Busines                         | s, ir   | n complia  |
| □ Evidence of non-don □ Maintenance hole ar Explanation: □ List any troubleshooting: □ Troubleshooting and rep  Additional comments or sugary  Additional comments or sugary  As a noncertified individual was a designated certified individual was a license number:  List any troubleshooting and rep  Additional comments or sugary  Additional co | described 7080 - 70 the has revidual of the purpose Service  | r repair<br>ucted:<br>for owner<br>for owner | s complete er's consider on behalf of proper training ness listed beabove states occessing this | ration:  f a Minnesota  ng, daily wor below. ments to be s form.  Emp                                | ad by of side climate and side climate a | structures where: ned by content of the content of  | owner:  TS Main periodic ct, to the mation Johnso  | otenance cobserva e best of | Busines<br>ation, or<br>my know | s, ir   | n complia  |
| □ Evidence of non-don □ Maintenance hole ar Explanation: □ List any troubleshooting □ Troubleshooting and rep  Additional comments or sugar  Additional comments or sugar  Arsonally conducted the work of Minnesota Rules Chapters  As a noncertified individual was a designated certified individual w | described 7080 - 70 the has revidual of the purpose Service  | r repair<br>ucted:<br>for owner<br>for owner | s complete er's consider on behalf of proper training ness listed beabove states occessing this | ration:  f a Minnesota  ng, daily wor below. ments to be s form.  Emp                                | ad by of side climate and side climate a | structure swiner: ned by control swiner swin | periodic to the mation Johnso er: (#app  | of tank                     | Busines<br>ation, or<br>my know | s, ir   | complia    |