# Washington County

#### DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT

GOVERNMENT CENTER 14949 62nd STREET NORTH P.O. BOX 6 STILLWATER, MN 55082-0006 Office: 651-430-6655 TTY: 651-430-6246 FAX: 651-430-6730

## Subsurface Sewage Treatment System Maintenance Permit

Municipality:	s: 9020 Manning Lottage Grove ZIP: E rmit No: c 5646+3467	Property lo	dentification Number	:		
Mai	ntenance Performed	Tank Me	asurement (must be	completed if tanks	NOT pumped)	
<ul> <li>✓ Tank(s) Pumped</li> <li>☐ Sludge and scum measured Do tanks need to be pumped?</li> <li>☐ Yes ☐ No (if no provide measurements)</li> </ul>		Sludge Level in Sludge + Scum = % Sludge & S	Liquid Level of Tankin  Sludge Level in Tankin Scum Level in Tankin  Sludge + Scum/ Liquid LevelX 100  = % Sludge & Scum Tanks must be pumped if 25% or greater			
2. Were all cove 3. Is there evide	to remove septage:  Mainte ers securely replaced?  Ye ence of tank leakage from a s damaged, cracked, or struct	s □ No septic, holding, pre	treatment or pump	tank below the oper-	ating depth or	
2. Were all cove 3. Is there evide	ers securely replaced? Veence of tank leakage from a s	s □ No septic, holding, pre	treatment or pump	tank below the oper-	ating depth or	
2. Were all cove 3. Is there evide	ers securely replaced? Ye ence of tank leakage from a standard damaged, cracked, or struct  Ta  nk  Septic/Holding Tank #1	s □ No septic, holding, pre turally unsound mai  Leaking Out  □Yes ✔️No	treatment or pump intenance hole cover Leaking In	tank below the opera ers?  Yes No	ating depth or	
2. Were all cove 3. Is there evide	ers securely replaced? Ye ence of tank leakage from a standard	s No septic, holding, pre turally unsound ma  Leaking Out  Yes No  Yes No	treatment or pump intenance hole cover Leaking In  Yes No	tank below the operators?  Yes No  Cover Damage  Yes No  Yes No	ating depth or	
2. Were all cove 3. Is there evide	ers securely replaced? Ye ence of tank leakage from a standard damaged, cracked, or struct  Ta  nk  Septic/Holding Tank #1	s □ No septic, holding, pre turally unsound mai  Leaking Out  □Yes ✔️No	treatment or pump intenance hole cover Leaking In	tank below the operators?  Yes No  Cover Damage  Yes No	ating depth or	

License Number: L915 P: 651-459-0162

Maintenance activities must be reported to the Department within 90 days.



520 Lafayette Road North St. Paul, MN 55155-4194

# Sewage tank maintenance reporting form

Subsurface Sewage Treatment Systems (SSTS) Program

Doc Type: Compliance and Enforcement

Purpose: Management and maintenance of Subsurface Sewage Treatment Systems (SSTS) are important to ensure resource protection and long-term and cost-effective sewage treatment. Completion of this form complies with the sewage tank maintenance requirements under Minn. R. 7080.2450 and 7082.0600. This form may be used to certify the compliance status of the sewage tank components of the SSTS. This form is not a complete SSTS inspection report, only a tank integrity assessment, and may only certify sewage tank compliance status when entirely completed and signed on page 3 by a qualified professional.

Instructions: A copy of this information must be submitted to the system owner within 30 days of the maintenance date and be maintained by the licensed SSTS maintainer business for a period of five (5) years from the maintenance date. Maintenance reporting to the local unit of government may be required by local ordinance. Check with your local SSTS program for maintenance reporting protocol. Page 3 is optional and not required to be completed on routine maintenance events.

### Secure maintenance hole covers

Reporting information

All maintenance hole covers must be returned to service in a sound and durable condition and be capable of withstanding the anticipated load.

Covers must be re-secured in accordance with Minn. R. 7080.2450, subp. 3, Items C or D:

- a) Covers installed under local ordinances adopted after February 4, 2008 must be locked, bolted or screwed or must be 95 pounds in weight. They must be made of material suitable for outdoor use, resistant to ultraviolet degradation and leaks, and not susceptible to being slid or flipped. They must have a label warning of hazardous conditions inside the tank. All screw openings must be refastened.
- b) Covers installed under local ordinances adopted before February 4, 2008 must either be buried with at least 12 inches of soil cover or be secured according to the local ordinance in effect before February 4, 2008.
- c) Covers must meet item 'a' above when raised to the ground surface or less than 12 inches from the ground surface.

Dat	te of maintenance (mm/dd/yyy	y):11-9-23	Reason for mai	ntenance: Rowk				
oro	perty address: 9020	Manying	Au S	Parcel ID:				
City	1. Hastings		State:	Zip code:				
Pro	perty owner's name:	harlie	Schmitz					
oro	perty-owner's address (if differ	rent):						
City	·		State:	Zip code:				
ho	one number:		Email address:					
١,	Did you measure the accumulation of scum and sludge?   Yes No (tank(s) pumped without measuring)							
	Tank (check if present)	Scum	Sludge	Operating depth	Percent full			
	☐ Septic/holding tank #1							
	☐ Septic/holding tank #2			Hann	and the same			
	☐ Pretreatment tank							
	☐ Pump tank							
2.	Access used to remove sep	ptage: Mainten	nance hole Other (Un	less a holding tank, go to #4	below)			
3.	If the maintenance hole was							
	The state of the s	Juscu, were an co	vers secured in place?	Tes LINO IIIIO,	Diedse explain below.			
				- 27 27				
	If the owner refuses to allow	w a Subsurface Se	wage Treatment System	n (SSTS) to be pumped thr	ough the maintenance			
	hole, have them complete and sign the following statement.  I							
	hole. I understand that removal of solids and liquids through other access points is not considered a compliant method of solids removal and does not fulfill the solids removal requirements of Minn. R. 7080.2450 and 7082.0600.							
	solids removal and does not	fulfill the solids remo	oval requirements of Minn	n. R. 7080.2450 and 7082.06	300.			
	solids removal and does not a By typing/signing my name that this information can be underested the signature:	fulfill the solids remore below, I certify the used for the purpose	e above statements of Minn of processing this form.	true and correct, to the best	of my knowledge, and			

Property address:			Parcel ID:					
City:		State:	Zip code:					
le the tank decimed as	1-							
Is the tank designed as a leaky tank? (Example: seepage pit, cesspool, drywell, leaching pit)								
Verification method used: V/50 A L								
	vernication method used.	VISUAL						
i. Is there evidence of the f	is there evidence of the following?							
	Tank leaks below the	Tank leaks above the	Maintenance hole cover is					
Tank (check if present)	designed operating depth	designed operating depth	damaged, cracked, unsecured, or appears to be structurally unsour					
Septic/holding Tank #1	☐ Yes ☐ No	☐ Yes No	Yes No					
Septic/holding Tank #2	Yes No	Yes No	☐ Yes ☐ No					
Pretreatment Tank	Yes No	☐ Yes ☐ No	☐ Yes ☐ No					
Pump Tank	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No					
Describe detail for any "Ye	s"							
			Secretary and the second					
. How many gallons of sep	tage were removed?							
Tank #1: /5@0	Tank #2: P	retreatment Tank:	Pump Tank:					
. Where was the septage to	aken? Wastewater treatmen	t facility (#1 and application	C Other					
Explanation (Facility name)	Site #):/	Land application	Other					
. Did you identify any oper	ational issues or unsafe cond	fitions while assessing the s	ewage tanks in this system?					
Li res Lino ir yes, id	entify tank and explain:							
Li Evidence of non-don	nestic waste Baffle(s) cond	lition	ition					
☐ Maintenance hole ar	☐ Maintenance hole and extensions condition ☐ Other conditions (e.g. structural integrity of tank or lid, electrical hazard, etc.							
Explanation:								
	and minor repairs completed							
☐ Troubleshooting and rep								
	pairs conducted:	Repairs declined by owner	•					
Additional comments or ave								
Additional comments of Sug	gestions for owner's consideral	tion:						
amping record								
impling record								
ersonally conducted the work	described above on behalf of a	Minnesota-licensed SSTS Ma	intenance Business, in compliance					
th Minnesota Rules Chapters	7080 – 7083:	managed neoriood coro ma	menance business, in compliance					
As a noncertified individual w	no has received proper training,	daily work review, and period	is cheaptation or					
As a designated certified indiv	ridual of the business listed belo	ow	ic observation, or					
typing/signing my name be	low. I certify the above stateme	ents to be true and correct to the	ne best of my knowledge, and that					
s information can be used for t	he purpose of processing this fo	orm.	he best of my knowledge, and that					
mpany information								
	Sturp Stown	Employee information  Print name: CHRIS WAGNER  Certification number: (if applicable): C976    Phone number: 65/-459-016 2						
mpany name: MEYER	SEWER SERVICE							
siness license number: 191	01.4							
nail: meyersewer	Chomaci.com							
nployee's signature:	Wagne	Date (mm/	dd/yyyy): 11-9-23					
			7					

www.pca.state.mn.us • 651-296-6300 • 800-657-3864 • Use your preferred relay service • Available in alternative formats