	ngton ounty _{Subsi}	14949 62nd STREE Office: 651-43	GOVERNMENT C T NORTH P.O. BOX 6 0-6655 TTY: 651-43	TH AND ENVIRONMEN ENTER STILLWATER, MN 550 0-6246 FAX: 651-430-6 ystem Maintena	082-0006 0730
<u>prior</u> to per Date of Maintenanc Property Address: Municipality:	be completed in its entire forming maintenance active: <u>12-19-23</u> Reason 2311 Legion Ln Ke Elmo zip: 55 t No: <u>n8553c34695</u>	ty to constitute a vities and remain of the forma of the	valid maintenance p on-site for the dura Property Owner's N entification Number	permit. This permit m tion of the maintenan <u>Rovtir</u> ame: <u>Connor</u>	nust be completed nce activity. <u>NC</u> Brady
Mainte	nance Performed	Tank Mea	asurement (must be	completed if tanks I	NOT pumped)
1. Access used to r	n measured Do	Sludge Level ir Sludge + Scum = % Sludge & S	/ Liquid Le cum Ta	Scum Level in Tank evelX 100 nks must be pumped i 	
3. Is there evidenc	e of tank leakage from a s	eptic, holding, pret			ating depth or
3. Is there evidenc		eptic, holding, pret			ating depth or
3. Is there evidenc	e of tank leakage from a s maged, cracked, or struct Ta	eptic, holding, pret urally unsound mai Leaking Out	ntenance hole cove Leaking In	ers? Yes No Cover Damage	ating depth or
3. Is there evidenc	e of tank leakage from a s maged, cracked, or struct Ta nk	eptic, holding, pret urally unsound mai Leaking Out	ntenance hole cove Leaking In	ers? Yes No Cover Damage	ating depth or
3. Is there evidenc	e of tank leakage from a so maged, cracked, or struct Ta nk Septic/Holding Tank #1	eptic, holding, pred urally unsound mai Leaking Out	Leaking In	ers? Yes No Cover Damage Yes	ating depth or
3. Is there evidenc	e of tank leakage from a so maged, cracked, or struct Ta nk Septic/Holding Tank #1 Septic/Holding Tank #2	eptic, holding, pref urally unsound mai Leaking Out	Leaking In Ves 2 No Yes No	ers? Yes No Cover Damage Yes No Yes No Yes No	ating depth or

Meyer Sewer Service 5325 Manning Ave S Afton, MN 55001 License Number: L915 P: 651-459-0162

Maintenance activities must be reported to the Department within 90 days.

White Copy-Maintainer submits to Washington County / Yellow Copy-Property Owner Record

MINNESOTA POLLUTION CONTROL AGENCY

520 Lafayette Road North St. Paul, MN 55155-4194

Sewage tank maintenance reporting form Subsurface Sewage Treatment Systems (SSTS) Program

Doc Type: Compliance and Enforcement

Purpose: Management and maintenance of Subsurface Sewage Treatment Systems (SSTS) are important to ensure resource protection and long-term and cost-effective sewage treatment. Completion of this form complies with the sewage tank maintenance requirements under Minn. R. 7080.2450 and 7082.0600. This form *may* be used to certify the compliance status of the sewage tank components of the SSTS. This form is not a complete SSTS inspection report, only a tank integrity assessment, and may only certify sewage tank compliance status when entirely completed and signed on page 3 by a qualified professional.

Instructions: A copy of this information must be submitted to the system owner within 30 days of the maintenance date and be maintained by the licensed SSTS maintainer business for a period of five (5) years from the maintenance date. Maintenance reporting to the local unit of government *may* be required by local ordinance. Check with your local SSTS program for maintenance reporting protocol. **Page 3 is optional and not required to be completed on routine maintenance events**.

Secure maintenance hole covers

All maintenance hole covers must be returned to service in a sound and durable condition and be capable of withstanding the anticipated load.

Covers must be re-secured in accordance with Minn. R. 7080.2450, subp. 3, Items C or D:

- a) Covers installed under local ordinances adopted after February 4, 2008 must be locked, bolted or screwed or must be 95 pounds in weight. They must be made of material suitable for outdoor use, resistant to ultraviolet degradation and leaks, and not susceptible to being slid or flipped. They must have a label warning of hazardous conditions inside the tank. All screw openings must be refastened.
- b) Covers installed under local ordinances adopted before February 4, 2008 must either be buried with at least 12 inches of soil cover or be secured according to the local ordinance in effect before February 4, 2008.
- c) Covers must meet item 'a' above when raised to the ground surface or less than 12 inches from the ground surface.

Reporting information

	or ang internation					
Date of maintenance (mm/dd/yyyy): 2/19/23			Reason for maintenance: Rountine			
Property address: 2311 Legion Ln N				Parcel ID:		
City	Lake Elmo		State: MN	Zip code: 5	5042	
Pro	perty owner's name: Conor	- Brady				
	perty-owner's address (if differe					
City:		State:	Zip code:			
Pho	ne number:					
1.				No (tank(s) pumped without	measuring)	
	Tank (check if present)	Scum	Sludge	Operating depth	Percent full	
	Septic/holding tank #1					
	Septic/holding tank #2					
	Pretreatment tank					
	Pump tank					
2.	Access used to remove sept	tage: 🗌 Maintenance	e hole 😡 Other (Unles	ss a holding tank, go to #4 be	elow)	
3.	3. If the maintenance hole was used, were all covers secured in place? Yes No If no, please explain below:				ase explain below:	
4.	If the owner refuses to allow hole, have them complete ar 1, <u>Conor</u> Broce (Print owner's name)	nd sign the following	statement. o allow the removal of th	ne solids and liquids through	the maintenance	
	hole. I understand that removal of solids and liquids through other access points is not considered a compliant method of solids removal and does not fulfill the solids removal requirements of Minn. R. 7080.2450 and 7082.0600.					
	By typing/signing my name that this information can be us					
	Owner's signature:	mp	Date Date	(mm/dd/yyyy): 12/19/	64	
	.pca.state.mn.us • 651-296-63 wists4-38 • 4/28/21	300 800-657-3864	Use your preferred	d relay service Ava	ilable in alternative formats Poge 1 of 3	

			Parcel ID:
ity:		State:	Zip code:
Is the tank designed as a leak Tank #1: ☐ Yes ☑ No Tank #2: ☐ Yes ☐ No	vy tank? (Example: seepag Verification method used: Verification method used:	e pit, cesspool, drywell, leach	ìng pit)
Is there evidence of the follow			
Tank (check if present)	Tank leaks below the designed operating depth	Tank leaks above the designed operating depth	Maintenance hole cover is damaged, cracked, unsecured, or appears to be structurally unsound
Septic/holding Tank #1	Yes No	Yes No	Yes No
Septic/holding Tank #2	Yes No	Yes No	Yes No
Pretreatment Tank	Yes No	Yes No	Yes No
Pump Tank	Yes No	Yes No	Yes No
Describe detail for any "Yes"			
How many gallons of septage Tank #1: 1500 Tank		retreatment Tank:	Pump Tank:
Where was the septage taken	? Wastewater treatment	facility I Land application	Other
Explanation (Facility name/Site		, <u> </u>	
	fy tank and explain: tic waste □ Baffle(s) cond xtensions condition □ Oth	ition Effluent screen cond	lition egrity of tank or lid, electrical hazard, etc.)
. List any troubleshooting and			
Troubleshooting and repairs		Repairs declined by owne	r:
	stions for owner's considera	tion:	
Additional comments or sugges			
Additional comments or sugges			
Additional comments or sugges			
Additional comments or sugges			

As a noncertified individual who has received proper training, daily work review, and periodic observation, or

As a designated certified individual of the business listed below.

By typing/signing my name below, I certify the above statements to be true and correct, to the best of my knowledge, and that this information can be used for the purpose of processing this form.

Company information	Employee information
Company name: MEYER SEWER SERVICE	Print name: Each Biscoe
Business license number: <u>L915</u>	Certification number: (if applicable):
Email: <u>meyer Sewer Chot Mail. COm</u>	Phone number: <u>651-459-0162</u>
Employee's signature: <u>Jalm B3con</u>	Date (mm/dd/yyyy): <u>12-19-13</u>

1