Washington	DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT GOVERNMENT CENTER 14949 62nd STREET NORTH P.O. BOX 6 STILLWATER, MN 55082-0006 Office: 651-430-6655 TTY: 651-430-6246 FAX: 651-430-6730
<i>≈</i> County	Subsurface Sewage Treatment System Maintenance P

Subsurface Sewage Treatment System Maintenance Permit

prior to performing maintenance activitie Date of Maintenance: 12-19-23 Reason for Property Address: 1385 Quant An Municipality: Lake St Croix Beahzip: 0504	to constitute a valid maintenance permit. This permit must be completed es and remain on-site for the duration of the maintenance activity. or Maintenance: Ne Ne Property Owner's Name: Matt Schewe Property Identification Number: intainer Name and License No. Meyer Sewer Service/ L915				
Maintenance Performed	Tank Measurement (must be completed if tanks NOT pumped)				
 Tank(s) Pumped Sludge and scum measured Do tanks need to be pumped? Yes No (if no provide measurements) 	Liquid Level of Tankin Sludge Level in Tankin Scum Level in Tankin Sludge + Scum/ Liquid LevelX 100 = % Sludge & Scum Tanks must be pumped if 25% or greater				
 Access used to remove septage: Anintenance Hole Other (enter authorization code) Were all covers securely replaced? Yes No Is there evidence of tank leakage from a septic, holding, pretreatment or pump tank below the operating depth or evidence of damaged, cracked, or structurally unsound maintenance hole covers? Yes No 					

Ta nk	Leaking Out	Leaking In	Cover Damage
Septic/Holding Tank #1	□Yes 🗹 No	Ves No	□ Yes V No
Septic/Holding Tank #2	Yes VI No	🗆 Yes 🖉 No	Ves No
Pretreatment Tank	🗌 Yes 🗌 No	🗌 Yes 🗌 No	🗆 Yes 🗌 No
Pump Tank	🗆 Yes 🗌 No	□ Yes □ No	🗆 Yes 🗆 No

4. How many gallons of septage were removed?

	Tank #1_	1000	gal	Tank #2	1000	gal P	Pretreatment	tank	9	al Purr	np Tank	gal
_	A.1											

5.	Other informatio	n: List any	troubleshooting,	minor repair	s conducted,	tank safety	concerns,	or other c	oncerns.
	Standpi	ipe	-						

Paul St 6. Location of septage disposal: _

> Meyer Sewer Service 5325 Manning Ave S Afton, MN 55001

License Number: L915 P: 651-459-0162

Maintenance activities must be reported to the Department within 90 days.

White Copy-Maintainer submits to Washington County / Yellow Copy-Property Owner Record

MINNESOTA POLLUTION CONTROL AGENCY

1-5

520 Lafayette Road North St. Paul, MN 55155-4194

Sewage tank maintenance reporting form Subsurface Sewage Treatment Systems (SSTS) Program

Doc Type: Compliance and Enforcement

Purpose: Management and maintenance of Subsurface Sewage Treatment Systems (SSTS) are important to ensure resource protection and long-term and cost-effective sewage treatment. Completion of this form complies with the sewage tank maintenance requirements under Minn. R. 7080.2450 and 7082.0600. This form *may* be used to certify the compliance status of the sewage tank components of the SSTS. This form is not a complete SSTS inspection report, only a tank integrity assessment, and may only certify sewage tank compliance status when entirely completed and signed on page 3 by a qualified professional.

Instructions: A copy of this information must be submitted to the system owner within 30 days of the maintenance date and be maintained by the licensed SSTS maintainer business for a period of five (5) years from the maintenance date. Maintenance reporting to the local unit of government *may* be required by local ordinance. Check with your local SSTS program for maintenance reporting protocol. **Page 3 is optional and not required to be completed on routine maintenance events**.

Secure maintenance hole covers

All maintenance hole covers must be returned to service in a sound and durable condition and be capable of withstanding the anticipated load.

Covers must be re-secured in accordance with Minn. R. 7080.2450, subp. 3, Items C or D:

- a) Covers installed under local ordinances adopted after February 4, 2008 must be locked, bolted or screwed or must be 95 pounds in weight. They must be made of material suitable for outdoor use, resistant to ultraviolet degradation and leaks, and not susceptible to being slid or flipped. They must have a label warning of hazardous conditions inside the tank. All screw openings must be refastened.
- b) Covers installed under local ordinances adopted before February 4, 2008 must either be buried with at least 12 inches of soil cover or be secured according to the local ordinance in effect before February 4, 2008.
- c) Covers must meet item 'a' above when raised to the ground surface or less than 12 inches from the ground surface.

Reporting information

1 0				
Date of maintenance (mm/dd/yyyy):		Reason for mainter	nance: Bountive	
Property address: 1385 O	vant Ave	S	Parcel ID:	
city: St. Croix Bear	ch	State: MN	Zip code: 5	7043
Property owner's name: Most	Schewe			
Property-owner's address (if differen	():			
City:			Zip code:	
Phone number:				
1. Did you measure the accumu	ation of scum and sl	udge? 🗆 Yes 🕅 N	lo (tank(s) pumped without n	neasuring)
Tank (check if present)	Scum	Sludge	Operating depth	Percent full
Septic/holding tank #1				
Septic/holding tank #2				
Pretreatment tank				
Pump tank				
2. Access used to remove septa	ge: 🗌 Maintenance	hole Other (Unless	s a holding tank, go to #4 be	low)
3. If the maintenance hole was u	sed, were all covers	secured in place?	Yes No If no, plea	se explain below:
4. If the owner refuses to allow a hole, have them complete and 1. Matt Scheule	sign the following s	tatement.	SSTS) to be pumped through the solids and liquids through the solids and liquids through the solids through the solids through the solid states and solid state	
(Print owner's name) hole. I understand that removal of solids and liquids through other access points is not considered a compliant method of solids removal and does not fulfill the solids removal requirements of Minn. R. 7080.2450 and 7082.0600.				
By typing/signing my name b that this information can be use Owner's signature:	ow, I certify the abov	ve statements to be true		
www.pca.state.mn.us • , 651-296-630	100			
wq-wwists4-38 • 4/28/21	0 • 800-657-3864	 Use your preferred 	relay service • Avail	able in alternative formats Page 1 of 3

Prop	erty address:			Parcel ID:
City:			State:	Zip code:
5.	Is the tank designed as a lea Tank #1: Yes Vo Tank #2: Yes Wo	Verification method used:	ge pit, cesspool, drywell, leach	
	Is there evidence of the follo Tank (check if present)	Tank leaks below the designed operating depth	Tank leaks above the designed operating depth	Maintenance hole cover is damaged, cracked, unsecured, or appears to be structurally unsound
	Septic/holding Tank #1	Yes No	Yes Ves	Yes GNØ
	Septic/holding Tank #2	Yes No	Yes No	Yes No
_	Pretreatment Tank	Yes No	Yes No	Yes No
_	Pump Tank	Yes No	Yes No	Yes No
	Describe detail for any "Yes"			
		nk #2: 1000 P		Pump Tank:
			t facility Land application	
).	Yes No If yes, iden	tify tank and explain: stic waste □ Baffle(s) cond	lition 🔲 Effluent screen cond	sewage tanks in this system? lition egrity of tank or lid, electrical hazard, etc.)
0.	List any troubleshooting an	d minor repairs completed	or declined by owner:	
_	Troubleshooting and repai	rs conducted:	Repairs declined by owne	r:
_				
-				
	Additional comments or sugg	estions for owner's considera	ation:	
ur	nping record			
l pe	rsonally conducted the work d	escribed above on behalf of a	a Minnesota-licensed SSTS M	aintenance Business, in compliance
	Minnesota Rules Chapters 70		- daily walk ravious and natio	dic observation or
A	As a noncertified individual who	o has received proper training	g, daily work review, and perio	uic observation, or

×. ,

As a designated certified individual of the business listed below.

By typing/signing my name below, I certify the above statements to be true and correct, to the best of my knowledge, and that this information can be used for the purpose of processing this form.

Company information	Employee information
Company name: MEYER SEWER SERVICE	Print name: Each Biscoe
Business license number: 1 915	Certification number: (if applicable): Phone number: <u>651-459-0162</u> Date (mm/dd/yyyy): <u>12-19-23</u>