Washington County

DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT

GOVERNMENT CENTER 14949 62nd STREET NORTH P.O. BOX 6 STILLWATER, MN 55082-0006 Office: 651-430-6655 TTY: 651-430-6246 FAX: 651-430-6730

Subsurface Sewage Treatment System Maintenance Permit

<u>prior</u> to perf	e completed in its entirety	ties and remain o	on-site for the dura	tion of the maintena	nce activity.			
	e: 11-6-23 Reason			Routine				
Property Address:	245 Legion Ln	N	Property Owner's Na	ame: Jay Rac	htiene			
Municipality: 12	Ke Elmo ZIP: 550	42 Property Id	lentification Number	:				
Maintenance Permit	No: 131999 34717	Maintainer Name a	and License No. <u>Meye</u>	r Sewer Service/ L91	5			
Mainten	ance Performed	Tank Mea	asurement (must be	completed if tanks	NOT pumped)			
Tank(s) Pumped			Tankin		W.			
☐ Sludge and scum			Sludge Level in Tankin Scum Level in Tankin Sludge + Scum/ Liquid LevelX 100					
tanks need to be	PROMET CONTRACTOR PROMETERS AND A MANAGEMENT OF THE PROMETERS AND A MANAGE	-	cum Ta	nks must be pumped	if 25% or greater			
☐ Yes ☐ No (i	f no provide measurements							
3. Is there evidence	ecurely replaced? Yes [of tank leakage from a sep naged, cracked, or structur Ta	otic, holding, pre			ating depth or			
	nk							
	Septic/Holding Tank #1	☐Yes ✓ No	☐ Yes ☑ No	☐ Yes ☐ No				
	Septic/Holding Tank #2	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No				
	Pretreatment Tank	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No				
	Pump Tank	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No				
Tank #1 \\ \\ \) 0 0 5. Other information	s of septage were removed gal Tank #2	_gal Pretreatments, minor repairs c		ety concerns, or other				
6. Location of sentage	ge disposal: St. Pau)						
	, , , , , , , , , , , , , , , , , , , ,	Meyer Sewer 5325 Mannir						
	2.0	Afton, MN						
	Lice	nse Number: L915	P: 651-459-0162					

Maintenance activities must be reported to the Department within 90 days.



520 Lafayette Road North St. Paul, MN 55155-4194

Sewage tank maintenance reporting form Subsurface Sewage

Treatment Systems (SSTS) Program

Doc Type: Compliance and Enforcement

Purpose: Management and maintenance of Subsurface Sewage Treatment Systems (SSTS) are important to ensure resource protection and long-term and cost-effective sewage treatment. Completion of this form complies with the sewage tank maintenance requirements under Minn. R. 7080.2450 and 7082.0600. This form may be used to certify the compliance status of the sewage tank components of the SSTS. This form is not a complete SSTS inspection report, only a tank integrity assessment, and may only certify sewage tank compliance status when entirely completed and signed on page 3 by a qualified professional.

Instructions: A copy of this information must be submitted to the system owner within 30 days of the maintenance date and be maintained by the licensed SSTS maintainer business for a period of five (5) years from the maintenance date. Maintenance reporting to the local unit of government *may* be required by local ordinance. Check with your local SSTS program for maintenance reporting protocol. **Page 3 is optional and not required to be completed on routine maintenance events.**

Secure maintenance hole covers

All maintenance hole covers must be returned to service in a sound and durable condition and be capable of withstanding the anticipated load.

Covers must be re-secured in accordance with Minn. R. 7080.2450, subp. 3, Items C or D:

- a) Covers installed under local ordinances adopted after February 4, 2008 must be locked, bolted or screwed or must be 95 pounds in weight. They must be made of material suitable for outdoor use, resistant to ultraviolet degradation and leaks, and not susceptible to being slid or flipped. They must have a label warning of hazardous conditions inside the tank. All screw openings must be refastened.
- b) Covers installed under local ordinances adopted before February 4, 2008 must either be buried with at least 12 inches of soil cover or be secured according to the local ordinance in effect before February 4, 2008.
- c) Covers must meet item 'a' above when raised to the ground surface or less than 12 inches from the ground surface.

Re	porting information				transfers you take July
Pro	perty address: 2245 L bety address: 2245 L bety bety owner's name: 244	lgion Law Rechti	Reason for market State:	Parcel ID: Zip code:	SC0Y2
Pro	perty-owner's address (if differ		nolleanbrency	a samwork massay appetit 10,60	domn: Balayabbi
City			State:	Zip code:	
Pho	one number:		Email address:		
1.	Did you measure the accum	nulation of scum a	nd sludge?	☐ No (tank(s) pumped without	out measuring)
	Tank (check if present)	Scum	Sludge	Operating depth	Percent full
	☐ Septic/holding tank #1				Purceing reach
	☐ Septic/holding tank #2				
	Pretreatment tank	melwi 3 te a manec	vestospinin M seto (uentro	h Hyuda gedboznih Bos ett	105000000 the sales
	Pump tank			COLL - ODE VOIS LINE	C. WULLEY SOLD STREET, SQUARE
2.	Access used to remove sep	tage: Mainten	ance hole & Other (L	Inless a holding tank, go to #4	1 below)
3.	If the maintenance hole was		A Control of the last of		
4.	If the owner refuses to allow hole, have them complete a	w a Subsurface Se and sign the follow the property of the follow al of solids and liquing the solids removed below, I certify the	wage Treatment Systeming statement. se to allow the removal ids through other accessoral requirements of Microbove statements to be	em (SSTS) to be pumped the of the solids and liquids through spoints is not considered a conn. R. 7080.2450 and 7082.00 et rue and correct, to the best	rough the maintenance igh the maintenance compliant method of 600.
	Owner's signature: Jag			Pate (mm/dd/yyyy): 11-6	-23

					Parce	IID:		
y:		State: _			Zipo	ode:		
In the death death at .								
Is the tank designed as a least Tank #1: Yes No								
	Verification method							
Tank #2: Yes No	Verification method	used:	·····				 	
is there evidence of the folio	wing?							
	Tank leaks below the	Tank is	Tank leaks above the designed operating depth			Maintenance hole cover is damaged, cracked, unsecured, o appears to be structurally unsecured.		
Tank (check if present)	designed operating o	epth design						
Septic/holding Tank #1	Yes No		☐ Yes Æ	No		☐ Yes	No	
Septic/holding Tank #2	Yes No		☐ Yes [No		☐ Yes	☐ No	
Pretreatment Tank	Yes No		Yes [Yes	□ No	
Pump Tank	Yes No	<u> </u>	Yes	No	<u> </u>	Yes	□ No	
Describe detail for any "Yes"								
How many gations of septag	e were removed?		····				··· -	-
Tank #1: Tan	k #2:	Pretreatme	nt Tank: ्		Pum	p Tank:_		
Where was the septage taker	n 3 Wastewater tre	atment facility	l.and.ad	enlication [Other	_		
Explanation (Facility name/Site	1/h_/	TP		-p	_ ~u.o.			
Yes No If yes, identing Evidence of non-domes Maintenance hole and e	ify tank and explain: tic waste ☐ Baffle(s)) condition	Effluent so	reen condit	ion		•	
☐ Yes ☑ No if yes, identing Evidence of non-domes ☐ Maintenance hole and explanation: List any troubleshooting and	ify tank and explain: tic waste) condition Other condit	Effluent so lons (e.g. s ed by own	reen condit tructural integ	tion grity of tank o		•	
☐ Yes ☐ No If yes, identi ☐ Evidence of non-domes ☐ Maintenance hole and e Explanation:	ify tank and explain: tic waste) condition Other condit	Effluent so lons (e.g. s ed by own	reen condit tructural integ	tion grity of tank o		•	
☐ Yes ☐ No if yes, identing Evidence of non-domes ☐ Maintenance hole and explanation: List any troubleshooting and	ify tank and explain: tic waste) condition Other condit	Effluent so lons (e.g. s ed by own	reen condit tructural integ	tion grity of tank o		•	
☐ Yes ☐ No if yes, identing Evidence of non-domes ☐ Maintenance hole and explanation: List any troubleshooting and	ify tank and explain: tic waste) condition Other condit	Effluent so lons (e.g. s ed by own	reen condit tructural integ	tion grity of tank o		•	
☐ Yes ☐ No If yes, identing Evidence of non-domes ☐ Maintenance hole and explanation: List any troubleshooting and repairs	ify tank and explain: tic waste	ocondition Condition	Effluent so lons (e.g. s ed by own	reen condit tructural integ	tion grity of tank o		•	
☐ Yes ☐No If yes, identing Evidence of non-domes ☐ Maintenance hole and explanation:	ify tank and explain: tic waste	ocondition Condition	Effluent so lons (e.g. s ed by own	reen condit tructural integ	tion grity of tank o		•	
☐ Yes ☐ No If yes, identing Evidence of non-domes ☐ Maintenance hole and explanation: List any troubleshooting and repairs	ify tank and explain: tic waste	ocondition Condition	Effluent so lons (e.g. s ed by own	reen condit tructural integ	tion grity of tank o		•	
☐ Yes ☐ No If yes, identing Evidence of non-domes ☐ Maintenance hole and explanation: List any troubleshooting and repairs	ify tank and explain: tic waste	ocondition Condition	Effluent so lons (e.g. s ed by own	reen condit tructural integ	tion grity of tank o		•	
☐ Yes ☐ No If yes, identing Evidence of non-domes ☐ Maintenance hole and explanation: List any troubleshooting and repairs	ify tank and explain: tic waste	ocondition Condition	Effluent so lons (e.g. s ed by own	reen condit tructural integ	tion grity of tank o		•	
☐ Yes ☐ No If yes, identing Evidence of non-domes ☐ Maintenance hole and explanation: List any troubleshooting and repairs	ify tank and explain: tic waste	ocondition Condition	Effluent so lons (e.g. s ed by own	reen condit tructural integ	tion grity of tank o		•	
☐ Yes ☐ No if yes, identing Evidence of non-domes ☐ Maintenance hole and explanation: List any troubleshooting and repairs ☐ Troubleshooting and repairs Additional comments or suggest	ify tank and explain: tic waste	ocondition Condition	Effluent so lons (e.g. s ed by own	reen condit tructural integ	tion grity of tank o		•	
☐ Yes ☐ No if yes, identing Evidence of non-domes ☐ Maintenance hole and explanation: List any troubleshooting and repairs Additional comments or suggest	ify tank and explain: tic waste	ocondition December 2015	Effluent so ions (e.g. s ed by own rs declined	reen conditional integral inte	tion grity of tank o	or lid, elec	trical haza	rrd, etr
☐ Yes ☐ No if yes, identing Evidence of non-domes ☐ Maintenance hole and explanation: List any troubleshooting and repairs ☐ Troubleshooting and repairs Additional comments or suggested and record in the conducted the work desired in the conducted the conducted the conducted the work desired in the conducted the cond	ify tank and explain: tic waste	ocondition December 2015	Effluent so ions (e.g. s ed by own rs declined	reen conditional integral inte	tion grity of tank o	or lid, elec	trical haza	rd, et
□ Yes □ No if yes, identi □ Evidence of non-domes □ Maintenance hole and e Explanation: □ List any troubleshooting and □ Troubleshooting and repairs Additional comments or suggest repairs record record record recor	ify tank and explain: tic waste	ocondition Other condition Other condition Other condition Other condition Repaired Sideration:	Effluent so ions (e.g. s ed by own rs declined	reen conditional integral inte	ion grity of tank o	or lid, elec	trical haza	rd, et
☐ Yes ☐ No if yes, identi ☐ Evidence of non-domes ☐ Maintenance hole and e Explanation: ☐ List any troubleshooting and ☐ Troubleshooting and repairs Additional comments or suggest The property of the work designation of	ify tank and explain: tic waste	ocondition D Condition D Condi	Effluent so ions (e.g. s ed by own rs declined	reen conditional integral inte	ion grity of tank o	or lid, elec	trical haza	rd, et
☐ Yes ☐ No if yes, identing Evidence of non-domes ☐ Maintenance hole and explanation: List any troubleshooting and repairs ☐ Troubleshooting and repairs Additional comments or suggest and record resonally conducted the work designated certified individual who is a designated ce	ify tank and explain: tic waste	ocondition December 2015 Decem	Effluent so ions (e.g. s ed by own rs declined	reen conditional integration in the condition in the cond	ion grity of tank of intenance B	or lid, elect	in compli	iance
☐ Yes ☐ No If yes, identing Evidence of non-domes ☐ Maintenance hole and explanation: List any troubleshooting and repairs ☐ Troubleshooting and repairs Additional comments or suggest and record resonally conducted the work destant and comments of suggest and conducted the work destant and conducted the work destant and conducted individual who has a designated certified individual typing/signing my name below	ify tank and explain: tic waste	ocondition December 2015 Decem	Effluent so ions (e.g. s ed by own rs declined	reen conditional integration in the condition in the cond	ion grity of tank of intenance B	or lid, elect	in compli	iance
☐ Yes ☐ No if yes, identi ☐ Evidence of non-domes ☐ Maintenance hole and e Explanation:	ify tank and explain: tic waste	ocondition December 2015 Condition December 2015 Condi	Effluent so ions (e.g. s ed by own rs declined radicensed rk review,	reen conditional integral inte	interiance B	or lid, elect	in compli	iance
☐ Yes ☐ No If yes, identing Evidence of non-domes ☐ Maintenance hole and explanation: List any troubleshooting and repairs	ify tank and explain: tic waste	ocondition December 2015 Other condition December 2015 Dec	Effluent so ions (e.g. s ed by own rs declined ra-licensed rk review, true and c	reen conditional integration in the content of the	interiance B	or lid, elect	in compli	iance
☐ Yes ☐ No if yes, identing Evidence of non-domes ☐ Maintenance hole and explanation: List any troubleshooting and repairs Troubleshooting and repairs Additional comments or suggest and repairs Additional comments or suggest and repairs As a noncertified individual who is a designated certified individual typing/signing my name below information can be used for the inpany information pany name: Meyer Sewer Sewe	ify tank and explain: tic waste	ocondition December 2015 Condition December 2015 Condi	Effluent so ions (e.g. s ed by own rs declined rk review, true and o	reen conditional integration in the connect of the	interiance Bic observation	or lid, elect	in compli	iance
☐ Yes ☐ No if yes, identing Evidence of non-domes ☐ Maintenance hole and explanation: List any troubleshooting and repairs Troubleshooting and repairs Additional comments or suggest and repairs Additional comments or suggest and repairs As a noncertified individual who is a designated certified individual typing/signing my name below information can be used for the inpany information pany name: Meyer Sewer Sewe	ify tank and explain: tic waste	ocondition December 2015 Condition December 2015 Condi	Effluent so ions (e.g. s ed by own rs declined rk review, true and o ployee in t name:	reen conditional integration in the connect of the	intenance B ic observations best of monon	dusiness, on, or	in compli	iance
☐ Yes ☐ No if yes, identing Evidence of non-domes ☐ Maintenance hole and explanation: List any troubleshooting and repairs Additional comments or suggest and individual who is a moncertified individual who information can be used for the inpany information pany name: Meyer Sewer Seiness license number:	ify tank and explain: tic waste	ocondition December 2015 Condition December 2015 Condi	Effluent so ions (e.g. s ed by own rs declined rk review, true and c ployee in t name:	reen conditional integration in the connect of the	intenance E ic observation best of monophicable):	lusiness, on, or ny knowle	in compli	iance