Washington County

DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT

GOVERNMENT CENTER 14949 62nd STREET NORTH P.O. BOX 6 STILLWATER, MN 55082-0006 Office: 651-430-6655 TTY: 651-430-6246 FAX: 651-430-6730

Subsurface Sewage Treatment System Maintenance Permit

White Copy-Maintainer submits to Washington County / Yellow Copy-Property Owner Record



520 Lafayette Road North St. Paul, MN 55155-4194

Sewage tank maintenance reporting form

Subsurface Sewage Treatment Systems (SSTS) Program

Doc Type: Compliance and Enforcement

Purpose: Management and maintenance of Subsurface Sewage Treatment Systems (SSTS) are important to ensure resource protection and long-term and cost-effective sewage treatment. Completion of this form complies with the sewage tank maintenance requirements under Minn. R. 7080.2450 and 7082.0600. This form may be used to certify the compliance status of the sewage tank components of the SSTS. This form is not a complete SSTS inspection report, only a tank integrity assessment, and may only certify sewage tank compliance status when entirely completed and signed on page 3 by a qualified professional.

Instructions: A copy of this information must be submitted to the system owner within 30 days of the maintenance date and be maintained by the licensed SSTS maintainer business for a period of five (5) years from the maintenance date. Maintenance reporting to the local unit of government may be required by local ordinance. Check with your local SSTS program for maintenance reporting protocol. Page 3 is optional and not required to be completed on routine maintenance events.

Secure maintenance hole covers

All maintenance hole covers must be returned to service in a sound and durable condition and be capable of withstanding the anticipated load.

Covers must be re-secured in accordance with Minn. R. 7080.2450, subp. 3, Items C or D:

- a) Covers installed under local ordinances adopted after February 4, 2008 must be locked, bolted or screwed or must be 95 pounds in weight. They must be made of material suitable for outdoor use, resistant to ultraviolet degradation and leaks, and not susceptible to being slid or flipped. They must have a label warning of hazardous conditions inside the tank. All screw openings must be refastened.
- b) Covers installed under local ordinances adopted before February 4, 2008 must either be buried with at least 12 inches of soil cover or be secured according to the local ordinance in effect before February 4, 2008.
- c) Covers must meet item 'a' above when raised to the ground surface or less than 12 inches from the ground surface.

ate of maintenance (mm/dd/yyy)	n: 9/1/23	Reason for mai	intenance: Rountine	·
roperty address: 12380	Panama	Ave N	Parcel ID:	
ity: Stillwater		State: M	N Zip code:	55082
roperty owner's name: 6100	Pitera			
roperty-owner's address (if different				
ity:		_	Zip code:	
none number:				
. Did you measure the accum				
Tank (check if present)	Scum	Sludge	Operating depth	Percent full
Septic/holding tank #1				
Septic/holding tank #2				
Pretreatment tank				
☐ Pump tank				
Access used to remove sep	otage: 🔲 Mainten	ance hole	nless a holding tank, go to #4	below)
If the maintenance hole was				
. If the owner refuses to allow			m (SSTS) to be pumped the	ough the maintenan
hole, have them complete a			of the solids and liquids throu	gh the maintenance
	al of solids and liqui	ids through other access	s points is not considered a c	ompliant method of
hole. I understand that remove solids removal and does not it	fulfill the solids remo	val requirements of Min	in. R. 7080,2450 and 7082.00	500.
hole. I understand that remov	fulfill the solids remo below, I certify the	above statements to be	true and correct, to the best	of my knowledge, an

,tol	perty address:										Pa	arcel II):		
ity						8	State:				Z	ip code	e:		
•	Is the tank designed as a lead Tank #1: Yes Mo No Tank #2: Yes No	Verifi	icatio	on me	•	sed:									
	Is there evidence of the follo	wina?													
_	Tank (check if present)	Tank	Tank leaks below the designed operating depth				Tank leaks above the designed operating depth				Maintenance hole cover is damaged, cracked, unsecured, or appears to be structurally unsoun				
_	Septic/holding Tank #1				No] Yes					Yes		11/0
_	Septic/holding Tank #2				☐ No] Yes	<u> </u>	lo			Yes		No
_	Pretreatment Tank	<u> </u>	<u> </u>	'es	No			Yes		ю			Yes		No
_	Pump Tank		<u> </u>	es :	☐ No			Yes		lo	<u> </u>		Yes		No
	Describe detail for any "Yes"														
-	How many gailons of septag Tank #1: 1500 Tan					Pret	treatme	nt Tanl	k:			Pump	Tank:_		
	Where was the septage take Explanation (Facility name/Site	in? □ \ e #): <i>M</i>	Wasi 1~2	tewat						cation [
	Did you identify any operation Yes No If yes, identify				ain:						_			•	
	☐ Evidence of non-domes ☐ Maintenance hole and of Explanation: List any troubleshooting and	extensio	ons	condi	tion [Other	r condit	ons (e.	g. stru	ctural inte	grity of t		lid, elec	trica	al hazard, d
). -	Maintenance hole and e	extension	ons o	condi pairs	tion [compl	Other	r condit	ed by	g, stru	ctural inte	grity of t		lid, elec	etrica	al hazard, e
	Maintenance hole and explanation: List any troubleshooting and	extension d minor	ons o	pairs	compl	Other	r condit r declir] Repa	ed by	g. strui	ctural inte	grity of t		lid, elec	etrica	al hazard, d
ır	☐ Maintenance hole and explanation: List any troubleshooting and repair Troubleshooting and repair Additional comments or sugges	d minors condu	ons o	pairs d: wner	compl	eted or	r condit	ed by	g. stru	r: by owner	grity of t				
ir	☐ Maintenance hole and of Explanation: List any troubleshooting and repair Troubleshooting and repair Additional comments or suggestions are suggested as a suggestion of the control of the work decrease and the work decrease are suggested.	d minors condu	ons o	pairs d: wner	compl	eted or	r condit	ed by	g. stru	r: by owner	grity of t				
ir eth	☐ Maintenance hole and e Explanation: List any troubleshooting and ☐ Troubleshooting and repair Additional comments or sugge mping record rsonally conducted the work de Minnesota Rules Chapters 706	d minors condi	ons or reproducted for o	pairs d: wner	complete com	eted or	r condit	ed by rs decli	owne ined b	r: y owner	grity of t	oce Bu	siness		
- eth	☐ Maintenance hole and of Explanation: List any troubleshooting and repair Troubleshooting and repair Additional comments or suggest and the maintenance of the work decorated the work decorated the work decorated the maintenance of the m	d minors conductors co	for o	pairs dd:	complete some some some some some some some som	eted or sideration	r condit	ed by rs decli	owne ined b	r: y owner	grity of t	oce Bu	siness		
ir eth	☐ Maintenance hole and of Explanation: List any troubleshooting and repair ☐ Troubleshooting and repair Additional comments or suggest and the work definition of the Minnesota Rules Chapters 70 and a noncertified individual who as a designated certified individual typing/signing my name beloe	estribed escribed 80 - 70 has redual of the	for o	oairs d: where	complete some state of the stat	eted or sideration	r condit	ed by rs decli	owne ined b	r: by owner:	intenar	oce Bu	siness n, or	, in	complian
Ir eeth // is	☐ Maintenance hole and of Explanation: List any troubleshooting and repair Troubleshooting and repair Additional comments or suggest and suggest a	estribed escribed 80 - 70 has redual of the	for o	oairs d: where	complete some state of the stat	eted or sideration	r condit r declir Repa nn: dinneso daily wo	ed by rs declired ta-licer	owne ined b	ctural inte	intenar	oce Bu	siness n, or	, in	complian
eith / is	☐ Maintenance hole and of Explanation: List any troubleshooting and repair Troubleshooting and repair Additional comments or suggest and suggest a	escribed 80 - 70 has redual of the	ons of representation of about the british to see of the british t	wner ove or ed prousine he at f proc	complete some state of the stat	eted or sideration	r condit r declir Repai nn: Minneso daily wo	ed by rs declired true and ploye	owne ined b	ctural inte	intenar	ervation	siness n, or	, in	complian
eith y is	Maintenance hole and explanation: List any troubleshooting and repair Troubleshooting and repair Additional comments or suggest and suggests and suggest and su	estribed escribed 80 - 70 has redual of the	ons of representation of about the british to see of the british t	wner ove or ed prousine he at f proc	complete some state of the stat	eted or sideration	r condit r declir Repai on: dinneso daily wo	ed by ors declired true and ployed at name	owne ined b	ctural inte	intenarion	ervation	siness n, or	, in	complian
eith y is on isi	Maintenance hole and explanation: List any troubleshooting and repair Troubleshooting and repair Additional comments or sugget and resonally conducted the work de Minnesota Rules Chapters 700 As a noncertified individual who as a designated certified individual who as a designated certified individual who as a designated certified individual who information can be used for the apany information pany name: MEYER consessions incense number: L91	estribed 80 - 70 has redual of the bw, I cere	for o	pairs d: where	complete sessing	eted or sideration of this for	r condit r declir Repai n: Minneso daily wo w. nts to be rm. En Pri Ce	ed by rs declired ark review true and reflection to the review of the re	owne ined b	ctural inte	intenarilic obse	ervation t of my	siness n, or know	, in	complian
ir eeth / is m	Maintenance hole and explanation: List any troubleshooting and repair Troubleshooting and repair Additional comments or suggest and suggests and suggest and su	estribed 80 - 70 has redual of the bw, I cere	for o	pairs d: where	complete sessing	eted or sideration of this for	r condit r declir Repai n: Minneso daily wo w. nts to be rm. En Pri Ce	ed by rs declired ark review true and reflection to the review of the re	owne ined b	ctural inte	intenantic observed by Biscon	ervation to of my	siness n, or know	, in	complian