Washington Office: 651-430-6655 TTY: 651-430-6246 FAX: 651-430-6730 Subsurface Sewage Treatment System Maintenance Permit

DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT

GOVERNMENT CENTER 14949 62nd STREET NORTH P.O. BOX 6 STILLWATER, MN 55082-0006 Office: 651-430-6655 TTY: 651-430-6246 FAX: 651-430-6730

This section must be completed in its entirety to prior to performing maintenance activiti		Control of the contro	The state of the s	
Date of Maintenance: $8-3/-13$ Reason f	or Maintenance:		Routin	e
Property Address: 176 Quant Ave	N	Property Owner's Na	me: Brian	Grabowska
Municipality: <u>Lakeland</u> ZIP: 5504	3 Property Ide	entification Number:		
Maintenance Permit No: c1965 34726 Ma				
		Control Brookers of Section Control		
Maintenance Performed	Tank Mea	surement (must be	completed if tanks	NOT pumped)
☐ Tank(s) Pumped		Tankin	20 94 20 50 6000 0	
☐ Sludge and scum measured Do		Tankin S / Liquid Le	Control of the Contro	- 111.04.0
tanks need to be pumped?	1970	um Tar		
\square Yes \square No (if no provide measurements)				
1. Access used to remove septage: \Box Maintenance	ce Hole 🕡 Other (enter authorization co	ode)	
2. Were all covers securely replaced? ✓ Yes ✓	No			
3. Is there evidence of tank leakage from a sept		reatment or pump t	ank below the ope	rating depth or
evidence of damaged, cracked, or structura	lly unsound mair	ntenance hole cove	rs? 🗆 Yes 🗖 No	
	1-11-0-1	1-14-1	C D	•
Ta nk	Leaking Out	Leaking In	Cover Damage	
Septic/Holding Tank #1	□Yes 🔽 No	☐ Yes ☐ No	☐ Yes ☑ No	
Septic/Holding Tank #2	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	
Pretreatment Tank	Yes 🗌 No	☐ Yes ☐ No	☐ Yes ☐ No	
Pump Tank [Yes 🗌 No	☐ Yes ☐ No	☐ Yes ☐ No	
4. How many gallons of septage were removed?				
Tank #1 \\\\\ 00 gal Tank #2	gal Pretreatmen	t tank <u>g</u> a	al Pump Tank	gal
5. Other information: List any troubleshooting,				
Standpipe				
6. Location of septage disposal: Land Ag	Meyer Sewer			
	5325 Manning	St.		
Liana	Afton, MN 5			
License	50	P: 651-459-0162		
Maintenance activities mu	st be reported	to the Departmen	nt within 90 days	



520 Lafayette Road North St. Paul, MN 55155-4194

Sewage tank maintenance reporting form

Subsurface Sewage Treatment Systems (SSTS) Program

Doc Type: Compliance and Enforcement

Purpose: Management and maintenance of Subsurface Sewage Treatment Systems (SSTS) are important to ensure resource protection and long-term and cost-effective sewage treatment. Completion of this form complies with the sewage tank maintenance requirements under Minn. R. 7080.2450 and 7082.0600. This form may be used to certify the compliance status of the sewage tank components of the SSTS. This form is not a complete SSTS inspection report, only a tank integrity assessment, and may only certify sewage tank compliance status when entirely completed and signed on page 3 by a qualified professional.

Instructions: A copy of this information must be submitted to the system owner within 30 days of the maintenance date and be maintained by the licensed SSTS maintainer business for a period of five (5) years from the maintenance date. Maintenance reporting to the local unit of government may be required by local ordinance. Check with your local SSTS program for maintenance reporting protocol. Page 3 is optional and not required to be completed on routine maintenance events.

Secure maintenance hole covers

All maintenance hole covers must be returned to service in a sound and durable condition and be capable of withstanding the anticipated load.

Covers must be re-secured in accordance with Minn. R. 7080.2450, subp. 3, Items C or D:

- a) Covers installed under local ordinances adopted after February 4, 2008 must be locked, botted or screwed or must be 95 pounds in weight. They must be made of material suitable for outdoor use, resistant to ultraviolet degradation and leaks, and not susceptible to being slid or flipped. They must have a label warning of hazardous conditions inside the tank. All screw openings must be refastened.
- b) Covers installed under local ordinances adopted before February 4, 2008 must either be buried with at least 12 inches of soil cover or be secured according to the local ordinance in effect before February 4, 2008.
- c) Covers must meet item 'a' above when raised to the ground surface or less than 12 inches from the ground surface.

	porting information of maintenance (mm/dd/yyyy)	1:8/31/23	Reason for mai	ntenance: Rountine				
Рго	perty address: 176 Qua	ant Ave A		Parcel ID:				
	Lakeland	/	State: M	N Zip code:	55×13			
	perty owner's name: 137	an brabo	wska					
	perty-owner's address (if different							
	r			Zip code:				
Pho	one number:							
1.		umber: Email address: Email address: I you measure the accumulation of scum and sludge?						
	Tank (check if present)	Scum	Sludge	Operating depth	Percent full			
	Septic/holding tank #1							
	Septic/holding tank #2							
	Pretreatment tank							
	☐ Pump tank							
2.	Access used to remove sep	tage: 🔲 Mainten	ance hole	nless a holding tank, go to #4	below)			
3.	If the maintenance hole was used, were all covers secured in place?							
			, , , , , , , , , , , , , , , , , , ,					
4.	If the owner refuses to allow hole, have them complete a			m (SSTS) to be pumped thr	ough the maintenance			
I, Brish Change See , refuse to allow the removal of the solids and liquids through the maintenance (Print owner's name) hole. I understand that removal of solids and liquids through other access points is not considered a compliant method of solids removal and does not fulfill the solids removal requirements of Minn. R. 7080.2450 and 7082.0600.								
	that this information can be us		of propositing this form					

Pro	perty address:				Parcel ID:			
City	(;		State:		Zip code:			
5.	Is the tank designed as a least Tank #1: Yes No Tank #2: Yes No		ge pit, cesspool, dryw	vell, leachìng pil				
6.	s there evidence of the following?							
	Tank (check if present)	Tank leaks below the designed operating depth	Tank leaks above the designed operating	ne da	Maintenance hole cover is damaged, cracked, unsecured, or appears to be structurally unsound			
_	Septic/holding Tank #1	☐ Yes 【☑ No	☐ Yes ☑	No	☐ Yes ☑ No			
_	☐ Septic/holding Tank #2	Yes No	☐ Yes ☐	No	☐ Yes ☐ No			
_	Pretreatment Tank	Yes No	Yes 🔲	No	☐ Yes ☐ No			
_	Pump Tank	☐ Yes ☐ No	☐ Yes ☐	No	☐ Yes ☐ No			
	Describe detail for any "Yes"							
7.	How many gallons of septag	rk #2: F	Pretreatment Tank:		Pump Tank:			
В.	Where was the septage take Explanation (Facility name/Sit	NI-2	nt facility 🔟 Land app					
10.	 ☐ Yes No If yes, identify tank and explain: ☐ Evidence of non-domestic waste ☐ Baffle(s) condition ☐ Effluent screen condition ☐ Maintenance hole and extensions condition ☐ Other conditions (e.g. structural integrity of tank or lid, electrical hazard, etc.) Explanation: D. List any troubleshooting and minor repairs completed or declined by owner: 							
	☐ Troubleshooting and repair	Repairs declined by owner:						
					, , , , , , , , , , , , , , , , , , , 			
	Additional comments or sugge	estions for owner's consider	ation:					
	mping record		· · · · · · · · · · · · · · · · · · ·					
l pe with	rsonally conducted the work de n Minnesota Rules Chapters 70	scribed above on behalf of a 80 – 7083:	a Minnesota-licensed	SSTS Mainten	ance Business, in compliance			
	As a noncertified individual who As a designated certified individ			and periodic ob	servation, or			
Ву	typing/signing my name belo information can be used for the	w, I certify the above statem	nents to be true and c	orrect, to the be	est of my knowledge, and that			
	npany information	SEWER SERVICE	Employee in		coe_			
				Certification number: (if applicable):				
	ness license number: <u>[91</u>	@ hat a las		-1	159-011-21			
	iii: <u>meyer Sewer</u> oloyee's signature: Jelh	Chotmail.com		Date (mm/dd/y	yyy): 8-31-23			
	_	-						