ZIERKE SOIL TESTING

Nancy Maloney 22190 Olinda Trail N Scandia, MN 55073

June 27, 2024

Dear Nancy Maloney,

At your request, I have conducted a septic inspection to determine the compliance status of your septic system pursuant to Minnesota Rules Chapter 7080.1500.

The compliance test set out in 7080.1500 has three main inquiries: 1). Is the system functioning hydraulically (disposing of effluent in a manner that prevents it from coming in contact with people)? 2). Are the septic tanks water tight? 3). Does the system have sufficient vertical separation between the bottom of the septic system and restrictive layers (bedrock, standing water, seasonally wet layers, etc) to provide full treatment of effluent?

Based off of these criteria, your system is <u>non-compliant</u> due to a lack of vertical separation between the bottom of your drain field and indicators of seasonally wet soil (redoximorphic features) and a cracked septic tank. This system is considered "failing to protect groundwater" and <u>is not considered an imminent threat to public health</u>. I am required to provide copies of this report to you and to Washington County. You should contact them as to the next steps that will be required to bring the system into compliance.

Sincerely,

Berignmin Zierke

Benjamin Zierke MPCA Lic 119, Cert 9594

ADDRESS: 28587 Jeffrey Ave Chisago City, MN 55013

PHONE 651-249-1346 EMAIL benzierke@gmail.com



520 Lafayette Road North St. Paul, MN 55155-4194

Compliance inspection report form

Existing Subsurface Sewage Treatment System (SSTS)

Doc Type: Compliance and Enforcement

Instructions: Inspector must submit completed form to Local Governmental Unit (LGU) and system owner within 15 days of final determination of compliance or noncompliance. Instructions for filling out this form are located on the Minnesota Pollution Control Agency (MPCA) website at https://www.pca.state.mn.us/sites/default/files/wq-wwists4-31a.pdf.

Property information	Local tracking	number:			
Parcel ID# or Sec/Twp/Range: <u>1103220430008</u>	Reason for Inspection	Sale			
Local regulatory authority info: Washington County					
Property address: 22190 Olinda Trail N Scandia, MN 55073					
Owner/representative: Nancy Maloney Owner's phone: 651-433-5704					
Brief system description: 1200 gallon septic tank, 1000 gallon lift tank, drop box rock trench drainfield					

System status

System status on date (mm/dd/yyyy): 6/27/2024

Compliant – Certificate of compliance*

(Valid for 3 years from report date unless evidence of an imminent threat to public health or safety requiring removal and abatement under section 145A.04, subdivision 8 is discovered or a shorter time frame exists in Local Ordinance.)

*Note: Compliance indicates conformance with Minn. R. 7080.1500 as of system status date above and does not guarantee future performance.

Noncompliant – Notice of noncompliance

Systems failing to protect ground water must be upgraded, replaced, or use discontinued within the time required by local ordinance.

An imminent threat to public health and safety (ITPHS) must be upgraded, replaced, or its use discontinued within ten months of receipt of this notice or within a shorter period if required by local ordinance or under section 145A.04 subdivision 8.

Reason(s) for noncompliance (check all applicable)

□ Impact on public health (Compliance component #1) – Imminent threat to public health and safety

Tank integrity (Compliance component #2) – Failing to protect groundwater

Other Compliance Conditions (Compliance component #3) – Imminent threat to public health and safety

Other Compliance Conditions (Compliance component #3) – Failing to protect groundwater

System not abandoned according to Minn. R. 7080.2500 (Compliance component #3) – Failing to protect groundwater

Soil separation (Compliance component #5) – Failing to protect groundwater

Operating permit/monitoring plan requirements (Compliance component #4) – Noncompliant - local ordinance applies

Comments or recommendations

Other issues: pigtail on lift pump is too long - system is being dosed ~300 gallons per dose. Risers are also leaking.

Certification

I hereby certify that all the necessary information has been gathered to determine the compliance status of this system. No determination of future system performance has been nor can be made due to unknown conditions during system construction, possible abuse of the system, inadequate maintenance, or future water usage.

By typing my name below, I certify the above statements to be true and correct, to the best of my knowledge, and that this information can be used for the purpose of processing this form.

Business name: Zierke Soil Testing	Certification number: 9594
Inspector signature: Bergenin Gerke	License number: 119
(This document has been electronically signed)	Phone: 651-249-1346
Necessary or locally required supporting documentation (must be att	ached)

aneu supporting documentation

Soil observation logs	🛛 System/As-Built	Locally required forms	Tank Integrity Assessment	Operating Permit
Other information (list):				

1. Impact on public health – Compliance component #1 of 5

ompliance criteria:		Attached supporting documentation:
ystem discharges sewage to the round surface	🗌 Yes* 🛛 No	☐ Other: Not applicable
stem discharges sewage to drain or surface waters.	🗌 Yes* 🛛 No	_
stem causes sewage backup into elling or establishment.	🗌 Yes* 🛛 No	
ny "yes" answer above indicates uminent threat to public health an	•	

Describe verification methods and results:

None of the above observed.

2. Tank integrity – Compliance component #2 of 5

Compliance criteria:		Attached supporting docu	umentation:	
System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit?	🗌 Yes* 🛛 No	_ ⊠ Empty tank(s) viewed by inspector Name of maintenance business: Smilies		
		Name of maintenance busi	IIIESS.	Sillines
Sewage tank(s) leak below their	🖾 Yes* 🔲 No	License number of maintenance business: 2428		
designed operating depth?		Date of maintenance:		6/19/2024
		Existing tank integrity asses	essment (Attach))
		Date of maintenance		
If yes, which sewage tank(s) leaks:	Septic	(mm/dd/yyyy): (r	must be within t	hree years)
Any "yes" answer above indic is failing to protect groundwat		(See form instructions to er Minn. R. 7082.0700 subp. 4		ent complies with
		Tank is Noncompliant (pum	ping not necessa	ry – explain below)
		Other:		

Describe verification methods and results:

Present for pumping by Smilies Sewer 6/19/2024. Septic tank has a large crack in the bottom (non compliant).

3. Other compliance conditions – Compliance component #3 of 5

	Describe verification methods and results:		
	*Yes to 3c or 3d - System is failing to protect groundwater.		
3d.	System not abandoned in accordance with Minn. R. 7080.2500?	☐ Yes*	🖾 No
3c.	System is non-protective of ground water for other conditions as determined by inspector?	☐ Yes*	🖾 No
	*Yes to 3a or 3b - System is an imminent threat to public health and safety.		
3b.	Other issues (electrical hazards, etc.) to immediately and adversely impact public health or safety?	🗌 Yes*	🛛 No 📋 Unknown
	□ Yes* 🖾 No 🔲 Unknown		
За.	Maintenance hole covers appear to be structurally unsound (damaged, cracked, etc.), or unsecu	red?	

Attached supporting documentation:
Not applicable

4. Operating permit and nitrogen BMP* – Compliance component #4 of 5 🛛 Not applicable

Is the system operated under an Operating Permit?	🗌 Yes	🗌 No	If "yes", A below is required
Is the system required to employ a Nitrogen BMP specified in the system design?	🗌 Yes	🗌 No	If "yes", B below is required
BMP = Best Management Practice(s) specified in the system design			
If the answer to both questions is "no", this section does not need to	o be co	mplete	≥d.

☐ Yes ☐ No

Compliance criteria:

a.	Have the	operating	permit	requirements	s been met?	
----	----------	-----------	--------	--------------	-------------	--

b. Is the required nitrogen BMP in place and properly functioning?
Yes No

Any "no" answer indicates noncompliance.

Describe verification methods and results:

Attached supporting documentation: Operating permit (Attach)

5. Soil separation – Compliance component #5 of 5


Date of installation	8/3/1990 (mm/dd/yyyy)	_ 🗌 Unkr	iown		
not located in Shor Protection Area or beverage or lodgin Drainfield has at le separation distance saturated soil or be 5b. Non-performance s April 1, 1996, or lat performance syste or Wellhead Protect	a (select one): rior to April 1, 1996, and reland or Wellhead not serving a food, g establishment: ast a two-foot vertical e from periodically edrock. systems built ter or for non- ms located in Shoreland ction Areas or serving a lodging establishment: ree-foot vertical e from periodically	☑ Yes☑ Yes☑ Yes		 Soil observation logs completed for the report Two previous verifications of required vertical s Not applicable (No soil treatment area) 	
systems built unde Type IV or V syste Rules 7080. 2350 (Intermediate Inspe 2,500 gallons per o License required >	ms built under 2008 or 7080.2400 ector License required ≤ day; Advanced Inspector 2,500 gallons per day) e designed vertical e from periodically	☐ Yes	□ No*	Ordinance.	

*Any "no" answer above indicates the system is failing to protect groundwater.

Describe verification methods and results:

See attached boring log and elevations.

Upgrade requirements: (*Minn. Stat.* § 115.55) An imminent threat to public health and safety (ITPHS) must be upgraded, replaced, or its use discontinued within ten months of receipt of this notice or within a shorter period if required by local ordinance. If the system is failing to protect ground water, the system must be upgraded, replaced, or its use discontinued within the time required by local ordinance. If an existing system is not failing as defined in law, and has at least two feet of design soil separation, then the system need not be upgraded, replaced, or its use discontinued, notwithstanding any local ordinance that is more strict. This provision does not apply to systems in shoreland areas, Wellhead Protection Areas, or those used in connection with food, beverage, and lodging establishments as defined in law.



Logs of Soil Borings

Location of Project:22190 Olinda Trail N Scandia, MN 55073Borings Made by Ben ZierkeDate:Hand bucket auger used for borings; USDA - SCS Soil Classification used.

6/19/2024

Depth, in Depth, in **Boring Number 1 Boring Number 2** Inches Inches 0-----0--0-8" Mixed fill 8-20" 10YR 3/3 sandy loam 20-36" 10YR 6/3 loam, 7.5YR 5/6 and 10YR 6/1 redox End of boring at End of boring at Standing water table: Standing water table: feet of depth Hours after boring feet of depth Hours after boring Present at Present at X Standing water not present in hole Standing water not present in hole L Mottled Soil: Mottled Soil: 1.7 feet of depth feet of depth Observed at Observed at Mottled soil not present in bore hole Mottled soil not present in bore hole Comments: Comments: Depth, in Depth, in **Boring Number 3 Boring Number 4** Inches Inches 0-----0-End of boring at feet End of boring at feet Standing water table: Standing water table: feet of depth Hours after boring feet of depth Hours after boring Present at Present at Standing water not present in hole Standing water not present in hole Mottled Soil: Mottled Soil: feet of depth feet of depth Observed at Observed at Mottled soil not present in bore hole Mottled soil not present in bore hole Comments: Comments: