ZIERKE SOIL TESTING

Sarah Chatwin 23245 Itasca Ave N Forest Lake, MN 55025

7/17/2024

Dear Sarah Chatwin,

At your request, I have conducted a septic inspection to determine the compliance status of your septic system pursuant to Minnesota Rules Chapter 7080.1500.

The compliance test set out in 7080.1500 has three main inquiries: 1). Is the system functioning hydraulically (disposing of effluent in a manner that prevents it from coming in contact with people)? 2). Are the septic tanks water tight? 3). Does the system have sufficient vertical separation between the bottom of the septic system and restrictive layers (bedrock, standing water, seasonally wet layers, etc) to provide full treatment of effluent?

Based off of these criteria, your septic system is <u>compliant</u>. A certification of compliance is in effect for three years from the date it is issued. To be clear, this should not be construed as a guarantee of future system function – there are too many factors that influence the lifespan of a septic system for an inspector to predict or even guess how long a septic system will last. A copy of this report will be filed with your local unit of government for their records.

Sincerely,

Berjamin Zierke

Benjamin Zierke MPCA Lic 119, Cert 9594

ADDRESS: 28587 Jeffrey Ave Chisago City, MN 55013

PHONE 651-249-1346 EMAIL benzierke@gmail.com



520 Lafayette Road North St. Paul, MN 55155-4194

Compliance inspection report form

Existing Subsurface Sewage Treatment System (SSTS)

Doc Type: Compliance and Enforcement

Instructions: Inspector must submit completed form to Local Governmental Unit (LGU) and system owner within 15 days of final determination of compliance or noncompliance. Instructions for filling out this form are located on the Minnesota Pollution Control Agency (MPCA) website at https://www.pca.state.mn.us/sites/default/files/wq-wwists4-31a.pdf.

Property information	Local tracking	number:		
Parcel ID# or Sec/Twp/Range: 020322134008	Reason for Inspection	Sale		
Local regulatory authority info: Washington County				
Property address: 23245 Itasca Ave N Forest Lake, MN 55025				
Owner/representative: Sarah Chatwin		Owner's phone: 612-443-1938		
Brief system description: 1500 gallon septic tank, 1000 gallon septic tank, 1000 gallon lift tank, mound dispersal system				

System status

System status on date (mm/dd/yyyy): 7/17/2024

Compliant – Certificate of compliance*

(Valid for 3 years from report date unless evidence of an imminent threat to public health or safety requiring removal and abatement under section 145A.04, subdivision 8 is discovered or a shorter time frame exists in Local Ordinance.)

*Note: Compliance indicates conformance with Minn. R. 7080.1500 as of system status date above and does not guarantee future performance.

□ Noncompliant – Notice of noncompliance

Systems failing to protect ground water must be upgraded, replaced, or use discontinued within the time required by local ordinance.

An imminent threat to public health and safety (ITPHS) must be upgraded, replaced, or its use discontinued within ten months of receipt of this notice or within a shorter period if required by local ordinance or under section 145A.04 subdivision 8.

Reason(s) for noncompliance (check all applicable)

Impact on public health (Compliance component #1) – Imminent threat to public health and safety

Tank integrity (Compliance component #2) - Failing to protect groundwater

Other Compliance Conditions (Compliance component #3) - Imminent threat to public health and safety

Other Compliance Conditions (Compliance component #3) - Failing to protect groundwater

System not abandoned according to Minn. R. 7080.2500 (Compliance component #3) – Failing to protect groundwater

Soil separation (Compliance component #5) – *Failing to protect groundwater*

Operating permit/monitoring plan requirements (Compliance component #4) – Noncompliant - local ordinance applies

Comments or recommendations

Certification

I hereby certify that all the necessary information has been gathered to determine the compliance status of this system. No determination of future system performance has been nor can be made due to unknown conditions during system construction, possible abuse of the system, inadequate maintenance, or future water usage.

By typing my name below, I certify the above statements to be true and correct, to the best of my knowledge, and that this information can be used for the purpose of processing this form.

Business name: Zierke Soil Testing	Certification number: 9594
Inspector signature: Berizania Merike	License number: 119
(This document has been electronically signed)	Phone: 651-249-1346

Necessary or locally required supporting documentation (must be attached)

Soil observation logs	🛛 System/As-Built	Locally required forms	Tank Integrity Assessment	Operating Permit
Other information (list):				

1. Impact on public health – Compliance component #1 of 5

ompliance criteria:		_ Attached supporting documentation:
System discharges sewage to the ground surface	🗌 Yes* 🛛 No	☐ Other: ⊠ Not applicable
System discharges sewage to drain ile or surface waters.	🗌 Yes* 🛛 No	
System causes sewage backup into Iwelling or establishment.	🗌 Yes* 🛛 No	
Any "yes" answer above indicates imminent threat to public health an		_

Describe verification methods and results:

None of the above observed.

2. Tank integrity – Compliance component #2 of 5

Compliance criteria:		Attached supporting	documentatio	on:
System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit?	☐ Yes* ⊠ No	⊠ Empty tank(s) viewed Name of maintenance		Olson's
Sewage tank(s) leak below their	🗌 Yes* 🛛 No	License number of maintenance business: 216		
designed operating depth?		Date of maintenance:		7/10/2024
		Existing tank integrity a	assessment (Att	tach)
If yes, which sewage tank(s) leaks:		Date of maintenance (mm/dd/yyyy):	(must be wit	hin three years)
Any "yes" answer above indicates the system is failing to protect groundwater.		(See form instructions Minn. R. 7082.0700 รเ		ssment complies with
		Tank is Noncompliant (pumping not necessary – explain below)		
		Other:		
Describe verification methods and	d results:			

Describe vernication methods and results.

Present for pumping by Olson's Sewer. Tanks water tight and baffles in place (confirmed with camera).

3. Other compliance conditions – Compliance component #3 of 5

	Describe verification methods and results:		
	*Yes to 3c or 3d - System is failing to protect groundwater.		
3	d. System not abandoned in accordance with Minn. R. 7080.2500?	☐ Yes*	🖾 No
3	c. System is non-protective of ground water for other conditions as determined by inspector?	☐ Yes*	🖾 No
	*Yes to 3a or 3b - System is an imminent threat to public health and safety.		
3	b. Other issues (electrical hazards, etc.) to immediately and adversely impact public health or safet	/? 🗌 Yes*	🛛 No 📋 Unknown
	🗌 Yes* 🖾 No 📋 Unknown		
3	a. Maintenance hole covers appear to be structurally unsound (damaged, cracked, etc.), or unse	cured?	

Attached supporting documentation:
Not applicable

4. Operating permit and nitrogen BMP* – Compliance component #4 of 5 🛛 Not applicable

Is the system operated under an Operating Permit?	🗌 Yes	🗌 No	If "yes", A below is required
Is the system required to employ a Nitrogen BMP specified in the system design?	🗌 Yes	🗌 No	If "yes", B below is required
BMP = Best Management Practice(s) specified in the system design			
If the answer to both questions is "no", this section does not need to	be co	mplete	ed.

☐ Yes ☐ No

Compliance criteria:

a.	Have the	operating	permit	requirements	been r	net?
----	----------	-----------	--------	--------------	--------	------

b. Is the required nitrogen BMP in place and properly functioning?

Any "no" answer indicates noncompliance.

Describe verification methods and results:

Attached supporting documentation: Operating permit (Attach)

5. Soil separation – Compliance component #5 of 5

Date of installation 7/23/1998 (mm/dd/yyyy)	Unknown				
Shoreland/Wellhead protection/Food beverage lodging? Compliance criteria (select one):	🗌 Yes 🖾 No	Attached supporting documentation:			
5a. For systems built prior to April 1, 1996, and not located in Shoreland or Wellhead Protection Area or not serving a food, beverage or lodging establishment:	/ □ Yes □ No*	Not applicable (No soil treatment area)			
Drainfield has at least a two-foot vertical separation distance from periodically saturated soil or bedrock.					
 5b. Non-performance systems built April 1, 1996, or later or for non- performance systems located in Shoreland or Wellhead Protection Areas or serving a food, beverage, or lodging establishment: Drainfield has a three-foot vertical separation distance from periodically saturated soil or bedrock.* 	⊠ Yes □ No*	Indicate depths or elevations A. Bottom of distribution media B. Periodically saturated soil/bedrock C. System separation D. Required compliance separation* *May be reduced up to 15 percent if allow Ordinance.	101.2' 97.2' 4.0' 3.0' wwed by Local		
5c. "Experimental", "Other", or "Performance" systems built under pre-2008 Rules; Type IV or V systems built under 2008 Rules 7080. 2350 or 7080.2400 (Intermediate Inspector License required ≤ 2,500 gallons per day; Advanced Inspector License required > 2,500 gallons per day)	☐ Yes ☐ No*				
Drainfield meets the designed vertical separation distance from periodically saturated soil or bedrock.					

*Any "no" answer above indicates the system is failing to protect groundwater.

Describe verification methods and results:

See attached boring log and elevations.

Upgrade requirements: (*Minn. Stat.* § 115.55) An imminent threat to public health and safety (ITPHS) must be upgraded, replaced, or its use discontinued within ten months of receipt of this notice or within a shorter period if required by local ordinance. If the system is failing to protect ground water, the system must be upgraded, replaced, or its use discontinued within the time required by local ordinance. If an existing system is not failing as defined in law, and has at least two feet of design soil separation, then the system need not be upgraded, replaced, or its use discontinued, notwithstanding any local ordinance that is more strict. This provision does not apply to systems in shoreland areas, Wellhead Protection Areas, or those used in connection with food, beverage, and lodging establishments as defined in law.



Logs of Soil Borings

Location of Project:23245 Itasca Ave N Forest Lake, MN 55025Borings Made by Ben ZierkeDate:Hand bucket auger used for borings; USDA - SCS Soil Classification used.

Depth, in Depth, in **Boring Number 1 Boring Number 2** Inches Inches 0-----0--0-18" Mixed sandy loam fill 18-26" 10YR 3/2 fine sandy loam 26-34" 10YR 4/3 fine sandy loam 34-40" 10YR 4/4 clay loam, 7.5YR 5/8 iron stains (redox) End of boring at End of boring at Standing water table: Standing water table: feet of depth Hours after boring feet of depth Hours after boring Present at Present at X Standing water not present in hole Standing water not present in hole L Mottled Soil: Mottled Soil: 2.8 feet of depth feet of depth Observed at Observed at Mottled soil not present in bore hole Mottled soil not present in bore hole Comments: Comments: Depth, in Depth, in **Boring Number 3 Boring Number 4** Inches Inches 0-----0-End of boring at feet End of boring at feet Standing water table: Standing water table: feet of depth feet of depth Hours after boring Hours after boring Present at Present at Standing water not present in hole Standing water not present in hole Mottled Soil: Mottled Soil: feet of depth feet of depth Observed at Observed at Mottled soil not present in bore hole Mottled soil not present in bore hole Comments: Comments: